


APRIL 1992

RRP \$3.25



THE WIA RADIO AMATEUR'S JOURNAL



Transceivers Answer the Call-Kenwood's TS-450

Wherever you are, whatever the situation, you can always count on Kenwood's TS-450S and TS-690S for tough, dependable performance. Products of worldfamous Kenwood engineering, these versatile HF transceivers are designed for SSB, CW, AM, FM and FSK modes of operation on all Amateur bands. including the WARC bands. To further enhance capabilities, choose the optional DSP-100 Digital Signal Processor. The AT-450 Automatic Antenna Tuner is built into the TS-450S, and is available as an internal option for the TS-690S. Along with multi-function operation and the highest levels of quality and performance, both models offer yet another advantage: ultra-compact dimensions ideal for DXpeditions and mobile use.

Enjoy all the advantages of these superior features: ■ Superior receiver dynamic range of 108dB ■ Kenwood's exclusive AIP (Advanced Intercept Point) system ■ General coverage receiver ■ Automatic antenna tuner (TS-450S only) ■ Inbuilt automatic ATU option (TS-690S only) ■ Ultra-compact design ■ Excellent split frequency operation
CW pitch and CW reverse mode selection ■ Digital bar meter and multi-function LCD display ■ IF shift circuit ■ Dual-mode noise blanker (pulse or 'woodpecker') ■ 1Hz fine tuning ■ 100 memory channels ■ 100 watts output on all HF bands ■ 50 watts output on 50 to 54 MHz six metre band (TS-690S only)

HF TRANSCEIVER TS-45OS/TS-69

KENWOOD ELECTRONICS AUSTRALIA PTY, LTD.

8 Figtree Drive, Australia Centre, Homebush, N.S.W. 2140 Phone (02) 746 1519, (02) 746 1888, Fax (02) 746 1509 Call now for further information and the name of your nearest authorised Kenwood dealer.

Kenwood Electronics Australia Pty Ltd only warrants products purchased from their authorised Australian dealers.

Please phone, mail or fax for in	formation
Name	
Address	
	Postcode
Publication	Issue
A A control	

Model.....

AMATEUR RAM



THE WIA RADIO AMATEUR'S JOURNAL

ISSN 0002-8859 April 1992

Amateur Radio is published by the Wire
less Institute of Australia, ACN 004 920 745
as its Official Journal, on the last Friday o each month.

EXECUTIVE EDITOR Bill Rice VK3ABP

MANAGING EDITOR

Graham Thornton VK3IY SENIOR TECHNICAL EDITOR

VK3AZL Peter Gibson

Technical Editors VK4AFA David Brownsey Don Graham VK6HK VK3AN Evan Jarman

Peter O'Connor VK4KIP VK3AUI Gil Sones VKAAPA Phil Steen Boy Watkins VK6XV

DRAFTING Vicki Griffin VK3BNK

MARKETING VK3WL Bruce Kendall

Norm Eyres VK3ZEP ADVERTISING

Brenda Edmonds VK3KT June Fox

BUSINESS MANAGER Bill Roner VK3ARZ

All contributions and correspondence concerning the content of Amateur Radio

should be forwarded to: The Editor Amateur Radio PO Box 300

Caulfield South Vic 3162 REGISTERED OFFICE 3/105 Hawthorn Road

Caulfield North Vic 3161 Telephone: (03) 528 5962 (03) 523 8191 Fax:

Business hours: 9.30am to 3pm weekdays

Deadlines

Editorial Hamads 8/4/92 May 6/4/92 June 11/5/92 13/5/92 July 8/6/92 10/6/92

Delivery of AR: If this magazine is not received by the 15th of the month of issue and you are a financial member of the WIA, please check with the Post Office before contacting the registered office of the WIA. Wireless Institute of Australia 1992

CONTENTS

ECHNICAL	
he Loop Yagi Antenna	9
Bill Magnusson VK3JT	
he Compact CMOS Super Keyer II	
Carol Nad VK2BQQ	
Multiband Inverted V for the Z Match Antenna	14
Adrian Fell VK2DZF	
T290 Modifications	
Aini Equipment Review	
Ron Fisher VK3OM	
Random Radiators	19
Ron Cook VK3AFW & Ron Fisher VK3OM	
GENERAL	

WIA Accredited Examiners

VI4BCS Bob Hawksley VK2GRY (ex-G3GBP) An Aussie in Los Angeles30 Rick Ricardo VK1ALR

OPERATING

Awards	37
Contests	
ALARA Results	47
Calendar	37
Boss Hull Contest 1991/2 Results	38
ARI Contest 1992 Rules	39
COLUMNS	
Advertisers' Index56	Murphy's Corner - Errata18

ALARA 47 AMSAT45 Club Corner50 Divisional Notes VK2 Notes, 5/8 Wave49 FTAC Notes48 Hamads54 How's DX40 Intruder Watch44

Morseword No 6152

... 18 Over to You — Members' Opinions 52 Pounding Brass44 Repeater Link48 Spotlight on SWLing 46 Stolen Equipment 54 VHF/UHF an Expanding World 42 WIA Directory2,3 WIA News....

Cover

Four-bay stack of loop Yagis in position on Mt Skene 1990/91 expedition. Shown L to R: Huntly VK3ZE, Bill VK3JT, Dick VK3ARR, Misky VK3WEG(2) and Bill VK3WEG(1). For full story see "The Loop Yagi Antenna" on page 9. Photo Bill Magnusson VK3JT.

EDITOR'S COMMENT

BILL RICE VK3ABP EXECUTIVE EDITOR

Murphy or Sod? It has been said that

Murphy's Law and electronics were made for each other. Also known as Sod's Law, it says "Ifanything can go wrong, it will" Someone else said that Murphy was an optimist Incidentally, if your name is Murphy (and I have known several delightful Murphys) please substitute the alternative name. I know no-one named Sod!

The law seems to apply well to electronics, but in the past week or two, I have been its victim with more mechanical items, too. I now risk the displeasure of the General Manager, who has some sort of phobia about any mention in AR of my sailing. Sorry, Bill, but all that I am going to describe happened not during, but before the annual Marlay but before the annual Marlay.

Point Overnight Sailing Race. Not much about amateur radio, but perhaps interesting? A week before the race, the

first item of trailer-sailer preparation was the outboard motor. For safety, boats are not allowed to start without a motor. If used, the boat is disqualified! In our little 4hp job the water pump was not working. The last new impeller was several years ago. Probably disintegrated. Take it apart. Sure enough: shreds of synthetic rubber. Buy and fit a new one. Not simple: needs tools and techniques that one seems to forget! Eventually installed, but it doesn't work! Many hours later, all sorts of tests and checks, it slowly "comes good". Maybe bits of the old impeller had blocked a pine?

Almost ready, trailer counled up and out in the street. Last minute items fixed. Car now hard to start. blows black smoke and won't idle. Flooded carburettor? Automatic choke not working? No ideal It too "came good" by itself! Worrying, but no further problem until we arrived at Marlay Point (near Sale) with about one hour to sunset and 26 hours to race start time Start rigging boat. Why is the headsail furler badly bent? Did we drive under a low tree? Temporary repairs.

After raising the mast, transfer raisin from car to boat to contact Ron VK30M (at Payneswille, where the race will finish, 50km farther east) on 2m FM. No gol Antenna cable shorted! Fortunately only a few wisps of wire where they shouldn't be at the back of a BNC connector. Fix that, communication restored. XYL communication restored. XYL about the state of the state

Next morning, second crew member arrives from Melbourne; we finish rigging. Move off to the launch ramp. "Hey, you've got a loose trailer wheel!" A hub bearing has fallen to bits! Both wheels were okay when we left home. So, before XVI can drive trailer on to Paynesville, the hub must be fixed. Not a rare boat-trailer problem, so we have spares.

From here on Murphy

seemed to forget us. Except for just one thing. If there's anything our boat handles worse than light airs, it's a strong head-wind. Guess what? Light airs for the first 15 hours, then strong headwind. Slowest race ever. We had no hope of finishing before the time limit, so retired. The outboard ran for three hours to bring us in.

It had been a very trying weekend.

Amateur Radio Service

A radiocommunication service for the purpose of self-training, intercommunication and technical investigations carried out by amateurs, that is, by duly authorised persons interested in radio technique solely with a personal aim and without pecuniary interest.

Wireless Institute of Australia

The world's first and oldest National Radio Society - Founded 1910

Representing the Australian Amateur Radio Service — Member of the International Amateur Radio Union Registered Executive Office of the WIA: 3/105 Hawthom Road, Caullield North, Vic 3161 All mail to: PO Box 300, Caulfield South, Vic 3162. Telephone: (03) 526 5962

Fax: (03) 523 8191

Business Hours: 9.30am to 3.00pm on weekdays

General Manager and Secretary: Bill Roper VK3ARZ

EXECUTIVE

President:	Peter Gamble	VK3YRP	VK1 Federal Councillor: Rob	Apathy	VK1KRA
Vice Chairman:	Ron Henderson	VK1RH	VK2 Federal Councillor: Term	y Ryeland	VK2UX
	Roger Harrison	VK2ZTB	VK3 Federal Councillor: Pete	r Maclellan	VK3BWD
	Kevin Olds	VK1OK	VK4 Federal Councillor: Murr	av Kelly	VK4AOK
	Bill Rice	VK3ABP	VK5 Federal Councillor: Bill \	Wardrop	VK5AWM
Immediate Past President:	David Wardlaw	VK3ADW	VK6 Federal Councillor: Neil	Penfold	VK6NE
Honorary Legal Counsel:	George Brzostowski	ki VK1GB	VK7 Federal Councillor: Jim	Forsyth	VK7FJ

Honorary Legal Counsel:	George Brzostows	ki VK1GB	VK7 Federal Councillor:	Jim Forsyth	VK7FJ	
		FEDERAL CO-	ORDINATORS			
Amsat:	Graham Ratcliff	VK5AGR	Int'l Travel Host Exch:	Ash Nallawalla	VK3CIT	
Awards:	John Kelleher	VK3DP	QSL Manager (VK9, VK0)	Neil Penfold	VK6NE	
Contest Manager:	Neil Penfold	VK6NE	FTAC:	John Martin	VK3ZJC	
Education:	Brenda Edmonds	VK3KT	Federal Tapes:	Ron Fisher	VK3OM	
EMC:	Hans Ruckert	VK2AQU	Standards:	Roger Harrison	VK2ZTB	
Historian:	John Edmonds	VK3AFU	Videotape:	John Ingham	VK5KG	
Intruder Watch:	Gordon Loveday	VK4KAI	WICEN:	Leigh Baker	VK3TP	

WIA NEWS

FROM TUP WIA EXPONENCE OFFICE

Officere

President

WARC 92 Over

The World Administrative Radio Conference 1992. or WARC 92 for short, is now over. 1109 delegates, representing 119 countries and other organisations, met in Torremolinos, Spain for several weeks to hammer out agreements affecting the use

of the radio spectrum. The Australian amateur radio service was ably represented by the two WIA delegates, David Wardlaw VK3ADW and Ron Henderson VK1RH, who were an important part of the 22 member official Australian

Division Address

VK1 ACT Division

VK8

government delegation. The presence of the two WIA delegates was financed by the International Representation component of WIA membership subscriptions.

Many national delegations contained radio amateurs. Indeed the expression "amateur radio mafia" was often heard in jest! Over 100 identified themselves to the International Amateur Radio Union (IARU) team, and 245 delegates attended the IARU reception on the evening of

13th February. Naturally, the world amateur radio service was also represented by the IARU that.

Christopher Davis VK1DO

as a recognised international organisation, was invited to participate in the WARC by the International Telecommunications Union, the

WARC 92 convening body. The IARU team had representatives from all three regions, Europe/Africa, the Americas and the Oceania/ South East Asia area. Having observer status with no ties to any national delegation the IARU team was able to move about delegations spreading the amateur theme of 300 kHz world wide at 7 MHz.

The WARC spent much of the first week setting up committees, presenting national proposals and identifying issues of conflict for debate. By the second week most working groups had been set up and team members were

Weekly News Broadcasts

3.570MHz

busy listening to other nation's views and presenting ours.

While there were six committees in all, the two of most importance covered the greatest number of conflicting proposals, Frequency Allocations and Regulations The two WIA representatives concentrated on these. David on frequency matters and Ron on regulations. Each committee in turn had several working groups concentrating on different aspects.

As was expected, it soon became obvious that the main frequency allocation issues of concern to the amateur service were the high frequency broadcasting pressures on the 7 MHz band and concerns about operating frequencies for wind profiling radars.

1992 Fees

\$70.00 Œ

WIA DIVISIONS The WIA consists of seven autonomous State Divisions. Each member of the WIA is a member of a Division, usually their residential State or Territory, and each Division looks after amateur radio affairs within their State.

2m ch 6950 Rebroadcast Mondays 8pm (G) (S) \$56.00 (X) \$42.00 GPO Box 600 Secretary Jan Burrell VK1RR 70cm ch 8525 2000 hre Sun Canherra ACT 2601 Treasurer Ken Ray VK1KFN Phone (06) 247 7006 From VK2WI at 1045 and 1915 on Sunday on the following frequen-VK2 NSW Division Wana President Roger Henley (F) \$66.75 (G) (S) \$53.40 109 Wigram St Secretary Bob Lloyd-Jones VK2YEL

cies and modes: (*1045 only): 1.845 AM; 3.595 AM morning and SSB evening: 7.146 AM*: 10.125 SSB: On relay 14.160 SSB* and Parramatta NSW Bob Taylor Treasurer VK2AOE 21.170 SSB; 28.320 SSB; 52.120 SSB; 52.525 FM; 144.120 SSB; (PO B ox 1066) (Office hours Mon-Fri 1100-1400 \$38.75 147.000 FM; 438.525 FM; On relay 584.750 ATV sound; 1281.750 FM Parramatta 2124) Wed 1900-2100) Plus automatic relays to 2m repeaters surrounding Sydney and ma Phone (02) 689 2417 to several country repeaters. News headlines by phone (02) 552 5188 Fax (02) 633 1525 1.840MHz AM. 3.615 SSB, 7.085 SSB, 147.250 FM(R) Mt Macedon, #72 M VK3 Victorian Division President Jim Linton VK3PC

40G Victory Boulevard Secretary Barry Wilton 147,225 FM(R) Mt Baw Baw (G) (S) \$58.00 VK3XV Ashburton Vic 3147 146.800 FM(R) Mildura 146.700 FM (R) MT. Dandenong X \$44.00 Treasurer Rob Hailey VK3XI Z Phone (03) 885 9261 Office hours 0830-1530 Tue & Thur 438.075 FM(R) Mt St Leonard 1030 hrs on Sunday VK4 Queensland Division President Inho Apreso VKADA 1.825, 3.605, 7.118, 10.135, 14.342, 18.132, 21.175, 24.970, 28.400, \$70.00

GPO Box 638 VK4ER Secretary Bob Lees MHz (G) (S) \$56.00 52.525 regional 2m repeaters and 1296. 100 0900 hrs Sunday \$42.00 Brisbane Old 4001 Eric Fittock VK4NEF Repeated on 3.605 & 147.150MHz, 1930 Monday Phone (07) 284 9075 VKS South Australian Division Rowland Bruce VKSOU 1820kHz 3.550MHz, 7.095, 14.175, 28.470, 53.100, 145.000, \$70.00 147 000 FM(R) Adelaide 146 700 FM(R) Mid North 146 900 FM(R) (G) (S) \$56.00 34 West Thebarton Bd John McKella VK5B.IM X \$42.00

South East, ATV Ch 34 579.000 Adelaide, ATV 444.250 Mid North Thebarton SA 5031 Bill Wardroo VK5AWM (GPO Box 1234 Barossa Valley 146,825, 438,425 Adelaide SA 5001) (NT) 3.555M 146.500, 0900 hrs Sunday Phone (08) 352 3428 146,700 FM(R) Perth, at 0930 hrs Sunday, relayed on 3,560, 7,075, VKR West Australian Division Cliff Bastin VKRI Z \$60.75 14.115, 14.175, 21.185, 28.345, 50.150, 438.525MHz. Country relays (G) (S) \$48.60 PO Box 10 John Farnan VK6AFA 3582, 147.350(R) Busselton 146.900(R) Mt William (Bunbury) χ̈ \$32.75

West Perth WA 6005 Bruce Hedland VKECCO 147,225(R) 147,250(R) Mt Saddleback 146,725(R) Albany Phone (09) 388 3888 Thomas 146.825(R) Mt Barker Broadcast repeated on 146.700 at 1900 hrs VK7 Tasmanian Division Tom Allen VK7AL 148 Derwent Ave Ted Beard VK7E8 146,700MHz FM (VK7RHT) at 0930 hrs Sunday relayed on 147,000 \$67.00 Lindisfame Tas 7015 Peter King VK77PK (VK7RAA), 146,750 (VK7RNW), 3,570, 7,090, 14,130, 52,100, (G) (S) \$53.65

144.100 (Hobart) Repeated Tues 3.590 at 1930 hrs \$39.00 (Northern Territory) is part of the VK5 Division and relays broadcasts Membership Grades from VK5 as shown (received on 14 or 28MHz). Full (F) Needy (G) Pension (G) to (F) (G) (X) grades at fee x 3

Non receipt of AR (X)

Student (S)

Note: All times are local. All frequencies MHz.

Also, a new issue of potential concern arose concerning low earth orbit satellites and the frequencies next to the 144 MHz hand.

Microwave allocations up to 3 GHz were considered in working group, but little attention was paid to the amateur allocation at 2300 to 2450 MHz.

The Russian Federation put up a proposal for a "secondary" allocation in the "4to 84 GHzrange for a "Space Research (space-to-earth) Service" that would straddle the amateur/amateur satellite allocations at 75.5 to 76 (exclusive PRIMARY) and 76 to 81 GHz (shared secondary). This was also considered in a working group.

By weak three the WARC was down to serious negotiating with long sessions, some running to 11 pm and extra meetings all day Saturday. One Australian, who chaired a working group, lost his weekend when opposing parties to an important issue sought his presence on Sunsought his presence on Sunturn space for all the demands that were being made. Most of the week 4

business was carried out in the plenary sessions, where all documents submitted are required to have two readings. WARC92 finally closed

a little after midnight on Tuesday 4th March 1992. Its last business session met almost continuously from 9:30 am on Monday morning 2nd March until 7:30 am on the Tuesday morning. The difficult issues for resolution involved the 1.5 GHz band and consequential changes to the 2.5 GHz band.

The final band plan tables for these bands were not available in the Final Acts as distributed. However, it is believed a compromise had been reached with the major proponents each gaining something and also making significant sacrifices. Those interests were the Mobile Satellite Service, Broadcasting Satellite Service, and a future land mobile personal communications service. Airborne personal communications, that is telephones in aircraft, were also involved.

In the minds of some delegates, the conclusion of the conference left something to be desired. It is uncertain whether those final band plans and their associated footnotes received the requisite consideration at two plenary readings before the closure of the proceedings. Much work has proceedings, which work has tariat to reconstruct from their notes, agenda papers, official precis and tape recordings, the actual decisions made.

For us amateurs the WARC was, as expected and advised in WIA communications to members, essentially a defensive exercise. Early hones for harmonising the 7 MHz amateur hand world wide with a 300 kHz allocation were not achieved. However, taking note of the mood of the conference when an extension plan for HF broadcasting was hammered out as a compromise package, we did well to survive with no change to existing allocations. A positive step was made when WARC 92 made a formal recommendation to examine harmonisation of 7 MHz in the future. The next band of inter-

est is 50 MHz, where wind profiling radars were considered for an allocation. Incidentally, this applied also for the 400 MHz and 1 GHz profile radars. The WARC made a recommendation to request CCIR to study these radars.

Moving up in frequency we will, in due course, have new services either side of the 2 metre band. The bands 135 - 138 MHz and 148 - 149.9 MHz were allocated to low earth orbit satellite communications. Perhaps they will be better bed fellows than the 148 MHz pagers!

Near the 420-450 MHz amateur bands several changes are proposed such as space to space communications about 410 MHz for spacecraft to spacecraft and space station short range communications. It is also expected

that sharing around 420 - 440 MHz will increase.

MHz will increase.

Sharing changes are also occurring with the 2300 MHz and the 76 GHz bands.

Insummary, amateurs world-wide must now look forward to their objectives for the future, develop plans, and act with one consolidated and united voice through the IARU. With limited agenda or specialised WARCs to be held in the future every two years, the amateur service actions must be continuous with attention to amateurs interests.

That brief report on.

That brief report on WARC 92 was compiled from continuous information received by fax from the two WIA representatives attending the WARC. When all the dust settles, and now that David Wardlaw and Ron Henderson have returned to Australia, a more detailed report will be published in Amateur Radio magazine.

Yet Another Amateur in Space A note from the ARRL

advises that another Space Shuttle astronaut, Mission Specialist Kathy Sullivan, has qualified for an amateur licence by passing the no-code Technician examination. She was scheduled to fly in March aboard STS-45, with three other licensed amateurs in its crew.

Morse Code

The ARRL newsletter also advised that the FCC, the USA equivalent of the DoTC, amended its rules on January 16th 1992 to implement the Global Maritime Distress and Safety System. This new system eliminates manual Morse code for international distress communications in favour of digital and satellite techniques.

This will obviously be another effective argument for those who want to see compulsory Morse Code qualifications removed from the amateur service HF licensing requirements. However, as previously advised, that move, which can only be approved at a WARC, still seems to be some years away.

Have You Paid Your Licence Renewal?

Recent discussions with the DoTC revealed the fact that each month all expired and non-renewed licences are transferred to a lin-active, unpaid" category for a 12 months before being cancelled.

However, while in that

category, they can be reissued if another amateur specifically requests the particular call-sign. Please bewarned about this, especially holders of the prized "two letter" calls. It is every easy to forget when the renewal is due, but the effects may be almost timmediate and unpleasant.

The WIA is negotiat-

ing further with DoTC in an attempt to change this practice, not only for the sake of the amateurs who may lose long-standing callsigns, but to reduce the confusion that occurs if callsigns change too abruptly.

The message is - keep

your present address current with the DoTC, and pay your licence renewal as soon as you receive the account!

Reciprocal Licensing

At the IARU Region III Conference, held last October in Bandung, a member of the WIA delegation received a request about reciprocal licensing with Indonesia.

censing with indonesia.

During WARC 92 a
WIA member of the Australian Delegation had an opportunity to speak with an Indonesian Posts and Telecomunications official and to an
ORARI member on the Indonesian delegation.

The situation with Indonesia is that short term visitors cannot obtain licences. However, persons satisfying the one year residency requirement are able to apply. Under these circumstances it seems worthwhile for the WIA to request DoTC to approach their Indonesian counterparts

seeking reciprocal licensing arrangements. The contacts made at WARC 92 should ease that approach

At the same IARU Region III Conference several other national amateur radio enciatios made overtures concerning reciprocal licensing. The WIA has now written to the Radio Society of Sri Lanka. the Korean Amateur Radio League and the Philippines Amateur Radio Association confirming our wish to seek reciprocal licensing. W h e n their written agreement is received formal approaches will be made to the DoTC. Again, contacts made at WARC 92 with senior officials in the administrations of Korea and Sri Lanka should help progress.

Computer Virus

the WIA uses five computers in a LAN network. Much of the information provided to Divisions, received from DoTC to and from the Amateur Radio printers, and to and from members, is transferred using floppy disks. The WIA computers

The Executive Office of

are regularly checked for computer virus infection, and every floppy disk received in the office is checked before nse

A member reported last week that a floppy disk, sent to him in October last year, was infected with the "Stoned" virus. He was quite certain that the virus could not have infected the disk, or his computer, from any other source than the floppy disk received from the Executive Office

Full checks were carried out on each computer. and on each of several hundred floppy disks in the office. No virus, thank heavens! However, where did the virus come from. We don't know, but it sure points up how easy it can be for a virus to sneak into your computer system. I hope you always virus check any floppy disk before you use it.

Terry Clark VK2ALG

WIA ACCREDITED EXAMINERS

(Listed in Postcode order)

Below is a list of examiners accredited by WIA Exam Service to conduct radio examinations using WIA ExamService examination materials.

The list is published in postcode order to assist candidates to determine the examiner closest to their location. This list was up-to-date as at 13 March 1992, but more applications to become an accredited examiner are still being received.

Accredited examiners will not only be able to provide advice and assistance in relation to examinations, but also about "how to become a radio amateur", to all interested enquirers in their locality. The DoTC and WIA Exam Service direct all such enquiries to accredited area in which the enquirer lives.

GPO Box 3583. Darwin.

1 Kerin Pl. Rapid Creek

GPO Box 717. Darwin.

139 Lee Pt Rd. Wanaman

PO Box 40441, Casuarina.

PO Box 211, Nhulunbuy,

PO Box 131, Watsons Bay.

PO Box 1066, Parramatta.

PO Box 1066, Parramatta,

PO Box 1066, Parramatta.

54 Hillard St, Wiley Park,

PO Box 530, Engadine,

PO Box 530, Engadine.

PO Box 530, Engading

PO Box 77. Warners Bay

PO Box 77, Warners Bay,

61 Fern St. Arcadia Vale.

276 Park Ave. Kotara.

PO Box 4 Tamworth

PO Box 4, Tamworth.

PO Box 4. Tamworth.

21 Tuncredi St. Armidale.

PO Box 655, Coffs Harbour,

PO Box 655, Coffs Harbour,

PO Box 655. Coffs Harbour.

PO Box 655, Coffs Harbour,

PO Box 91, Lismore Heights,

C/- 9 Grevillia Ave, Bogangar,

C/- 9 Grevillia Ave, Bogangar,

C/- 9 Grevillia Ave, Bogangar,

RMB 247 Mayfield Rd, Tarago,

101 College St, Lismore,

PO Box 230, Nowra.

PO Box 230 Nowra

26 William St. Goulburn.

PO Box 524, Lismore,

PO Box 524, Lismore.

Armidale

13 Iris St. Sefton.

1493 Anzac Pde, Little Bay.

72 Vine St, Chippendale

1	examiners in the
1	Jim Jones VK5JF
П	Barrie Burns VK8DI
н	Spud Murphy VK8ZWM
н	Henry Newland VK8HN
П	Trevor Connell VK8CD
П	Richard Hand VK8AZ
П	Grant Hinchcliffe VK2GIX
п	Eric Van De Weyer VK2KUF
П	Rick Cummins VK2QU
-	George Voron VK2BGV
- 1	Sam Voron VK2BVS
- 1	Barry Gammage VK2GAM
-	Cec Purvis L20997
	Terry Ryeland VK2UX
	Bob Girdo VK2RG
	Wayne Brack VK2WDL
	Paul Phelan VK2KYO
	Paul Smith VK2ZSA
	Ean Young VK2FSO
	Leon Brett VK2BLV
	Bill Scovell VK2FKE
	Jim Wing VK2MSB
	Peter Browne VK2GFE
	Maurice Jones VK2CD
	Fred Lawler VK2SI
- 1	Greg Smith VK2GJS
- 1	Dave Myers VK2DFL
- 1	Frederick Eade VK2AEE
- 1	George Hombsch VK2FCC
- 1	Neville Pratt VK2FNP
- 1	Allan Walker VK2ZJW
١	Val Birks VK2TB
- 1	

Roger Chubb VK2FGE Niel Cunningham VK2RD Bob Colsell VK2AWA Peter McAdam VK2FVB Hans Schumacher VK2DGV John Williams VK2BUI Gerry Cresswell VK2IGC Ken Hore VK2HE Leith Martin VK2EA Peter Richens VK2FSD John Toland VK2XKX Rick Virtue VK2EJV James Glenn VK2AIQ Frrot Chittick VK2FGC Phil Evans VK2KEV LLoyd Martin VK2BYU David Blunn VK2DDJ John Bogdanski VK2FEX Tony King VK2FBD Alex Thuma VK2ATY Mike Morrissey VK1RI Neil Pickford VK1KNP Christopher Davis VK1DD Rob Apathy VK1KRA Barry Busch'l VK2GDV Terry Clark VK2ALG Vic Hearne VK3CQP Alan James VK2FIZ Greg Sargeant VK2EXA Graeme Scott VK2KE David Ashley VK2JDA Harley Davison VK2AHD John Eyler WY2RYD Mike McDonnell VK2DAI

Darwin Amateur Radio Club Inc. Darwin Amateur Radio Club Inc. Darwin Amateur Radio Club Inc Darwin Amateur Radio Club Inc. Darwin ARC Inc Gove Amateur Radio Group WARS Examinations WARS Examinations WARS Examinations International ARC International ARC WIA NSW Division WIA NSW Division WIA NSW Division West Ham Evaminations Bankstown Amateur Radio Club St George ARS Inc St George ARS Inc St George ARS Inc. Central Coast ARC Inc. Central Coast ARC Inc.

Westlakes Amateur Radio Club Westlakes Amateur Radio Club Wicen (NSW) Inc. Frederick William Eade Tamworth Radio Club Inc Tamworth Radio Club Inc Tamworth Radio Club Inc Armidale & District ARC Armidale & District ARC

Ovlay Amateur Radio Club

Coffs Harbour & District ARC

Coffs Harbour & District ARC Coffs Harbour & District ARC Coffs Harbour & District ARC Summerland Amateur Radio Club Summerland Amateur Radio Club Summerland Amateur Radio Club PO Box 524, Lismore. Summerland Amateur Radio Club Summerland Amateur Radio Club Summerland Amateur Radio Club 90-92 James St. Dunoon. 24 Tweed Broadwater Vill, Tweed Heads South, Tweed Valley ARC Tweed Valley ARC Tweed Valley ARC Shoalhaven Amateur Radio Club

Shoalhaven Amateur Radio Club Goulburn Amateur Radio Soc Goulburn Amateur Radio Soc WIA ACT Division WILA ACT Division WIA ACT Division

Twin Cities R & E Club Inc Twin Cities B & E Club Inc Twin Cities R & E Club Inc. Twin Cities R & F Club Inc. Twin Cities R & E Club Inc Twin Cities R & E Club Inc.

Wagga Amateur Radio Club Inc Wagga Amateur Radio Club Inc Wagga Amateur Radio Club Inc Wagga Amateur Radio Club Inc.

32 Lonsdale St. Braddon. GPD Box 600, Canberra, 123 Hawkesbury Cres, Farrer, 5 Wrixon St. Latham. 355 Wilson St. Albury, PO Box 396, Albury, PD Box 396, Albury. PO Box 396, Albury, PD Box 396, Albury, PD Box 396, Albury. PO Box 294, Wagga Wagga, 18 Warrawong St, Wagga,

PO Box 294, Wagga Wagga,

PO Box 294, Wagga Wagga,

Tel 02 210 1012 (AH) Tel 02 318 6138 (BH) Tel 02 661 3816 (AH) 2 Griffith Avenue, Roseville, Tel 02 417 1066 2 Griffith Avenue, Roseville, Tel 02 417 1066 2124. Tel 02 727 7338 2124 Tel 02 649 9234 2124 Tel 02 689 2417 (BH) Tel 02 664 9193 (AH) 2182 Tel 02 743 8417 (BH) 2233 Tel 02 521 3053 (AH) 2233 Tel 02 520 7323 (AH 2233 2250

Tel 02 580 5329 (AH) 97 Albany St. Fast Conford Tel 042 24 1640 13 Tulani Ave. Daleys Point. 2257 Tel 043 43 2230 10 Victory Street, Cooranbong, 2265 Tel 049 77 1507 (Al-2282 Tel 049 58 2832 (AH) 2292 Tel 049 49 8786 PO Box 77, Warners Bay, PO Box 77, Warners Bay, 2282 Tel 049 64 8018 (BH) Tel 049 41 3468 (BH) 2293 Tel 049 75 1136 2289 Tel 049 57 5131 2340 Tel 087 85 9351 (RH)

Tel 067 65 4099 2340 Tel 067 64 1878 Lot 79 Invergowrie Rd, MSF 2002 2350 Tel 067 75 2224 2250 Tel 067 72 7840 (AH) 259 Hastings River Dve, Pt Macquarie, 2444. Tel 055 83 6380 Tel 066 52 6135 2450 2450 Tel 966 52 7160 2450 Tel 086 51 2020 (AH) 2450 Tel 056 53 8313 2480

2601 Tel 06 248 9600 (BH) Tel 06 274 8422 (BH) 2601 2607 Tel 018 62 5027 2615 Tel 06 254 2982 2640 Tel 2640. Tel 060 25 3292 2640 Tel Tel 060 25 1117 (AH) 2840 2640. Tel 060 21 5438 (AH)

Tel 060 21 3655 (BH) Tel Tel 069 21 1004 (AH) Tel 069 22 2363 (BH) 2650 Tel

2650.

2650

WIA Accredited Examiners (Cont)									
Sid Ward VK2SW	Wagga Amateur Radio Club Inc	PO Box 294, Wagga Wagga,	2650.	Tel 069 22 6082					
Peter Watson VK2APW	Wagga Amateur Radio Club Inc	PO Box 294, Wagga Wagga,	2650.	Tel					
Rex Black VK2YA	Education Service Wagga Wagga	562 Kooringal Rd, Wagga Wagga,	2659.	Tel 069 22 4691					
Pixie Chapple VK2KPC Leon McHugh VK2FLI	St John Ambulance ARC Chiffey Amateur Radio Club	231 Shepherd St, St Marys, PO Box 280, Mt Druitt,	2760. 2770.	Tel 02 623 5663 (AH) Tel 02 625 9646					
Dave Pola VK2BDP	Chilley Amateur Radio Club	PO Box 280, Mt Druitt,	2770.	Tel 02 628 9247 (AH)					
Raiph Simmons VK2GRS	Chilley Amateur Radio Club	PO Box 280. Mt Druitt.	2770.	Tel 02 671 4756					
Alan Whitmore VK2YYJ		32 Greens Pde, Valley Heights,	2777.	Tel 02 625 1388 (BH)					
Adrian Clout VK2BFN Peter Van Gemert VK2ALL	St Johns Ambulance Radio Club Bathurst Amateur Radio Club	137 Lower Valley Rd, Hazelbrook, 291 Durham St. Bathurst.	2779. 2795.	Tel 047 58 6797					
Neville Wilde VK2DR	Bathurst Amateur Radio Club	22 White St, Bathurst,	2795. 2795.	Tel 063 31 2464 Tel 063 31 5809 (AH)					
Bruce Carroll VK2DEQ	Orange & District ARC Inc	PO Box 128, Orange,	2800.	Tel 063 62 8703					
Peter Carter VK2ETK	Orange & District ARC Inc	7 Ophir Rd, Orange,	2800.	Tel 063 61 3439					
Vicki Marsden VK2EVM	Unit 11 "Woodlands", Hale St	Orange,	2800.	Tel 063 62 0087 (AH)					
Brian Cooper VK2DHO Tom Darcy VK2DDD	Parkes & District ARC Inc Parkes & District ARC Inc	C/- 4 William St, Parkes, 4 William St, Parkes,	2870. 2870.	Tel 068 62 2828 Tel 068 62 1663 (AH)					
Walter Field VK2NNF	Parkes & District ARC Inc	C/- 4 William St. Parkes.	2870.	Tel 068 62 1776					
Dave Kent VK2BJI	Parkes & District ARC Inc	PO Box 564, Parkes,	2870.	Tel 068 62 2154					
Jan Burrell VK1BR	WIA ACT Division	20 Currey St, Gowrie,	2904.	Tel					
Graham Cottew VK3DPC	ARA Exam Service	603-611 Lt Lonsdale St, Melbourne,	3000.	Tel 03 601 4203 (BH)					
Graham Judge VK3YGJ	ARA Exam Service	603-611 Lt Lonsdale St, Melbourne,	3000.	Tel 03 601 4203 (BH)					
Raiph Parkhurst VK3ZIP Mike Ross VK3APW	ARA Exam Service ARA Exam Service	603-611 Lt Lonsdale St, Melbourne, 603-611 Lt Lonsdale St, Melbourne,	3000. 3000.	Tel 03 601 4203 (BH) Tel 03 601 4203 (BH)					
Chris Edmondson VK3YID	ARA Exam Service	GPO Box 628E, Melbourne,	3001.	Tel 03 6014203 (BH)					
Peter Ormerod VK3CPO	RAAF Williams ARC	MCS No 1 Aircraft Depot, RAAF	0001.	10100 0014200 (011)					
		Williams Laverton,	3027.	Tel 03 368 2266 (BH)					
Bruce Kendall VK3WL	RAAF Williams ARC	8 Walwa Place, Werribee,	3030.	Tel 03 741 7654 (AH)					
Dixle Lee VK7HP	RAAF Williams ARC	5/24 Salisbury St, Werribee, 27 Kathleen St, Pascoe Vale South,	3030. 3044.	Tel 03 742 3786					
Brian Purcell VK3BQP Howard Rider VK3ZJY		27 Kathleen St, Pascoe Vale South, 232 Cumberland Road, Pascoe Vale,	3044.	Tel 03 386 7750 Tel 03 306 8484					
Harry Lodder VK3AXJ	Camberwell Grammar Radio Club	PO Box 151, Balwyn,	3103.	Tel 03 836 6266 (BH)					
Des Bird VK3EDB	Electrotechnology RMIT	8 Queen St. Surrey Hills.	3127.	Tel 03 836 1837 (AH)					
Rob Carmichael VK3DTR		PO Box 200, Forest Hill,	3131.	Tel					
Jim Linton VK3PC		PO Box 200, Forest Hill,	3131.	Tel					
Geoff Atkinson VK3YFA Jack Bramham VK3WWW	EMDRC EMDRC	PO Box 87, Mitcham, PO Box 87, Mitcham,	3132.	Tel 03 876 4850 (AH)					
Joe Magee VK3BKI	EMDRC	PO Box 87, Mitcham,	3132. 3132.	Tel 03 873 2459 (AH) Tel 03 729 8579 (AH)					
Dave Neville VK3UC	FMDRC	PO Box 87, Mitcham,	3132.	Tel 03 802 7492 (AH)					
David Nisbet VK3XDA	EMDRC	PO Box 87, Mitcham,	3132.	Tel 03 420 2035 (BH)					
Len Vermeulen VK3COD	EMDRC	PO Box 87, Mitcham,	3132.	Tel 03 808 5350 (AH)					
Neale McLennan VK3BOS	Healesville ARG Inc	42 Panfield Ave, Ringwood,	3134.	Tel 03 870 4491 (BH)					
Craig McMillan VK3CRA	VK3CRA Amateur Exams	5 Sunview Crt, Dingley, 1 Pembroke Cres, Cheltenham,	3172.	Tel 03 551 5635					
Mark Diggins VK3JMD Brett Leslie VK3JHP		35 Evesham Rd. Cheitenham.	3192. 3192.	Tel 03 583 7692 (AH) Tel 03 584 4230 (AH)					
Gordon Buchanan VK3BGB	FAMPARC	PO Box 38, Frankston,	3199.	Tel 03 789 7710					
Audrey Gibson VK3FI		94 Kars St. Frankston.	3199.	Tel 03 783 8714					
Len Gibson VK3SI		94 Kars St, Frankston,	3199.	Tel 03 783 8714					
Graham Wallington VK3BGL	FAMPARC FAMPARC	13 Milford Cres, Frankston,	3199. 3200	Tel 03 789 2972 (AH)					
Ian Stowe VK3GA Chas Gnaccarini VK3BRZ	Geelong Amateur Radio Club	20 Norfolk Cres, Frankston North, 66 Smeaton Close, Lara,	3212.	Tel 03 785 2976 (AH) Tel 052 82 3167 (AH)					
Lee de Vries VK3PK	Geelong Amateur Radio Club	215 Swan Bay Rd, Wallington.	3221.	Tel 052 50 1105 (AH)					
Reg Carter VK3CAZ	BARG	PO Box 216E, Ballarat East.	3350.	Tel 053 41 7585 (AH)					
Gordon Cornell VK3FGC	BARG	PO Box 216E, Ballarat East, PO Box 216E, Ballarat East,	3350.	Tel 053 39 2427 (AH)					
Tom George VK3DMK Ian McDonald VK3AXH	BARG BARG	PO Box 216E, Ballarat East, PO Box 216E, Ballarat East,	3350. 3350.	Tel 053 32 7234 (BH)					
Charlie Stewart VK3AXH	BARG	PO Box 216E, Ballarat East, PO Box 216E, Ballarat East,	3350. 3350.	Tel 053 31 1317 (BH) Tel 053 31 7425					
Andy Squires VK3DT0	Horsham Amateur Radio Club	PO Box 720, Horsham,	3401.	Tel 053 82 1439 (BH)					
David Timms VK3YLV	Horsham Amateur Radio Club	PO Box 720, Horsham,	3401.	Tel 053 82 5399 (BH)					
Mark Weaver VK3KZZ	Horsham Amateur Radio Club	PO Box 720, Horsham,	3401.	Tel 053 81 1711 (BH)					
George Loft VK3AGM	Midland ARC Inc	28 Lawrence Street, Castlemaine,	3450.	Tel 054 72 3476 (AH)					
Alan Robinson VK3CUG Maurie Milani VK3CWB	Midland ARC Inc Sunraysia Amateur Exams	"Kerrimuir" RSD 181, Barkers Ck, PO Box 30, Mildura,	3451. 3502.	Tel 054 74 2121 Tel 050 22 2120 (AH)					
Peter Milne VK3PM	Sunraysia Amateur Exams	PO Box 30, Mildura,	3502.	Tel 050 24 5814 (AH)					
Watty Cameron VK3WMC	Midland ARC Inc	166 McKenzie Street West, Gdn Squ.	3555.	Tel 054 47 0560 (AH)					
Colin Lelean VK3CWL	Midland ARC Inc	11 Mathrick Street, Eaglehawk,	3556.	Tel 054 46 9995 (AH)					
Derek Thurgood VK3DD	Healesville ARG Inc	PO Box 234, Yarra Glen,	3775.	Tel 03 730 1557 (AH)					
Graeme Tremellen VK3GPT	Healesville ARG Inc	PO Box 285, Healesville,	3777.	Tel 059 62 4111					
Gavin Hobbs VK3TLN John Hill VK3WZ	Healesville ARG Inc	PO Box 105, Cockatoo, 6 Cumberland Way, Endeavour Hills,	3781. 3802.	Tel 059 68 8482					
Bernard Henne VK3YTT	VK3 Eastern Zone Education	12 Ash St, Morwell,	3840.	Tel 03 700 5428 Tel 051 34 4275 (AH)					
Peter Freeman VK3KAI	VK3 Eastern Zone Education	PO Box 273, Churchill,	3842.	Tel 051 22 2550 (AH)					
Henk Pillekers VK3CAQ	VK3 Eastern Zone Education	PO Box 65, Churchill,	3842.	Tel 051 22 1885 (AH)					
Brian Young VK3BBB	VK3 Eastern Zone Education	48 Washington St, Traraigon,	3844.	Tel 051 76 1167					
George Hoddinott VK3AYI	WIA East Gippsland Zone	Lot 23 Acacia Rd, Raymond Island,	3880.	Tel					
Kevin McGrath VK3EQM Bob Neal VK3ZAN	WIA East Gippsland Zone WIA East Gippsland Zone	12 Government Rd, Paynesville, 76 Langford Pde, Paynesville,	3880. 3880.	Tel 051 56 6938 Tel 051 56 7654					
John Piovesan VK3GU	WIA East Gippsland Zone	15 Gilsenan St, Paynesville,	3880.	Tel 051 56 6110					
Frank Feldman VK3BC	Southern Peninsula Radio Club	11 Flamingo Rd, Rosebud West,	3940.	Tel 059 86 2031					
Vic Vickery VK3DEA	Southern Peninsula Radio Club	11 Flamingo Rd, Rosebud West,	3940.	Tel 059 86 1327					
Barry Wilton VK3XV		PO Box 260, Cranbourne,	3977.	Tel					
Lindsay Allen VK3LFA	Community D/L Wonthaggi Inc	PO Box 289, Wonthaggi,	3995.	Tel 056 72 2563					
Colin Thomson VK3VBU Ted Trinder VK3JMT	Community D/L Wonthaggi Inc Community D/L Wonthaggi Inc	PO Box 289, Wonthaggi, PO Box 289, Wonthaggi,	3995. 3995.	Tel 056 72 3144 Tel 056 72 2307					
Ted Raven VK4KRR	Brisbane North Radio Club	22 David St, Toombul,	4012	Tel 07 266 6197					
				2. 2.0 0101					

WIA Accredited Examiners (Cont)									
Rodger Bingham VK4HD	Redcliffe Radio Club	PO Box 20, Woody Point,	4019.	Tel 074 96 4553					
Peter Breed VK4PB	Redcliffe Radio Club	PO Box 20, Woody Point,	4019.	Tel 07 284 1960					
Jack Gayton VK4AGY	WIAQ Examinations Service	7 Caroline St, Woody Point,	4019.	Tel 07 284 5670 Tel 07 283 1329 (AH)					
John Presotto VK4WX Bob Neville VK4ACL	Redcliffe Radio Club Brisbane North Radio Club	PO Box 20, Woody Point, 124 Roscommon Rd, Boondall,	4034.	Tel 07 265 3104					
Murray Kelly VK4AOK	WIAQ Examinations Service	29 Molonga Toe, Graceville,	4075.	Tel 07 379 3307					
Keith Griffin VK4IO	Bayside District ARS Inc	20 Kordick St. Carina,	4152.	Tel 07 398 6013 (AH)					
Ian Campbell VK4TK	Bayside District ARS Inc	PO Box 411, Capalaba,	4157.	Tel 07 824 1518 (AH)					
Roy Mahoney VK4BAY Alf Brown VK4AEJ	Bayside District ARS Inc Bayside District ARS Inc	PO Box 411, Capalaba, 114 Panorama Dve, Thornlands,	4157. 4164.	Tel 07 396 1655 Tel 07 286 4779					
Len Holbrok VK4DDK	Gold Coast ARS Inc	PO Box 1837, Southport,	4215.	Tel 075 32 5255 (BH)					
Nic Chantler VK4DIT	Gold Coast ARS Inc	PO Box 6620, Gold Coast Mail Centre,	4217.	Tel 075 39 6609 (AH)					
John Harvey VK4XJH	Gold Coast ARS Inc	PO Box 5159, Gold Coast Mail Centre,	4217.	Tel 075 32 0400 (BH)					
Robert White VK4TRW	Gold Coast ARS Inc	5 McCubbin Crt, Burleigh Heads,	4220. 4272.	Tel 075 35 2222 (AH)					
George Walters VK4VGW Mail Beck	Gold Coast ARS Inc Concordia College Togwoomba	64 Bateke Rd, Mt Tamborine, 154 Stephen St, Toowoomba,	4272.	Tel 075 45 2148 Tel 076 36 1700 (BH)					
Graham Weler VK4AGN	Concordia College Tourisonica	C/- 58 Water St, Toowoomba,	4350.	Tel 076 39 2219 (BH)					
Cliff Jenkins VK4QJ	"Weer Heer"	MS 582, Mail Centre Toowoomba,	4352.	Tel 076 98 1223					
Bob Harper VK4KNH	Cunningham Radio Club	158 Wood St, Warwick,	4370.	Tel 076 61 1273 (AH)					
John Moulder VK4YX Graham Rayner VK4GDR	Cunningham Radio Club Cunningham Radio Club	PO Box 323, Warwick, PO Box 93, Glen Aplin,	4370. 4381.	Tel 076 61 3131 (BH) Tel 076 83 4336 (AH)					
Neil Holmes VK4NF	Dalby & District ARC	15 Bunya St, Dalby,	4405	Tel 076 62 4950					
Reg Kerslake VK4AQU	Dalby & District ARC	88 Patrick St, Dalby,	4405.	Tel 076 62 2193					
Margaret Schwerin VK40E	Dalby & District ARC	"Rosedale" MS 902, Dalby,	4405.	Tel 076 62 3934					
David Jones VK40F Nev Mills VK4K0P	WIAQ Examinations Service WIAQ Examinations Service	18 Browning Crt, Strathpine, 49 Viscount St, Bray Park,	4500. 4500.	Tel 07 205 1561 Tel 07 205 4532 (AH)					
Bill Yates VK4YWY	WIAU Examinations Service	29 Brittainy St, Petrie,	4500.	Tel 07 285 1462 (BH)					
Charlie Strong VK4YZ	Redcliffe Radio Club	St M's Old Toorbul Pt Rd. Caboolture.	4510.	Tel 074 95 1565					
Ken Hanby VK4IS	Sunshine Coast ARC	17 Kig Hts 14 Queen St, Calcundra,	4551.	Tel 074 91 5532					
Max Vincent VK4ZMV	Odbrook Pty Ltd	PO Box 10, Golden Beach,	4551.	Tel 074 92 2710					
Ron MacNamara VK4ESC Bruce Bussenschutt VK4OR	Sunshine Coast ARC Sunshine Coast ARC	23 Callitris Cres, Marcus Beach, 2 Dewrang Pl, Wurtulia Sunshine Coast,	4573. 4575.	Tel 074 48 1886 Tel 074 93 1380					
Gerry Fulton VK4GJ	Hervey Bay Amateur Radio Club	PO Box 829, Hervey Bay,	4655.	Tel 071 28 3232					
Gray Taylor VK40H	Hervey Bay Amateur Radio Club	PO Box 526, Hervey Bay,	4655.	Tel 071 25 7167					
Ted Watson VK4EAW	Hervey Bay Amateur Radio Club	PO Box 829, Hervey Bay,	4655.	Tel 071 28 3489					
Reg Wheller VK4ARW	Hervey Bay Amateur Radio Club	PO Box 829, Hervey Bay,	4655.	Tel 071 28 1383 Tel 071 51 3195					
Ken Blatchford VK4BKB Gerard Feerick VK4YK	BARC Inc Exam Service BARC Inc Exam Service	9 Que Hee St, Bundaberg, M/S 108 Hoffmans Rd, Burnett Heads,	4670. 4670.	Tel 0/1 51 3195					
Colin Hayes VK4FUV	BARC Inc Exam Service	3 Bush Rd M-S 264, Bundaberg.	4670.	Tel 071 55 1616					
Bob Milloate VK4ADZ	BARC Inc Exam Service	9 Chapman St, Booloolah Bundaberg.	4670.	Tel 071 52 7482					
Clem Steggink VK4FD	BARC Inc Exam Service	38 Moncrieff St, Bundaberg,	4670.	Tel 071 52 1876					
John Lobie VK4DJL Noela MacDonald VK4ANJ	Gladstone Exam Service Gladstone Exam Service	98 Barney St, Gladstone, 98 Barney St, Gladstone,	4680. 4680.	Tel 079 79 2291 (AH) Tel 079 72 5494 (AH)					
Vic MacDonald VK4CA	Gladstone Exam Service	98 Barney St, Gladstone,	4680.	Tel 079 72 5494 (AH)					
Mery Deakin VK4DV		PO Box 380, Rockhampton,	4700.	Tel 079 34 0193					
Lyle Dobbs VK4ALD	WIAQ CQ Branch Rockhampton	265 Carpenter St, Rockhampton,	4701.	Tel 079 31 2775 (BH)					
Nick Quigley VK4CNQ Clive Salt VK4ACC	WIAQ CQ Branch Rockhampton WIAQ CQ Branch Rockhampton	265 Carpenter St, Rockhampton, 265 Carpenter St, Rockhampton,	4701. 4701.	Tel 079 31 2388 (BH) Tel 079 28 1173 (AH)					
David Wilson VK4UN	Central Highlands ARC	6 Gum St, Tieri,	4709.	Tel 079 84 8442					
Maurie Wright VK4YEN	Central Highlands A R C	25 Cassia Street, Tieri,	4709.	Tel 079 84 8384 (AH)					
Don Blanch VK4ZFB	Biloela ARC	109 Grevillea Street, Biloela,	4715.	Tel					
Glyn Gibbings-Johns VK4LA Hank Hahn VKVCD	Biloela ARC Biloela ARC	PO Box 966, Biloeta, 25 Don Street, Biloela.	4715. 4715.	Tel 079 92 3381 Tel 079 92 1386					
Mark Haseman VK4CMH	Bilosia ARC	PO Box 315, Bildela,	4715.	Tel 079 92 1380					
John Petersen VK4AXA	Diodia Pe to	48 Littlefield St, Blackwater,	4717.	Tel 079 82 5126					
Jim Storch VK4JVS		PO Box 147, Blackwater,	4717.	Tel 079 82 6279					
James West		41 Blain St, Blackwater,	4717.	Tel 079 82 6756 (AH)					
Lloyd West VK4QE Geoff Bonney VK4GI	TAFE College Emerald	41 Blain St, Blackwater, Capricorn Hwy, Emerald,	4717. 4720.	Tel 079 82 6756 (AH) Tel 079 82 3699 (BH)					
Bob Lee VK4CWL	Central Highlands ARC	PO Box 617, Emerald,	4720.	Tel 079 82 1096 (BH)					
Ron Graham VK4BRG	YUMI Exam Service	Box 323, Sarina.	4737.	Tel 079 56 1155					
Wal Douglas VK4AIV	Mackay Amateur Radio Assoc	PO Box 1065, Mackay,	4740.	Tel 079 42 1615 (AH)					
John Gillespie VK4MTF George Glendinning VK4AJL	Mackay Arnateur Radio Assoc Mackay Amateur Radio Assoc	PO Box 1065, Mackay,	4740. 4740.	Tel 079 55 2006 (AH) Tel 079 59 2436 (AH)					
Charles Ivin VK4DK	Pelican Examinations	PO Box 1065, Mackay, 36 Tulloch Street, Mackay,	4740.	Tel 079 52 1675 (AH)					
John James VK4CMA	Mackay Amateur Radio Assoc	PD Box 1065. Mackay.	4740.	Tel 079 55 2333 (AH)					
Keith Carter VK4CKC	Bowen & Collinsville ARC	22 Soldiers Rd, Bowen,	4805.	Tel 077 86 2497					
Brian Winterburn VK4BOW		7 Hay St, Bowen,	4805. 4860.	Tel 077 86 2367 Tel 070 61 4517 (AH)					
Ted Golledge VK4AVG John Mahoney VK4JDN	Tropical Coast ARC Cairns Amateur Radio Club Inc	PO Box 1019, Innisfall, PO Box 194, Innisfall,	4850. 4850.	Tel 070 61 3857					
Les Meier VK4EMI	Tropical Coast ARC	48 Laurie St, Innisfail,	4860.	Tel 070 61 2932 (AH)					
Graham Bennett VK4FGB	Cairns Amateur Radio Club Inc	PO Box 1914, Cairns,	4870.	Tel 070 54 1448					
Pat Laurenzi VK4MP	Cairns Amateur Radio Club Inc	PO Box 1426, Cairns,	4870.	Tel 070 54 4157 (AH)					
Chris Parr VK4ANI	Cairns Amateur Radio Club Inc	PO Box 1215, Cairns,	4870. 4872.	Tel 070 51 0452 (AH) Tel 070 95 3888					
Wilf Booth VK4ZNZ Tom Debel VK4NIM	Tableland Radio Club Tableland Radio Club	MS 1318 McLean Rd, Yungaburra, PO Box 13, Kairi,	4872. 4872.	Tel 070 95 3888					
Ron Goodhew VK4EMF	Tableland Radio Club	MS 1318, Yungaburra,	4872.	Tel 070 92 2888 (BH)					
Rex East VK4MIA	Thursday Island ARC	PO Box 418, Thursday Island,	4875.	Tel 070 69 1679					
Bill Lochridge VK4WL	Torres Straits Examinations	C/-Post Office, Thursday Island,	4875.	Tel 070 69 1446 (AH)					
Aubrey McKibben VK4AFO Graeme Bottger VK5AHQ	Tableland Radio Club Port Adelalde Radio Club	PO Box 102, Malanda, 68 Alma Terrace, Woodville West,	4885. 5011.	Tel 070 96 5962 (AH) Tel 08 45 7465 (AH)					
Harry Hillard VK5AHH	Port Adelaide Radio Club	PD Box 265, Port Adelaide,	5015.	Tel 08 49 7664					
John McKellar VK5BJM	Port Adelaide Radio Club	5 Diosma Cres, Lockleys,	5032.	Tel 08 43 8386 (AH)					
Christine Taylor VK5CTY	Taylor Radio Group	16 Fairmont Avenue, Black Forest,	5035.	Tel 08 293 5615					

WIA Accredited Examiners (Cont)									
Geoff Taylor VK5TY	Taylor Radio Group	16 Fairmont Avenue, Black Forest,	5035.	Tel 08 293 5615					
Rob Gurr VK5RG		PO Box 35, Daw Park,	5041.	Tel 08 276 4547					
Donald McDonald VKSADD	WIA (SA DIV) INC	6 Whittier Ave. Marion.	5043.	Tel 08 276 1251					
Phil Day VK5QT	Adelaide Hills ARS Inc	15 Main Rd, Belair,	5052.	Tel 08 366 2214 (BH)					
Hans Smit VK5YX	Adelaide Hills ARS Inc	6 Jeffrey St., Hawthorn,	5062.	Tel 08 271 5350 (AH)					
Rowland Bruce VK50U	WIA (SA DIV) INC	42 Gleneagles Rd. Mt Osmond.	5064.	Tel 08 379 4584					
George Lindop VK5BGL	Port Adelaide Radio Club	28 Dyott Ave, Hampstead Gardens,	5086.	Tel 08 261 5910					
Bill Wardrop VK5AWM	WIA (SA DIV) INC	PO Box 303, St Agnes.	5097.	Tel 08 251 2154 (AH)					
Rob Gunnourie VK5FI	WIA (SA Div) INC	99 Maxwell Rd, Ingle Farm,	5098.	Tel 08 264 6581					
Clive Harman VK5ACH	Riverland Amateur Radio Club	PO Box 628, Renmark.	5341.	Tel 085 86 4204					
Mike Mackintosh VK5CK	Riverland Amateur Radio Club	PO Box 646, Renmark.	5341.	Tel 085 84 7101 (BH)					
John Ruston VK5ARK	Riverland Amateur Radio Club	PO Box 98, Renmark,	5341.	Tel 085 86 6127					
Hugh Lloyd VK5BC	Riverland Amateur Radio Club	PO Box 743, Berri,	5343.	Tel 085 82 2690					
David Bice VK5QU	Moonta Scout Group ARC	PO Box 133, Moonta,	5558.	Tel 088 25 2263					
John Vayne VK5BL	Moonta Scout Group ARC	PO Box 133, Moonta,	5558.	Tel 088 25 2798					
Jack Kleinrahm VKSAJK	Lower Evre Peninsula ARC Inc	11 Luke St, Port Lincoln,	5606.	Tel 086 82 1466 (BH)					
Jack Martin VK5E.I	Lower Eyre Peninsula ARC Inc	PO Box 937, Port Lincoln.	5606.	Tel 086 82 3131 (AH)					
John Plevin VKSAEP	Lower Eyre Peninsula ARC Inc	18 Wandana Ave, Port Lincoln,	5606.	Tel 086 82 3161					
Peter Baker VK5BWI	WHYCOM SA	49 Basyyan Cres, Whyalla Stuart,	5608.	Tel 086 45 2460 (BH)					
Stuart Crowther VK5BWC	Whyalla Amateur Radio Club	68 Acacia Dve, Whyalla Stuart,	5608.	Tel 086 45 4331 (AH)					
Joe Nebi VK5PWC	Whyalla Amateur Radio Club	209 Jenkins Ave, Whyalla Stuart.	5608.	Tel 086 49 3711 (AH)					
Alan Gilchrist VK5BWG	Port Augusta ARC	6 Kinnear Street, Port Augusta,	5700.	Tel 086 43 6455 (AH)					
Peter Horgan VK5BWH	Port Augusta ARC	6 Kinnear Street, Port Augusta,	5700.	Tel 086 42 2363 (AH)					
RIII Offler VKSRWD	Port Augusta ARC	6 Kinnear St. Port Augusta.	5700.						
Phil Jamieson VK6ZPP	Northern Corridor Radio Group	11 Bromley Place, Kingsley,	6026.	Tel 086 42 2855 (AH)					
Bryce Erskine VK6KBE	Northern Corridor Radio Group	90 Balga Ave. Balga.	6026.	Tel 09 409 1156 (AH)					
	Northern Corridor Radio Group			Tel 09 349 9489					
Phil Street VK6KS Dianne Cousins VK6BC	Normern Corndor Madio Group	PD Box 97, Mirrabooka,	6061.	Tel 09 344 5241 (AH)					
Glenn Cousins VK6AUZ		2 Nottingham St, East Victoria Park,	6101. 6101.	Tel 09 361 3985					
	Peel Amateur Radio Group Inc	2 Nottingham St, East Victoria Park,		Tel 09 361 3985					
Frank Langford VK6BLA		10 Clipper Way, Halls Head,	6210.	Tel 09 581 5028					
Rev Suter VK6SA	The Amateur Radio Exam Centre	PD Box 261, Mandurah,	6210.	Tel					
Con Murphy VK6PM	2 7 2 2 2 2 7	PO Box 88, Yarloop,	6218.	Tel 097 33 1978					
Allen Byrne VK6OT	Bunbury Radio Club Inc	2 Skewes St, Bunbury,	6230.	Tel 097 91 1301 (AH)					
Bill Harrison VK6WJH	Bunbury Radio Club Inc	PO Box 31, Bunbury,	6230.	Tel 097 34 4374 (AH)					
Barry Mitchell VK6HX	Bunbury Radio Club Inc	9 Henley Dve, Bunbury,	6230.	Tel 097 91 1599 (AH)					
John Thomborough VK6AJU	Bunbury Radio Club Inc	PO Box 31, Bunbury,	6230.	Tel 097 97 1126					
Aubrey Keightley VK6XY	Southern Electronics Group	242 Serpentine Rd, Albany,	6330.	Tel 098 41 3104					
Tom Reed VK6TR	Southern Electronics Group	Lot 25 Shellbay Rd, Lower King,	6330.	Tel 098 447395					
Steve Hill VK6PA	ARS Northwest Australia Inc	PO Box 410, Wickham,	6720.	Tel 091 85 4510 (AH)					
Dave Holt VK6YA	ARS Northwest Australia Inc	PO Box 410, Wickham,	6720.	Tel 091 87 1926					
Peter Dowd VK7PR	WIA Tasmanian Division	12 Susan Pde, Lenah Valley,	7008.	Tel					
Reg Emmett VK7KK	WIA TAS DIV Southern Branch	PO Box 26, Rokeby,	7019.	Tel 002 48 6824 (AH)					
Graeme Reardon VK7ZGG	WIA TAS DIV Northern Branch	2 Trent St, Youngtown,	7249.	Tel 003 44 6636 (AH)					
Mike Collinson VK7MA	WIA TAS DIV Northern Branch	PO Box 986, Launceston,	7250.	Tel 003 26 0751 (BH)					
Ron Churcher VK7RN	WIA Tasmanian Division	PO Box 277, Devenport,	7310.	Tel 004 24 6366 (AH)					
Tony Clayton VK7AH	WIA Tasmanian Division	10 Wrenswood Dve, Quoiba,	7310.	Tel 004 24 5375 (AH)					
Clarrie Hilder VK7HC	WIA Tasmanlan Division	5 Speed St, Cooee,	7320.	Tel 004 31 8211					
Shane Lynd VK7KHZ	WIA Tasmanian Division	14 Read St, Tullah,	7321.	Tel 004 73 4256 (AH)					
Steve Bush VK7EQ	WIA Tasmanian Division	PO Box 123, Somerset,	7322.	Tel 004 35 1043					

31 Beech Dve, Rosebery.

TRY THIS

Build Yourself an An-Egg-oic Chamber

WIA Tasmanian Division

Dick Van Beek VK7KVB

Does your shack have bare walls and poor acoustics? Do other radio amateurs tell you to switch off your speech processor when you know you're not using one? Do you use CW only, so you don't have to hear complaints about your audio

quality? The usual remedy is to put curtains on the walls to absorb those unwanted echoes, but they're expensive. There is a cheap, easy and environmentally

friendly way around the problem: egg cartons! While visiting my local club (Manly-Warringah Radio Society), I paid a visit to

the brick-walled offices of the Royal Volunteer Coastal Patrol in the same building. All along the walls were colourful, recycled cardboard egg cartons. Sure enough the acoustics there are much better than in the radio clubrooms. They act

as wonderful acoustic (or should that be egg-oustic!) baffles. I just wonder how many RVCP members suffer from high cholesterol ... (or more likely, lowered cholesterol! - Ed).

Richard Murnane VK2SKY 7/15 Grafton Cres. Dee Why 2099

Help stamp out stolen equipment

Tel 004 73 1693 (AH)

7470

keep a record of all your equipment serial numbers in a safe place.

The Loop Yagi Antenna

BILL MAGNUSSON VK3JT, 359 WILLIAMSTOWN RD, YARRAVILLE 3013

HISANTENNA FIRST received widespread attention in the 1970s when it was detailed in the RSGB's VHF UHF Manual. It's a development from the well-known cubical quad and sometimes called the quad-Yagi. It's not to be confused with the Quagi antenna, which is notherwise the confused of the confused of the confused of the confused of the confused with the Charles of the confused of th

as its results didn't justify the extra

trouble in construction and adjustment. The loop Yagi, however, proved to be a top performer, and achieved great popularity, particularly samong the Melbourne ATV fraternity which found it to be much more effective than the long Yagis and 88-element J-beams of the day. The loop Yagi's advantages are high gain, wide bandwidth, sharp front lobe, minimum side and back lobes, ease of construction and matching and repeatability of performance. Unlike a lot of antennas, its radiation pattern seems to be much the same in both the horizontal and vertical

It proved a worthy competitor for the multi-element phased array, popular at the time which, although marginally better in performance, is much more difficult to construct and maintain. The multi-element phased array will be the subject of a later article. It's definitely worthwhile considering as a UHF DX antenna.

The loop Yagi became the "industry standard" for the ATV group and other amateurs heavily involved in UHF DX.

Many avid UHF DXers still rely on the proven performance of these remarkable antennas. Being constructed in closed loops and entirely at DC earth potential, they are inherently very quiet listening antennas. They are robust and virtually impervious to the elements. There are many loop Yagi antennas still working perfectly today after 10 or more years of trouble-free service.

A new generation of amateurs has hit the scene since those days, and many will be experimenting on VHF and UHF. The purpose of the article is to rekindle interest in this type of antenna.

Loop Yagis can be made as long as construction techniques allow. Dick VK3ARR and I have built 426MHz loop Yagis as long as 10 metres, with 35 or more elements, for use on our ATV mountaintop expeditions. As with all Yagis, doubling the boom length doubles the gain. That's about an extra 3dB. They can be very effectively stacked, using standard stacking distances for Yagis based on aperture, which of course is related to boom length.

The standard version at 1296MHz has a sleements on 2.7 mboom. The original article claims a gain of 22dBd. A very respectable figure. Although it would be hard to duplicate this at 435MHz, the proof of the pudding is in the eating, and they do perform remarkably well on the Toem band with boom lengths around 4-fim. Of course, you can stack shorter antennas to give similar performances to


The antenna consists of a screen mesh reflector and circular (loop) elements. The loop elements, is reflector, driven element and its reflector, driven element and directors, are all a screwed to a metal boom, making the whole device very robust and entirely a 1DC earth when the screen one of the problems of Yagi antennas, is what to do with the feedline so as not to distort the radiation pattern. Many home constructors and purchasers of commercial beams overlook this important facility of the problems of

many randomly located side lobes. By bringing the feedline out through the boom, the loop Yagi neatly solves this problem. The boom may be bolted directly to a metal mast with no ill effects. Obviously it will need a stand-off if mounted for borizontal polarisation.

Figure 1 shows the general arrangement of the boom and elements. You'll notice there are two reflectors: a loop reflector and a screen reflector. Don't be tempted to leave one out.

Figure 3 shows the general arrangement of the driven element. This is the only part of the antenna where special care is required. If you follow the instructions exactly, the antenna should exhibit an excellent match to 50 ohm co-ax over a wide frequency range.

As an example, for the past 10 years or of have been taking a loop Yagi belonging to George VK31A up to Mt Skene on urannual ATV and satellite expedition. It is cut for 426.25MHz, the local simplex ATV frequency. It seems to work equally well from that frequency right up to 435.1 for use with the Oscar satellites. It has a 1:1 VSWR over most of this range, rising to only 1:11 at 435.1MHz. It was constructed from the data shown in this life of the control of the contr



Loop Yagi used for the 1987 Mt Skene expedition.

perfectly. The photograph shows the antenna on site during the 1987 Mt Skene

expedition. A major activity of the 1990/1991 Mt Skene expedition was the construction of a stack of four such antennas. The stack is featured on this month's front cover. The antennas and framework were built from scratch at the mountaintop campsite. They were built, erected, tested and used for ATV back to Melbourne. The construction crew consisted of Dick VK3ARR, Huntly VK3ZE, Dave VK3TKJ, Graeme VK3NE, Bill VK3WEG and myself. The system was fed through my homemade four-port power divider, and

when connected we couldn't measure any reflected power. Needless to say, the stack

worked very well indeed. Loop Yagis can be constructed for any frequency, but of course the sheer physical size makes them a bit unworkable on two metres. We built a 10-element, 2m version for Mt Skene in 1985/6, but the results didn't justify going any further. It worked quite well, but was just too cumbersome. They really shine in the region from 300MHz to 2.5GHz. It's possible. with care, to get one going very nicely on 2.4GHz. A stack of four such antennas is still merely tabletop size! On the 70cm band it would be hard to find a better antenna. On 23cm they are equal in performance to a well-illuminated fourfoot dish. Four of them in a stack should equal an eight-foot dish. Quite a performance.


The computer program in Table 1 can he used to calculate the element sizes and spacings and other construction details which are proportional to wavelength. The program is written in a "Basic" which should run on IBM-PCs. It will be uploaded to the VKNET BBS system. Look for LOOPYAGI.BAS in the files. I have a more comprehensive program for BBC micros. If you have a "beeb" don't hesitate to contact me, QTHR. The program will accept any frequency, even silly ones. The scaling should be accurate enough between 100MHz and 2.5GHz. I've got silly stoppers and graphics etc in the original, but figure 4 and the BBS versions have been stripped down for publication. Table 2 shows a sample printout for

432.150MHz and 1296.250MHz. You can use the details to construct loop Yagis for those frequencies.


Now some construction notes ...

1. The boom

This is best made from square section aluminium tubing. The size will depend on the frequency. Twenty-five millimetres or one-inch-square is suitable for 70cm but, for 23cm antennas and beyond 3/4-



General arrangement of boom and elements.



General arrangement of the driven element.



Method of construction for reflector and directors.

inch or 1/2-inch should be okay. Don't make it too small in section as the feed line passes through the boom and this may weaken it if its section is too small. Longer loop Yagis may require the boom to be held straight with nylon guys or strengthened by doubling up on thickness near the centre. It's very important that the boom does not droop down at the ends. Make sure you seal the ends with plastic or rubber caps and silicone sealant

2. The elements

Apart from the driven element, all others are made from small diameter aluminium tubing, 5mm down to 3mm diameter, depending on the frequency. The RSGB article uses 3/16" by 20 SWG metal strips for the elements. This will work well at frequencies above 1GHz. but at lower frequencies the strips tend to vibrate in the wind, causing annoying noises and premature failure due to cracking. It's probably best to stick to smalldiameter tube. The loop reflector and directors are made as shown in Figure 2. Add 10mm to the calculated circumference to get the total length of each element. Then squash 10mm at each end flat in a vice or with a hammer. Be careful to keep the two flats in line. A hole is drilled in each flattened end so the distance between the holes is exactly the required element circumference. The elements can be formed into their final circular shape by hand bending around a suitable size circular object, eg a jam tin or piece of pipe. If you're making a number of antennas involving lots of elements you may like to construct a bending jig to do this job. The elements can be screwed or pop riveted directly onto the boom. The entire antenna can be painted with zinc chromate when finished, so it's not a bad idea to put a spot of zinc chromate under each screw when mounting the elements. All directors are the same circumference. After director 4, all spacings are the same. This makes extending the boom length a breeze.

3. The driven element

Refer to Figure 3. The driven element is made from flattened copper tube the same diameter as the other elements. There's nothing magic about copper's conductivity or anything like that, it's just that it's easier to solder and we need to connect the feedline to it. Begin by flattening your copper tube. It will probably be necessary to anneal (soften) the tube before you flatten it. This can be done by passing it through a gas flame on the kitchen stove. It's not absolutely necessary to flatten the tube, but a flattened tube is easier to mount at the bottom and make connections to at the top. And it won't fill up with water! Carefully measure the circumference and cut exactly to length. You don't have to add a bit like you do on the other elements. Then drill a 1mm hole as close as possible to each end. These are for soldering the co-ax. It's probably best to drill the mounting hole in the centre after you bend the tube into a circle. That way it won't kink when you make the bend. Leave a 2mm gap at the top.

Now this next bit is very important. The driven element has to be deformed (squashed) into an ellipse. The distance from the mounting hole to the feed point is made slightly shorter than the width. See Figure 3. The exact difference is calculated by the computer program. It amounts to about 0.025 of a wavelength. The driven element is mounted on a metallic spacer to raise the centre back to where it would have been if the driven element was a perfect circle. A small scrap piece of aluminium will do the job here.

4. The feed arrangements The co-ax is brought down from the top of the driven element and through a hole in the boom as close as possible to the bottom centre of the driven element. The outer braid has to be bonded to the bottom centre of the driven element. (See Figure 3). This is best accomplished by mounting an "N" type panel connector (or BNC for smaller booms) through the boom from the bottom. A piece of 50ohm co-ax goes up to the feed point where it is carefully trimmed and soldered across the gap using the 1mm holes as anchors. Make sure all holes in the boom are sealed with silicone sealant. The actual feed point can be sealed with a small blob of 732 RTV. Use the type which is marked non-corrosive on the tube. It is easily identified. It does not smell like vinegar. The "N" type or BNC connector protruding from the bottom of the boom makes a very convenient way of connecting and dressing the feed line without it getting tangled up in the antenna and affecting the radiation pattern. Remember "N" type connectors are waterproof, BNC connectors are not. If you use a BNC, you'll have to seal it for a permanent installation. You don't have to use a connector there. but if you just bring the co-ax through the boom you'll need to remove a bit of the outer plastic insulation and bond the

outer conductor of the co-ax to the bottom centre of the driven element by soldering.

5. The screen reflector This is made from a rectangular piece of galvanised mesh at lower frequencies, or expanded aluminium at higher fre-

Its sizes and position of mounting are calculated in the computer program. It's fixed to the end of the boom by small brackets. You can reinforce the edges with thin aluminium strips or by folding them over.

6. References and acknowledgments

quencies. See Figure 1.

The original article can be found on pages 8.48 to 8.49 of the RSGB VHF/ UHF Manual, 3rd edition, by Evans and

Jessop. Thanks to George VK3LA for a lifetime of experience and many hours spent devising the best way to construct these antennas. The master.

Thanks to Dave VK3TKJ for help in translating the program from the original BBC Basic to IBM.

Thanks to Dick VK3ARR for encouragement during long construction sessions in his school science lab, very frequently going into the wee small hours.

Table 2. Sample printouts for 432.150 and 1296.250 MHz. Required frequency of operation in MHz 432.150

###.# mm less in beight than width.": L14.(L14*25.4)

100 END

Circumference of reflector 29.00 inches or 736.60mm Circumference of driven at 27.68 inches or 703.08mm Circumference of directors 27.74 inches or 628.43mm Screen to reflector 9.30 inch nes or 236.14mm 2.85 inches or 72.36mm Reflector to driven element Driven element to director 1 3.36 inches or 85.31mm 2.49 inches or 63.22mm Director 1 to director 2 Director 2 to director 3 5.34 inches or 135.59mm Director 3 to director 4 5.34 inches or 135.59mm All other director spacing 10.68 inches or 271.18mm Width of screen mesh 16.63 inches or 422.35mm 13.60 inches or 345.56mm

Screen mounting hole centre is 2.02 inches or 51.00mm from bottom of mesh Overall boom length, including allowance at end = 318 inches or 8077mm.

Height of screen mesh

The driven element is deformed into an ellipse 0.76 inches or 19.20mm less in height than width and spaced 0.38 inches or 9.60mm above the boom.

```
Required frequency of operation in MHz 1296.250
Circumference of reflector
                             9.67 inches or 245.57mm
Circumference of driven el
                             9.23 inches or 234.40mm
Circumference of directors
                             8.25 inches or 209.51mm
                             3.10 inches or 78.72mm
Screen to reflector
Reflector to driven element
                             0.95 inches or 24.13mm
Driven element to director 1
                             1.12 inches or 28.44mm
Director 1 to Director 2
                             0.83 inches or 21.08mm
Director2 to director 3
                             1.78 inches or 45.20mm
Director 3 to director 4
                             1.78 inches or 45.20mm
All other director spacing
                             3.56 inches or 90.41mm
Width of screen mesh
                             5.54 inches or 140.80mm
Height of screen mesh
                             4.54 inches or 115,20mm
Screen mounting hole centre is 0.67 inches or 17.00mm
```

from bottom of mesh. Overall boom length including allowace at end = 106 inches or 2692mm

The driven element is deformed into an ellipse 0.25 inches or 6.40mm less in height than width and spaced 0.13 inches or 3.20mm above the boom

```
10 REM loop yagi calculator by Bill Magnusson VK3JT.
30 INPUT*Required frequency of operation in mHz. *;F
40 F1 = 435.5:R = 28.776853:DE = 27.467451:D = 24.55109:SR = 9.225258:SDE = 2.8270952
 50 SD1 = 3.3329964:SD2 = 2.4699884:SD3 = 5.2970836:SD4 = SD3:SD5 = 10.594167
60 SL = 16.5:SW = 13.5:SH = 2:SO = 0.75:SP = 0.375
 70 L1 = (F1*R)/F:L2 = (F1*DE)/F:L3 = (F1*D)/F:L4 = (F1*SR)/F:L5 = (F1*SDE)/F
80 L6 = (F1*SD1)/F:L7 = (F1*SD2)/F:L8 = (F1*SD3)/F:L9 = (F1*SD4)/F:L10 = (F1*SD5)/F
90 L11 = (F1*SL)/F:L12 = (F1*SW)/F:L13 = (F1*SH)/F:L14 = (F1*SQ)/F:L15 = (F1*SP)/F
100 BL = L4+L5+L6+L7+L8+L9+(L10*27)+(L4/10)
110 PRINT STRING$(79,***)
120 PRINT USING "CIRCUMFERENCE OF REFLECTOR = ##.## inches or ####.# mm",L1,(L1 '25.4)
130 PRINT USING *CIRCUMPERENCE OF DRIVEN EL. = ##.## inches or #### # mm*: [ 2.(1.2*25.4)
140 PRINT USING "CIRCUMFERENCE OF DIRECTORS = ##.## inches or ####.# mm":L3.(L3*25.4)
150 PRINT USING "SCREEN TO REFLECTOR DIST. = ##.## inches or ####.# mm";LA.(LA"25.4)
160 PRINT USING "REFLECTOR TO DR ELEMENT - ##.## inches or ####.# mm";L5,(L5"25.4)
170 PRINT USING *DR ELEMENT TO DIRECTOR 1 = ##.## inches or ##### mm*:L6.(L6*25.4)
180 PRINT USING 'DIRECTOR 1 TO DIRECTOR 2 = ##.## inches or ##### mm";L7(L7*25.4)
190 PRINT USING *DIRECTOR 2 TO DIRECTOR 3 = ##.## inches or ##### mm*:1.8(1.8*25.4)
200 PRINT USING 'DIRECTOR 3 TO DIRECTOR 4 = ##.## inches or ####.# mm":1.9/1.9*25.4)
210 PRINT USING "OTHER DIRECTOR SPACING - #### inches or ####.# mm";L10,(L10"25.4)
220 PRINT USING 'WIDTH OF SCREEN MESH
                                              = ##.## inches or ####.# mm";L11,(L11*25.4)
230 PRINT USING 'HEIGHT OF SCREEN MESH = ##.## inches or ####.# mm';L12,(L12*25.4)
240 PRINT STRING$(79,***)
250 PRINT USING "Screen mounting hole centre is ##.# inches or ####.# mm from bottom of mesh.";L13,(L13*25.4)
250 PRINT USING "Overall boom length including allowance at end = ###.# inches or #####.# mm";BL,(BL*25.4)
270 PRINT USING "The driven element is deformed into an ellipse ##.# inches or
```

Table 1. Computer program to calculate element dimensions and spacings.

280 PRINT USING "It is spaced ### inches or #### mm above the boom on a metallic spacer.";L15,(L15*25.4)
290 PRINT STRINGS(79,***)

The Compact CMOS Super Keyer II

KAROL NAD VK2BQQ, GPO BOX 3209, SYDNEY 2001

ERE IS A TERRIFIC IDEA that can be accomplished with little effort and virtually below \$150, and with positive and negative keying outputs.

Interested in a simple but exciting keyer for CW operation? I have got news for you. I recently completed a keyer known as the CMOS Super Keyer II which appeared in November 1990 QST.

After using this rather interesting keyer for a while I thought it would be good to share some of my experiences and impressions with others.

The Keyer

The CMOS Super Keyer II offers a host of features previously not found in morse keyers. But the original circuit has one drawback! The output keying is taken from Q1 which will handle low-voltage and positive keyline transceivers only, and lack of side tone volume control. Therefore, only one solution remained: to modify and implement the circuit.

At the output of Q1 (junction of R16, R18 and R17) a logic level of about 10mV represents the key-down state. This output produces enough current to turn on Q3 and the rest of the keying-interface circuit. See circuit diagram Fig 1.

This remarkable one IC keyer provides:
• An iambic keyer with dot and dash

- An iambic keyer with dot and dash memories.
 Character and real time messages.
- Message loop capacity.
 Contest serial number.
- Adjustable weighting.
 TX key-down function.
- Keyer-status inquiry function.
 Selectable automatic character spac-
- Input queue to store multiple message activation, and many more.
- Four 48-character messages.
 Analogue and digital speed control.
- Message break-in to allow for paddle inserted text.

How does the Compact CMOS Super Keyer II provide all this? Commands are sent to the keyer in morse code using the paddle. A detailed explanation of the operation and all features of keyer is given in November 1990 QST.




Figure 1

Parts: Keyer

The PC board and associated components are available as a partial kit from Idiom Press, Box 583, Deerfield 60015, USA. The price is SUS45 and SUS5 for surface-mail foreign orders. The rest of the parts are obtainable from several sources. Diceast box, part number 26827PIS, 184.11 from Farrall Electronics, 72 Ferndell St, Chester Hill, NSW 2162.

SI-24 SPST push-button switch p nr 275-1566 from Tandy. Speaker C-2222, stereo and plug and two RCA sockets from DS Electronics. Linear potentiometers R13-100k and R14-5k from David Reid Electronics, 127 York St, Sydney. Other components not supplied with the keyer are: C12-4. 7nF, R15-270 Ohm 1/ 4W.

Interface

The keying interface will key virtually any modern or vintage transceiver. Use the positive keyed output jack to key cathode keyed and most transistor keyed transceivers. Use the negative keyed output jack to key grid block keyed transceivers. Please note that transistors Q5 and Q6 are of a type capable of withstanding - or + 300V in the KEY-UP condition, and 200mA in the KEY-DOWN position for the positive output, and 30mA for the grid block. If you connect your transmitter key input to the wrong keyed output, either the transmitter will not output, either the transserver of the situation simply plus, the damage should occur to either the transeriver or the keyer if you connect it to the wrong keyed output iack.

Parts: Keying Interface Q3, Q4-2N3904, Q5-MPSA42, Q6-

MPSA92 from Farnell Electronics. R16-R22 1/4W 1% from David Read Electronics. PC board p nr 276-159 from Tandy Electronics.

Power Supply

Regulated and battery DC supplies assure the performance of the keyer is not affected by variation in line voltage and drop-out. Use a shielded discast box and the filter in the primary circuit of T1 for 100 percent RF immunity. These precautions may not always be required, but it is safest to put in, rather than having to add it on later.

A built-in rechargeable battery buffers the complete data memory system, thus maintaining all stored data and settings. During the use of the keyer the batteries are trickle charged at a rate 12mA via R27, with D4 isolating the batteries from the rest of the circuit. The keyer can be used with SW2 at either position.


A fully charged battery will retain the memory data for approximately six months with the keyer switched off. A well regulated +12V with very little ripple content supplies the keying interface circuit.

Parts: Power Supply L1, L2-25uH p nr 178-331 and L3-4uH


p nr 178-329 from Farnell Electronics. C13-C16 5.6nF/3kV p nr R-2395, C17-47nF/250V AC p nr R-2750, T1 p nr M-2155, WD p nr Z-3304, U2-voltage regulator 7812, LED green Z-4087, LED red Z-4085 from Dick Smith Electronics.

On completion of the memory keyer

section, connect a battery, an OK in morse should be audible in the speaker, confirming that the keyer section is correctly working. To check the keying interface,



Part-placement guide. C12 is soldered to U1 pin 6 on the foil side.



Circuit board etching pattern shown in full size. Cut foil between Q2b and U1 pin 6.

connect it to a +12V supply and apply 10-20mV DC to the input (unction of R16, R18 and R17) which should produce 0.7V at the negative output and 10-15mV at the positive keyed output. Equally, shorting resistor R16 should produce the same result. A detailed manual is supplied with the main components. I recommend that you

main components. I recommend that you read it thoroughly to acquaint yourself with the keyer and to ensure the unit is operating properly.

Editor's Note

This unit contains a programmed microprocessor (UI is a 8BL/1056). Anyone contemplating construction of this keyer should obtain this microprocessor first. Only the supplier, Idiom Press, can guarantee the software in the microprocessor. A 6805 obtained "off the shelf" unit of the shelf will be a fixed to the component of the shelf will be a correctly programmed microprocessor.

The keyer, as originally described, contained a mains filter made from discrete components. This filter has been removed from the schematic. As this unit has a charge | operate key, I do not believe the operation of the keyer will be affected.



A close-up view of the completed Compact CMOS Super Keyer II.

Multiband Inverted V for the Z Match Antenna

Adrian Fell VK2DZF, PO Box 344, Baulkham Hills 2153

Introduction

HE FOLLOWING multiband wire antenna system which I have just constructed, and which is described in detail in this article, was prompted by some quite important reasons.

Firstly, I had just finished building the compact coil version of the Z match coupler and, during experiments with different antennas, discovered that arcing problems were, well, in my case, completely eliminated. This was, in part, due completely to the correct choice of antenna and feeder.

Secondly, I was to install a wire antenna that not only worked well on all HF frequencies (sorry I do not include WARC) but also able to fit neatly into my outer Sydney suburban block of land.

It is no accident that our only means support for antennas are two 70ft tall gum trees; it's one reason why we acted (my wife is VKZELP) this location. Let our the control of the control

The Antenna

The schematic diagram of the Z match coupler is shown in figure I (see the reference also) and I chose to construct the compact coil version, but there are other alternatives around. After some experimenting (combining theory and practice) it was apparent that if the length at my compact that it is a my operational frequency (WARC users take note) this was a near ideal situation for my little Z match.

Langth "I." (Figure 3) can be juggled between AB and B-C once "I'h as been determined without too much drama. It must be pointed out though, that if dimensions (Figure 2) are changed too much, the electrical conditions will also change. Refer to Table 2 for an example. The control of the second of the second

band tuned up very well except 20 metres. where C1 was at a maximum of 425nF This annoyed me somewhat! Shortening the feeder from 94 feet to 90 feet (four feet shorter) and adding that four feet to each end of the antenna, improved matters quite a bit, especially on 20 metres (see Tables 1 & 2). C1 was now 117pF, and all other frequencies were acceptable. There were some combinations of A-B and B-C that caused some unfavourable conditions and those have been listed in Table 2. In conclusion to the above, it would appear that not only does "L" have to be a non-resonant length, but its distribution between the antenna and feeder must be given great thought if we are to present the Z-match with an ideal set of parameters. My final choice (yours may be different) was 145 feet for "L", and the way I have distributed "L" is shown in Figure 2. Length "L" (Figure 3) does not necessarily have to be 145 feet long, 109 feet or 95 feet are two other shorter alternatives to try if a 90 feet feeder is way too long. If the 28MHz band is not required, any between 95 feet and 109 feet could be tried. As these lengths are way too short for my property. I have not tried them, so the results on 80 metres are a bit unsure regarding the maximum input watts the Z-match will take before arcing takes place. The 110 feet of the antenna is five half-wave lengths at 21MHz and when the extensions of 11 feet are connected it is a half wavelength long at 80 metres.




Figure 1: Schematic diagram for Z-Match coupler.

All in-between frequencies are a mixture, and it is similar to the way the G5RV works. Interested readers should refer to the RSGB for further details.

80 Metres (and Arcing)

Eighty-metre operation held quite a few surprises for me, and luckily I had picked up early in the tests that, unless I had a half wave-length of wire in the antenna sections (again the feeder length must also be the correct length). I would experience some degree of arcing from the capacitor C2 (Figure 1). The amount of arcing would depend on the varying dimensions, and some examples are listed in Table 1. Even C1 could cause lightning belts, but this condition was very rare and one should not experience problems from C1. The watts listed in Table 1 should be self-explanatory, but I cannot give the breakdown point above 100 watts as that is all the carrier power I can produce from my ageing TS520S. The 40W and 70W listings for the 3.600 section are just prior to arcing taking place in C2. It's interesting to note that just because one may have a perfect match of 1:1 VSWR, it doesn't indicate the whole story, but it's (sometimes) fun finding out. The finished result is shown in Figure 2, the 11 feet sections only being used for 80 metres. One can obtain a match on other frequencies with these still connected, except for 21MHz which doesn't match very well. It's worth trying the difference at 28MHz with the extensions on and off.

Feeder Selection

I used 3000hm TV ladder line (the type used in fringe areas, part number BC1882). Spacing is about 0.72 inch, spreaders every eight inches, and a wire size is about 1mm thick. This stuff is not come tension is applied with ryben at each end (hard to explain) the shape holds better. Experienced manteurs should not only prefer other methods, but probably have perfected their own construction, and these people should be asked by the inexperienced. There is always the old trusty ARRL and RCS always the old trusty ARRL and RCS and advice on feeder systems.

advice on feeder systems.

Figure 4 shows the method I used at the feedpoint between feedline and antenna. Stripped RG58U braid makes a good flexible connecting wire (as shown) and you can use the sheath as an insulating sleeve. After soldering, you can cover the joint with Five-minute Araldite* for extra strength and protection from the elements.

Polar Response

At a guess I would estimate that on 80 metres and 40 metres and up. I would expect some major lobes to be directed off the sides (left and right in Figure 2) end-fied vertical beam. I don't think I will lose any sleep about the lobe direction as I cannot rotate the antenna if it's unfavourable, but it's worth considering before making a final decision on how the antenna is rotated.

Thanks

I would like to thank the two Rons, Ron Cook WK3AFW and Ron Fisher VK3OM, for their published data on the compact Z-match, add another happy Z-match user toyour list. Also, thanks to Dean Probert VK5LB and Lloyd Butler VK5BR, who published some very useful information on the Z-match. These articles are listed in the references.

Final

It must be emphasised that, although this antenna/2-match combination of mine has performed to my expectations, variables in other stations will not necessarily guarantee the same results. Good luck and 73.

References

- VK5LB "Z-match construction", AR May 1989
 VK5BR "Analysis of the Z-match". AR
- May 1989 3. VK5BR "Tests on compact coil Z-
- match", AR December 1990
 4 VK3OM & VK3AFW "Rononymous Z-
- match", Random Radiators, AR March 1990 5. VK3OM & VK3AFW "Picking the right
- feeder length", Random Radiators, AR July 1990 6. "Transmission Lines" ARRL Antenna
- Handbook.
 7. G6XN "HF antennas for all locations"
 RSGB
- 8. "HF Antennas", RSGB Radio Communications Handbook

Addendum

The original design of the antenna did not allow for the WARC frequencies, but in practice the WARC bands tune up very




Figure 2: Complete antenna installation.

Feeder	Antenna	Freq	Watts	Coil	VSWR	Antenna	C1	C2
Length	Length (Total)		RMS	Type*		Extension	(pF)	(pF)
90 feet	110 feet	29.000	90+	Small	1 to 1	No	148	34
90 feet	110 feet	28.450	90+	Small	1 to 1	No	45	45
90 feet	110 feet	21.150	90+	Small	1 to 1	No	91	63
90 feet	110 feet	14,150	100+	Small	1 to 1	No	117	196
90 feet	110 feet	7.050	100+	Small	1 to 1	No	89	55
90 feet	110 feet	3.600	40 max	Small	1 to 1	No	89	331
90 feet	110 feet	3.600	70 max	Large	1 to 1	No	104	325
90 feet	132 feet	3.600	100+	Large	1 to 1	Yes	174	285

Table 1: Note how power input can be limited depending on ant and coil used, when operating on 3.5MHz Band. These power figures are input to the Z-Match

Feeder Length	Antenna Length (Total)	Freq	Watts RMS	Coil Type*	VSWR	Antenna Extension	C1 (pF)	(pF)	
90 feet	102 feet	21,150	Would no	t tune		No	N/A	N/A	
94 feet	102 feet	21.150	90	Small	1 to 1	No	90	90	
90 feet	132 feet	21,150	Would no	t tune		Yes	N/A	N/A	
94 feet	102 feet	14.150	100+	Small	1 to 1	No	425	124	
able 2 · A	have are	example	es of figu	res that i	roved u	nsuitable			

7,3,8,...





Figure 3: Antenna and feeder length. Figure 4: Feed point connections



well using the 90' feeder length and 55' per side antenna dimensions. There may be a more optimum set of dimensions to be arrived at to include WARC, and the experimenter should refer to ARRL and RSGB Antenna Books for details.

The details are as follows:

VSWR Power Used C1 1 to 1 100W RMS 66 Freq 24.940 66pF 31pF (12m) 18.100 1 to 1 100W BMS 63pF 1 to 1

With my Z-match and using the VK2DZF inverted V I can apply about 120 watts CW carrier before C2 starts to arc. This limit of power should satisfy users of most of today's modern transceivers and most of the older valve final types, like the FT101 and TS520 etc. Considering the antenna is a compromise, performance is very good indeed, 10m being its weak area. Fifteen metres down is quite good. The antenna with a Zmatch would be an excellent aerial for the SWL, the 11' extensions not being required.

73 ADRIAN ar

ELECTRONIC WORLD DISPOSALS

NOW OPEN

For that hard to get or unusual item, give us a call. Big range of goods and components in stock.

We are interested in purchasing surplus and disposal components.

27 The Mall. cnr Eastfield and Bayswater Rds South Croydon Vic 3136

Ph: (03) 723 2699

Help stamp out stolen equipment - keep a record of all in a safe place.

FT290 Modifications

BRUCE JONES VK4KIT, 57 BRETT AVENUE, MOUNT ISA 4825

Microphone Noise Reduction

HF PORTABLES SUCH as the FT290 are beaut to take everywhere. Often there is too much mike gain for noisy environments. As the gain control is preset inside the radio you cannot just turn it down because you will hardly be heard when returning to a quiet shack. What is needed is something to reduce the mike gain only when required. This is neatly done using the scan lock switch on the mike itself.

Referring to the schematic, the "up down" switches are normally enabled via a connection to earth through the "Lock" switch. To "Lock" the earth is removed.

However, the "Lock" switch is a changeover type and applies the earth to a spare contact when in the "Lock" position. This contact is used to connect a low-

value resistor in a shunt path across the mike insert. In my case, the resistor is soldered on the pcb inside the microphone case. A value of 22 ohms is suitable for use in light aircraft or for very noisy mobile conditions. Try a higher value if your situation is


a little quieter, say 100 ohms or so.

Operation is simple and does not interfere with the scan buttons either Just set. the "Lock" switch to "Lock" and the attenuator is in circuit. The scan function is disabled while you have your QSO. Not a

The only catch is that you cannot use the "Lock" function while operating in a quiet environment. However, the need for this feature is usually not required when stationary etc.

I'm sure this principle may apply to other equipment.

Happy mobile/portable operation!



Squeich Improvement

VER NOTICED THAT if you set the squelch on your FT290 to need a good signal to open it, then back it off for a weak signal, it stays wide open once tripped? This is called hysteresis and is undesirable if you often work weak signals.

Operation of Squelch

When the set is squelched Pin 13 of Q1019 is approximately five volts and is less than one volt when unsquelched. If a portion of this is fed back to the squelch control pot the hysteresis is reduced. An 81k resistor is all that is required.

Installing the Modification

In finding the correct place to install the resistor, I determined components by measurement of DC signals rather than tracing the circuit. You need not remove the circuit board

Locate at the end of Q1019 what I think is R90 mounted vertically. The exposed end of this resistor is connected to Pin 13 of the IC, so scratch some of the paint off and check this with a multimeter for zero ohms. If correct, scrape off sufficient paint and tin with solder. Near this, close to pin 8, is another

vertically mounted resistor, possibly R78, with the top end connected to a purple wire which goes to the squelch control. This is the second connection point. Solder the modification resistor to these points. Do not disconnect anything. The resistor can lie down on top of the IC.

The value of resistor is determined by experiment. I used an 81k resistor.

If the value selected is too low, the squelch will cycle on and off when finely set. There is some dependence on supply voltage, so check operation on a supply as well as on batteries.

The modification will enable the full sensitivity of the receiver to be used.



Mini Equipment Review

RON FISHER, VK3OM.

The Yaesu SP-4 and SP-5 Extension Speakers

PYOUWANTTHEBEST audiorproduction from your transceiver, a,
good external speaker is essential.
It's essential for several different
reasons depending on how your equipment is used and installed. Here is the
story of two different external speakers rath
at would probably be used for different
reasons. Both are produced by Yaesu and
betainable from most Dirk Smith utulets.

THE SP-5.

The SP-5 is a base station speaker designed to complement the new Yaesu FT-1000 and the FT-990 transceivers. It matches them in both size and colour and also presents the correct impedance to the external speaker sockets on these rigs. Of course you can use this speaker with any brand of transceiver if you are looking for top quality audio. The SP-5 measures 230mm wide, 150mm high and 294mm deep. It weighs in at 3kg. The important part of it, the speaker, is a high quality Foster unit with a diameter of 120mm. It is fitted with a most substantial magnet to produce a very high efficiency and a good transient response. The overall frequency response is rated as 100 to 12,000Hz but this can be tailored to suit the signal being received with five inbuilt filters. These are: 1, cut below 300Hz; 2. cut below 600Hz; 3. cut above 700Hz; 4, cut above 1kHz and 5, cut above 2.4kHz. The low frequency filters use non-polarised electrolytic capacitors, and the high frequency filters use inductive networks. The networks are designed to produce a cutoff rate of 6dB per octave that is the 300Hz filter will be down 6dB at 150Hz.

So, how does all of this work out in practice? Imust admit that I prefer to use a wide range speaker and let the transeseiver do the filtering of the audio. If the transeciver has an audio section with how distortion and good IP filter to suit the mode of operation, a good speaker system should produce an ideal response. However, in the real world things are not always perfect and this is where you can tallor things to suit your own requirements.

Many older transceivers had rather wide filters and product detectors with somewhat high distortion and even audio amplifiers with high noise levels. This is where audio filters come into their own. A sharp high-cut filter will make



The Yaesu SP-4 speaker. Note mounting bracket making it suitable for either home station or mobile use.



In foreground is the filter network. Note the solid speaker used.



ie Tuesu SF-5

listening much more pleasant without removing any of the wanted audio response. The SP-5 will do all of this for

I checked the overall frequency response by feeding an audio oscillator into it. Apart from a slight rise in output around 500Hz, which would be normal for a speaker of this type in a metal cabinet, the overall output sounded very smooth. Music reproduction on broadcast transmissions was quite acceptable. By the way, the SP-5 has a headphone socket on the front panel that is fed via the filters. There is also provision to take the audio output from a second receiver. if required. In all, a highly recommended speaker. Try one - you might be amazed just how good some SSB signals can sound. The SP-5 is priced at \$199.

THE SP-4. This speaker is designed for mobile use or for fixed station use where space is limited. It measures 110mm wide, 90mm high and 40mm deep and comes with a fully adjustable mounting bracket. The actual speaker is 70mm in diameter and is rated to take three watts of power at eight ohms. The button at the bottom right-hand side is a noise filter which is an electrolytic capacitor switched across the speaker voice coil. In other words, a top cut tone control. In use, the speaker produces very clear audio although, as might be expected, the low frequency response is very limited. My oscillator test showed very little output below 500Hz, although the high end extended up to 10kHz. Under many conditions a limited low end output can be quite an advantage and, for mobile use, would be ideal. The SP-4 is nicely finished and comes with a long connecting lead fitted with a 3.5mm plug which suits most amateur transceivers. At \$39.95 it is good value. Our thanks to Dick Smith Electronics for the loan of these two speaker units.

Repeaters additions, deletions,
alterations. Have you
advised the WIA of
changes needed to
the repeater list?

MURPHY'S CORNER

In the article, "A Great Circle Distance Program" written by the late Wally Middleton VK3IT and shown on page 16 of the January issue, an error occurred due to typesetting the program instead of photocopying. Line 240 should have read

240 d = ACOS(SIN(a)+SIN(b) + COS(a)+COS(b)+COS(b)

On the same topic, the letter from J H Knowles VK3JK, published under Technical Correspondence on page 7 of the February issue, should have shown a revised computer program. This is belatedly presented now.

The program "CW Trainer" in March AR (p7) has two small errors. Line 480 should read DATA 131 (not 313) then no change until the last group which should he 3311 (not 3113)

Remember to leave a three second break between overs when using a repeater.

10 REM: THIS PROGRAMME CALCULATES THE GREAT CIRCLE DISTANCE AND BEARING FROM ANY LOCATION TO ANY OTHER TARGET LOCATION. LOCATION TO ANY OTHER TARGET LOCATION.

20 REMI LATITUDE NORTH IS POSITIVE, SOUTH IS NEGATIVE. LONGITUDE WEST IS POSITIVE. EAST IS NEGATIVE.

30 REM: CONVERT HOME LATITUDE TO RADIANS 40 N - (HOME LATITUDE) 50 GDSUB 260

70 REM: CONVERT HOME LONGITUDE TO RADIANS BO N = (HOME LONGITUDE)

90 GOSUB 260 100 LONGS = T 110 INPUT "Target latitude des";N

120 GDSUB 260

130 B m | 140 INPUT "Target longitude des";N 150 GOSUB 260 160 LONGF = T

170 F = LONGF-LONGS 180 P = SIN(A)#SIN(B)+COS(A)#COS(B)#COS(F)

190 D = ATN(-P/SQR(1-P#P))+3.142/2 200 FRINT USING "Distance in kilometres #####":D#6366.7# 210 R = (SIN(B)-SIN(A)#COS(D))/(COS(A)#SIN(D))

220 C = ATN(-R/SOR(1-R#R))+3,142/2 220 C = AIN(-K/BUR(1-R#K))+3.142/2 230 IF SIN(F)(0 THEN PRINT USING "Bearing degrees ###"(C#57.296# ELSE PRINT

USING "Bearing degrees ###":360-C#57,296# 240 END

250 DEM: Subrouting to convert degrees sinutes to radians 260 U = FIX(N)

270 V = N-(U) 280 T = (U#60+V)/3437.74# 290 RETURN

AL811 600W PEP HF Linear amplifier ERITRO



Shades of the magnificient past! Remember the days when a power amplfier looked like it meant business and was heavy enough to convey the message? Well those days are back! Ameritron, one of the USA's leading amateur power amplifier manufacturers has released an amplifier using three 811A tubes in Class AB2 grounded grid to deliver a clean, comfortable 600W PEP. The AL-811 amplifier needs only 40W of drive for the VK legal limit. Best of all the cost of running the AL-811 is low, and a new set of tubes will only cost \$105 not \$350 - \$700 or more for other amplfiers using more exotic tubes.

- 600W PEP output All bands 160-10
- Three 811A tubes Quiet fan cooling Rugged construction
- 50Hz rated transformer ■ Fasy to use
- Vernier anode tuning Large twin meters Safety interlock

reliability over many many years of operation in amateur and commercial service. Its directly heated thoriated tunesten filament is immune to cathode stripping which can ruin an expensive indirectly heated tube in a few milliseconds if the amplifier is mistuned. Ameritron have chosen a simple yet extremely effective input circuit, a single Pi section with a slug-tuned coil for each position of the band switch. The slugs of the coils can be easily adjusted without removing the cover so that you can peak the amplifier without danger of being exposed to high voltage supplies.

plus freight

Components Pty. Ltd Stafford Street Huntingdale: PO Box 281 Oakleigh 3166 (03)543-7238

Random Radiators

RON COOK VK3AFW & RON FISHER VK3OM.

HIS MONTH WE HAVE our usual selection of antenna ideas we hope you might be tempted to try. But first a plea for help from

one of our readers, W Easterling VK4BBL. So many new cars are devoid of gutters or some other projection to which VHF/ UHF antennas can be attached, hence the increase in antennas adhering to the rear window.We'd like to know something about these; where obtainable, what to do and how to tune and adjust, VK4BBL says that at the moment he is using a magnetic mount antenna but the magnet is so good he cannot get the thing off the roof of the car. Some years ago one of us used a magnetic mount antenna for two metres and it worked very well, but when taken off after a couple of years use, it proved to be a wonderful trap for moisture and the roof under the magnet was rather badly rusted. So watch out. Any-

The other aspect is roof mounted TVtype masts. Professional installers know exactly where to drill holes in roof tiles so that there will be timber underneath for the screw-eyes for the guy wires. What to attach first-the roof end of the guy or the mast end. Suburban hams are finding it increasingly difficult to put up masts due to smaller building blocks, council restrictions etc. In many cases a roofmounted trapped vertical or an inverted V is the only choice. Some "roof wisdom" would be very handy to have. Can anyone out there help? We have an idea that through-glass antennas were written up in QST some years ago. We'll try to find it.

how, back to the problems.

Now from Bob Kemp VK3CAY comes the story of a TH3-JR triband beam antenna. We'll let Bob tell the story himself.

Tuning the TH3-JR Triband Beam on 20 Metres Two hams talking. First ham:

"I'm delighted, I've just completed a jigsaw after only 1-1/2 years." Second ham: "It took you a long time." First ham: "Oh no, it said on the box, five to eight years!" Well, this story has a lot in common with that ligsaw.

Some years ago, I purchased a TH3-JR slightly second-hand, together with its original small handbook. Also supplied was the balun, as recommended by the manufacturers, Hy-Gain (specifically a BN86, also by Hy-Gain).

This antenna was duly placed in service,

not without some neighbourly comment, but no real drama, and yours truly joined the ranks of the avid DXers. Time passed, as it has a habit of doing in spite of us. The TH3-JR was moved, raised, overhauled, and the traps were checked on the station dipper. There was a nagging feeling that all was not well with this antenna's performance. It seemed a bit vague in what was the forward direction. It had gain, but I had expected better. There was a feeling that 20 metres was its worst band.

More checks, then Des VK3CO had an article published in AR February 1988 on overhaul of the TH3-JR, with dimensions for correct operation. These were exactly as laid down in my handbook, but now they were metric. It should be noted also that the driven element dimensions are measured from the outer wall of the boom, not the centreline of the boom, as is the case for the reflector and director.

Well, tribanders are a compromise and its oncreasonable to expect it to perform as well as a large monobander. Being stubborn (at least my XYL accuses me of this!) I press on regardless of fact, commonsense or reason. With the passing of time, I'm also




Figure 1: Corrected dimensions for TH3

becoming more crufty and hence check the Re Currents in seal helment, on each of the three bands. Indeed, there is a problem on 30 metres, but what? Is my steel tape wrong/Elke the ham and the jigzaw, it was only a question of time before a solution was found. It was so simple; the typesetters of the original handbook had made an error, and yours truly could not see the forest for the trees! wounder how many THS-30 that there are incorrectly tuned? By the way, this satemat is performing very well on all two 'S' points over a dipole and now does have a hack-to-front ratio!


Des, in his article, and my handbook, both show that the driven element and director dimensions are longer on the phone section than on the CW section of the band. It's as simple as that. Ignore the handbook error and reverse these dimensions. Then your TH3-JR works as the designer had intended.

See Fig 1 for corrected dimensions.

Well, Bob, we certainly agree with your findings. Two different editions of the TH3-JR handbook both have the 20m measurements transposed as you suggest, but a TH2 handbook has it right. Just goes to show. Thanks Bob.

The W3EDP Wire Antenna. Does a certain length of wire produce

better results on all HF bands than another length? There are many schools of thought that say yes it does. One such example is the W3EDP. This is an endfed wire of 84 feet in length working against a counterpoise of either 17 feet or 6.5 feet. Pardon the imperial measurements, but this antenna dates back to the mid 1930s. It was first described in QST around 1936, but our first reference is in the RSGB Amateur Radio Handbook of 1940. Over more recent years it has appeared in the Short Wave Magazine of August 1981 and in the later RSGB Handbook. Well what makes 84 feet work better than some other length? The theory is that with the counterpoise the antenna 'looks' like an end-fed Zepp. By the way, its not necessary to run the counterpoise out under the antenna, just run it around the skirting board or across the floor. On 80 metres the antenna is a slightly lengthened quarter wave. On 40- it's an end-fed half wave with 17' Zepp feeders. The counterpoise should be shortened to 6.5 feet on 20 metres and may not be needed at all on 15 and 10. It's a popular antenna with the QRP operators, and the guru of QRP, G3RJV, describes it as "an excellent antenna". Well, so where is the catch? Originating from 1936, it's not fed with coax. An ATU is required. The ATU shown



The W3EDP Multi-Band Aerial. A suitable value for C_2 is •00025 μ F.

Band. Mc.	C'pse. Feet.	L2—2" Diam.		
3.5		21 turns 16 S.W.G. spaced one diam.		
7	17	7 turns 16 S.W.G. spaced one diam.		
14	6}	5 turns 16 S.W.G. spaced one diam.		
28	0	3 turns spacing.		

Reproduced from RSGB Amateur Radio Handbook 1940

in the diagram can be replaced with —you you for find the "Z' match, which will give excellent results. It seems that you might get away with a standard under the property of the work of

By the way, RF ammeters are common at buy and sell days. Grab a couple; they are very handy if you like to play with end-fed antennas. That's all for this month. Hope you have lots of fun playing with antennas. So it's goodbye from him and goodbye from me.

The two Rons.

Help stamp out stolen equipment always include the serial number of your equipment in your hamad.

ANNUAL REPORTS FOR 1992 FEDERAL CONVENTION

Published below for members' information are all those annual Federal reports received by the closing date for copy for this issue of Amateur Radio magazine.

ANNUAL REPORT OF THE FEDERAL PRESIDENT FOR 1991

HIS PAST YEAR HAS continued the trend of the increasing benefits from the processes and decisions made a couple of years ago in the Federal sphere of the WIA. The best indicators are the performance of the Federal Office - particularly the excellent way that the examination process was introduced - and the successful financial result. This is a tribute to the management practices that have been introduced over the last few years.

Executive Matters

Enderal Office

Bill Roper, as General Manager and Secretary, has continued to bring his management expertise to bear on all aspects of the operation of the Federal Office. This not only includes the Office and its secretariet role to the Executive and the Council, but also the business management of Amateur Radio magazine. This year has seen the successful takeover of the examination process by the WIA from DoTC. The complete system from the accreditation of examiners to the prompt delivery of results to candidates was carefully thought out by Bill in advance. The WIA believes that examinations are now more readily available than ever before, making it easier for new people to enter the hobby and existing amateurs to upgrade their privileges. The system is working well and praise is now being received from many people. including those who were somewhat sceptical in the beginning.

Bill is still providing a considerable voluntary contribution to the work of the Executive Office. This involves work on weekends and public holidays. Further, Bill has not been able to take all of his accrued holidays due to the work load.

Federal Executive

As in the past two years, the majority of the Federal Executive members come from outside of Melbourne. This has continued to bring a wider view of amateur radio matters and has proved to be very useful. The quarterly meetings are working well and there is a much greater sense of purpose and co-operation amongst the participants. The members of the Executive elected in 1991 were Rob Anathy VK1KRA: Joe Colston VK7.IC: Ron Henderson, VK1RH (Vice Chairman) Roger Harrison VK2ZTR Murray Kelly, VK4AOK; Peter Maclellan, VK2RWD. Kevin Olds. VK1OK: Neil Penfold, VK6NE; Bill Rice, VK3ABP (Editor of Amateur Radio); Terry Rveland VK2UX and Bill Wardrop. VK5AWM. David Wardlaw, VK3ADW. was co-opted onto Executive as Immedi-ate Past President. Joe Gelston resigned in December and was replaced by Jim Forsyth VK7EJ There has not been anyone filling the position of Treasurer during the year

During the year the Executive has meton 10 occasions, with flour of these meetings being two-day Saturday and Sunday meetings. These two-day meetings have allowed many items to be considered in detail, particularly items relating to the financial, budget and performance aspects of the WIA. Two of the Tuesday evening meetings had to be abandoned because of the lack of a quorunt

The weekend meetings continue to be worthwhile, as a wider group of people are now more aware of what is involved in running the WIA on a daily basis. It has also furthered a better understandate between the product of the contract of the

Corporate Planning

Since its initial presentation in 1989, the Corporate Plan has been reviewed on a regular basis and changes incorporated assissues were considered by the Executive. A recent review has shown that the majority of objectives have been achieved. Accordingly, it was considered appropriate review some of the WIA's activities. Accordingly, a recent Saturday afternoon was spent by the Executive conducting a "SWOT" (Strengths, Weaknesses, Opportunities and Threats) analysis. The re-

sults of this activity will be further considered by the Executive in the coming months as new directions are developed for the WIA.

Amateur Radio Magazine

which is a tribute to the Publications Committee, the Executive Editor, Bill Rice, the Managing Editor, Graham Thornton and the Business Manager, Bill Roper. Feedback from members on the magazine, particularly the February data issue, has been very positive.

International Matters As this report is prepared. David

Wardlaw and Ron Henderson have been attending the World Administrative Radio Conference in Spain. David and Ron have made significant contributions to the preparation for this conference and have represented the needs of amateurs very well. Close liaison has been maintained with other Amateur Radio Societies (through IARU) and views of other administrations have been moted. We can be a support of the support

DoTC Matters

At Indicates a minimal earlier, a sigminiman should be a minimal to the process of examinations. As a result of a process of examinations. As a result of a number of meetings between the WIA and the DoTC, a significant number of outstanding matters have now been resolved. The most significant change now on the agenda is the issue of "deregulation" that is the minimisation of the regulations governing the Amateur Radio Service. The tradition of the hobby of Amateur Radio has always been one of self regulation and the WIA believes that the likely changes are a positive step in

Thanks

There are many volunteer co-ordinators who contribute to the activities of the WIA on behalf of the Executive. On behalf of all members of the WIA, I would like to thank the following people for their efforts: Graham Ratcliff. VK5AGR Amsat John Kelleher, VK3DP Awards Manager Neil Penfold, VK6NE Contest Manager and QSL Manager (VK9, VK0) Brenda Edmonds, VK3KT Education

Hans Ruckert, VK2AOU EMC John Edmonds, VK3AFU Historian Gordon Loveday, VK4KAL Intruder

Ash Nallawalla, VK3CIT International Travel Host Exchange John Martin, VK3ZJC FTAC Bill Roper, VK3ARZ and Ron Fisher, VK3OM Tapes (Federal

News) John Ingham, VK5KG Tapes (Video) Leigh Baker, VK3TP WICEN

During the year Phil Hardstaff stepped down as Awards Manager and John Kelleher has now taken over this posi-

This is my fourth (and final) report as your Federal President. It has been a privilege for me to serve the world's first and oldest National Radio Society in this capacity. During that time there has been a number of significant changes in the WIA. The first of these was the appointment of a very skilled General Manager and Secretary, who has revitalised the Executive Office and set the WIA on a very firm financial foundation. The second was the involvement of the Divisions more closely in the day to day running of the WIA by having representatives of each Division on the Federal Executive. While this was not necessarily the most desirable approach, it was one that was easily implemented within the present structure and has facilitated much closer contact between the Divisions and the Federal organisation, as well as between the Divisions themselves. This has considerably strengthened the management of our hobby.

Whether we like it or not, the process of change is part of our hobby, be it in the techniques or components we use to communicate with our many far flung

Help protect our frequencies become an intruder watcher today.

colleagues or in the process of regulation imposed on us by external authorities. I believe that as a result of the decisions made by the Federal Council and the Executive, the WIA has coped well with the changes of the past few years. We are also well prepared to face the changes that will come during the next few years. He will be the past few years when the past of the proper of the past few years when the past of the past as they build on the work that has been carried out by their many predecessors over the last eighty one years.

I would like to thank the members of the Executive, particularly Ron Henderson, and the Office Staff, especially Bill Roper, for their support and encouragement over the past four years.

Peter Gamble, VK3YRP Federal President

ANNUAL FEDERAL FINANCIAL REPORT FOR 1991

For yet another year the General Manager acted in the dual role of WIA accountant and Treasurer.

As a non-profit organisation, the WIA should always budget for an excess of income over expenditure of about 5% of income. Expenditure for fixed assets (equipment, etc.) can only be made from Accumulated Profits.

The 1991 budget, prepared by the General Manager, and accepted by the Federal Council and Executive, budgeted for a surplus of income over expenditure of \$20,965, or 5.1% of budgeted income.

Despite events occurring during the year, which were not anticipated in the budget (such as the devolvement of the amateur examinations from the DoTC to the WIA, and the Australia wide financial recession), the result was a surplus of income over expenditure of \$20,751. This shortfall from budget of \$214 was a variation from budget of 1%.

Some of the more significant aspects of the audited 1992 financial statements include the following:

Amateur Radio Advertising, a major source of income, was \$6,836 over budget, which speaks well for the perception by advertisers of Amateur Radio magazine as an advertising vehicle. No help was received from Divisions in obtaining advertising for Amateur Radio magazine.

<u>Call Book</u>, the 1992 edition, sold very well when it was published at the end of September. After allowing for Salaries & <u>Secretarial</u> costs, and office overheads, the Call Book returned a profit of \$5,848 for the year.

Examinations, an unbudgeted item,

were costly to set up (\$8,300 from expenses and \$3,350 from accumulated funds for equipment) and, according to usual small business practice, those costs will take about three years to recoup. The highest cost component of WIA Exam Service is salaries and these are included with Salaries and Secretarial.

Interest Received, was \$5,127 under budget because of the dramatic and unexpected fall in interest rates during 1991.

Members Subscriptions income was \$17,977 higher than expected because the decrease in members for the year was 322 less than anticipated.

The over-budget expenses involved in the publication and distribution of Amateur Radio magazine such as Bulk Posts, Typesetting and Wrapping & Addressing were more than offset by the savings in Printing costs. These savings resulted from a new printing arrangement negotiated by the General Manager.

The Amateur Radio magazine results

for the year was \$2,301 (or 1.3%) better than budget, and the net cost per copy of the magazine posted to members was \$2.39.

Convention Expenses were \$3,678 under budget mainly because of the substantial drop in air fares.

Salaries & Secretarial costs were

\$22.317 over budget. The roseons included award salary increases early in the year, \$6,385 for the additional, unbudgeted work involved with setting up the examinations, and \$7,227 for weekend work by the General Manager (three weekends in every four throughout the year were repartly the General Manager year were repartly the General Manager year were repartly the General Manager because of the increasing devolution of tasks to the Executive Office that were previously and historically carried out by volunteers!).

Despite the capital expenditure during the year with renovation of the office, and setting up WIA Exam Service, Accumulated Reserves totalled \$76,264 at the end of the year.

After expenditure of \$28,016 for the

Atter expenditure of \$25,016 for the Geneva CCIR conference, the NZART conference, the IARU Region 3 conference in Bandung, and preparation costs for WARC 92, the <u>International Repre-</u> <u>sentation</u> account retained a balance of \$19,300.

The table following shows the Profit and Loss budget and actual for 1991.

If any member has any queries about the finances of the Federal body of the WIA, please address them in the first instance to the Federal Councillor of your local WIA state Division.

Bill Roper, VK3ARZ, General Manager & Secretary

PROFIT AND LOSS BUDGET AND ACTUAL AMOUNTS FOR 1991						
INCOME	BUDGET	ACTUAL	VARIATION Amount %			
ADVERTISING (incl. HAMADS) - AR	39024	45860	6836	17.5		
CALL BOOK	32000	32412	412	1.3		
DONATIONS	250		-250	-100.0		
EXAMINATIONS INCOME	0		5619	0.0		
INSERTS - AR	400		203			
INTEREST RECEIVED	22500			-22.8		
INTERNATIONAL DONATIONS/LEVIES	12332	19060	6728	54.6		
MAGPUBS MEMBERS SUBSCRIPTIONS	3800 287500		-857 17977	-22.6 6.3		
SUBSCRIPTIONS (O/SEAS DIRECT) - AR	7000		-1527	-21.8		
SUNDRY INCOME	2000		859	42.9		
TEAC FEE INCOME	2400	4676	2276	94.8		
TOTAL - INCOME	409206	442353	33147	8.1		
	409200	442353	33147	0.1		
LESS EXPENDITURE						
AMSAT	1500	2072	-572	-38.1		
AUDIT FEE	2600	3308	-708	-27.2		
AWARDS - AR	500	504	-4	-0.7		
AWARDS & SPECIAL PROJECTS	750	353	397	52.9		
BAD DEBTS WRITTEN OFF	500	0	500	100.0		
BANK CHARGES BULK POSTS - AR	2700 35897	2204 38955	496 -3058	18.4		
CALL BOOK EXPENSES	12000	12928	-3058	-8.5 -7.7		
COMMITTEE/COORDINATOR EXPENSES	1000	2644		-164.4		
CONVENTION EXPENSES	22000	18322	3678	16.7		
DoTC LIAISON	0	1227	-1227			
DEPRECIATION	6802	6907	-105	-1.5		
DOAF HING - AR	1000	490	510	51.0		
ELECTRICITY	1500	1610	-110			
EXAMINATIONS EXPENSES	. 0	3388				
GENERAL EXPENSES/SUNDRIES	1000	2010		-101.0		
I.A.R.U. DUES INSURANCE/WORKCARE LEVY	4900 4365	4488 5253	412 -888	-20.3		
INTERNATIONAL REPRESENT'N PROVISION		19060	-6728			
MAGPUBS EXPENSES	2800	3943				
POSTAGES & FREIGHT	10000	9987		0.1		
PRINTING - AR	68000	59702				
PRINTING/STATIONERY/OFFICE SUPPLIES	9000	10413				
PROMOTION/ADVERTISING/RECRUITING	9600	5582	4018			
RENT & CLEANING	9095	9664				
REPAIRS & MAINTENANCE (OFFICE)	2000	4180		-109.0		
SALARIES & SECRETARIAL	126000		-22317	-17.7		
TEAC EXPENSES	1150	2320	-1170			
TELEPHONE TRAVEL (EXECUTIVE)	3200 2000	3918	-718	-22.4		
TRAVEL (EXECUTIVE)	850	674 966	1326 -116	66.3 -13.6		
TYPECETTING - AP	24500	25354	-854	-3.5		
TYPESETTING - AR WRAPPING & ADDRESSING - AR	8700	10860	-2160			
TOTAL - EXPENSES	388241	421602	-33362	-8.6		
SURPLUS/DEFICIT	20965	20751	:214	-1.0		
ANNUAL REPORT OF	ut that, wi	hile the Co	mmittee	has mad		

THE PUBLICATIONS COMMITTEE FOR 1991

The main theme of this report for the year 1990 was that after a number of rather traumatic changes in 1989, 1990 had been a year of relatively calm progress. This trend continued through 1991 and in most respects the production of Amateur Radio (and the Call Book) has been earried out in a smooth and efficient manner. As Chairman, I hasten to point

out that, while the Committee has made its contribution to this happy state of affairs, a major part of the credit is due specifically to the firm financial direction of the General Manager and the detailed overall competence of the Managing Editor. While my own position of Executive Editor is no sinecure, the pressure is really on for only a few days each month and it is comforting to know the magazine is in good hands for the rest of the time.

As suggested last year, some attempt is being made to plan in advance the mixture of material in each issue, but progress towards a fully planned magazine is very slow. So long as the supply of material from volunteer authors continues to be adequate, there is little need to do more than mix the ingredients in the proportions supplied. One notable exception was in recognition of the 100th birthday of Harry Angel VK4HA in December. We were told in advance by a VK2 of the forthcoming event, and were thus able to commission suggested VK4s and eventually the VK4 Division to provide the relevant article and photographs. Incidentally, no-one has yet submitted a competing claim to being the oldest active amateur in the world! Many thanks to all concerned for rallying to the cause.

Financially, the performance of AR over the calendar year was very close to budget, and the General Manager serves congratulations for the accuracy of his predictions. Income, mainly from was bust \$5.00 above budget. Expenditure totalled \$233,000 (\$3,000 above budget) of which the largest single component was salout \$5.00 above budget. Expenditure totalled \$233,000 (\$3,000 above hudget) of which the largest single component was salaries and office costs at \$102,000. Membership fees contributed \$102,000 and the cost per copy malled by the cost of the cost per copy malled \$250,000 and the cost per

Some progress is being made towards the concept of a magazine produced entirely "in-house" (except for the printing) by a full-time salaried editor-producer. This is seen as the only viable alternative to the present semi-volunteer situation, which cannot continue indefinitely. The cost, however, will unavoidably be higher than at present by at least \$10,000 per annum.

There has been no change this year in the membership of the Publications Committee, which comprises (in alphabetical order):

Norm Evres VK3ZEP Ron Fisher VK30M Peter Gibson VK3AZL Evan Jarman VK3ANI Bruce Kendall VK3WL Bill Rice VK3ABP Gil Sones VK3AIII **Bob Tait** VK3UI

As paid employees, Graham Thornton VKSIY, Bill Roper VKSAKZ and Brenda Edmonds VKSKT are not Committee members, but do of course actually perform most of the magazine work (production, advertising, business management, etc). Others who contribute, but are too many to name, are the four technical editors who operate from

VK4 and VK6, a group of about four

volunteers who carry out each month's

proof-reading, and of course all the regular columnists and contributors. Then there are the other staff in the Executive Office and the staff at the typesetters (Magazine Graphics). The printers (Industrial Frinting & Publicity) and mailing house (RL Polk & Co) must also be mentioned. To all ofyou, our gratitude for another year's work well done a ND.

Bill Rice VK3ABP

ANNUAL REPORT OF FEDERAL TECHNICAL ADVISORY COMMITTEE FOR 1991

COMMUNICATION: Communication between FTAC and Divisional Technical Advisory Committees has continued to work effectively, thanks to the TAC representatives in each Division

RECORDS: Alarge number of record claims were processed, and the "Certificates of Achievement." for record holders have resulted in improved goodwill towards the WIA, both within and outside Australia.

BEACONS: The 50 MHz beacon policy has been revised to provide extra beacon frequencies for the eastern states, and it is now up to those Divisions to move beacons into the 50 MHz segment. The IARU deadline for the 10 metre beacon changeover has been extended to January 1983. It is a matter for concern that many VHF/UHF beacons around DERECULATION. A major activity

this year has been the submissions relating to deregulation of licence conditions, especially regarding identification and repeater linking. Thanks to the new approach adopted by DoTC, these submissions are expected to bear fruit in the

near future.

AMATEUR ALLOCATIONS: No progress has been made in securing spectrum space to replace the 576 MHz band. Approaches have been made to DoTC concerning the radiation of TV sound modulation within exclusive amateur hands.

RECOMMENDATIONS:

 That Divisions give attention to 50 MHz beacon allocations, and also to getting inoperative beacons back on the air.
 That after the outcome of WARC '92 is known, Executive actively seek the establishment of exclusive amateur segments at each band above 144 MHz.

THANKS: Again I wish to thank all FTAC panel members and the staff of the Federal Executive office for their assistance. I have been dogged by illness in the last year and this help has been invaluable. I am hopeful that my situ-

ation will continue to improve during the

John Martin, VK3ZJC

ANNUAL REPORT OF ROSS HULL VHF - UHF CONTEST MANAGER FOR 1991

The hand multipliers were changed for 1991, 1992 to overcome the scoring advantage of the 6 metre hand. This regulted in fewer 6 metre loge but this was offset by increased activity and a greater number of logs on higher bands. Nevertheless increased interest was shown by overseas 6 metre stations. Comments from entrants indicate general satisfaction with the existing rules. and no significant changes were suggested. Activity was again concentrated in the first half of the contest but no-one angreated any further shortening of the contest. The abuse of calling frequencies on 2 metres and above was worse than in 1990-1991, in spite of my requests to the contrary. This practice of "hogging" has now become normal for many stations throughout the year. This problem is basically one of poor operating babits and the contest itself is not responsible. However thought is being given to ways in which the rules could be changed to discourage or penalise selfish operating habits. The only other changes planned for next year are minor and relate to bringing the contest exchanges for the Ross Hull Contest and the VHF-UHF Field Day into line. John Martin, VK3ZJC

Ross Hull VHF-UHF Contest Manager

ANNUAL REPORT OF THE VHF - UHF FIELD DAY MANAGER FOR 1991

The Field Day was better supported this year than in 1991, largely due to the change of date from the Australia Day weekend to a mid-January date. Band multipliers were brought into line with those used for the Ross Hull Contest, and this change was also approved. Suggested improvements for 1993 include a one-day section for those who cannot stay out overnight, combined with a possible later finish on the Sunday. A number of entrants commented on the different exchanges for the Field Day and the Ross Hull Contest, and these will be brought into line next year. Very few operators have shown any interest in the Maidenhead locator system. One is driven to the conclusion that it is not an appropriate basis for contest scoring in a country like Australia where the active amateur population is widely and thinly distributed. Therefore thought is being given to dropping the locator system and adopting the same distance-based scoring as used in the Ross Hull Contest. I am reluctant to make to omany rule changes too often but feel that these changes to other but feel that these changes

John Martin, VK3ZJC Manager, VHF - UHF Field Day

ANNUAL REPORT OF FEDERAL INTRUDER WATCH CO-ORDINATOR FOR 1991

This year just past was no different to ther years as far as the number of intruders into the recognised amateur bands. We saw a decrease in positive monitoring of the DoTC. No indication of whether the proposed upgraded monitoring equipment ever became a reality. Nor did the service, as far as Australia is concerned, get any satisfactory evident that even some of the reported intrusions have been followed up at inter-govern-No intruders have been "movose" from

No intruders have been "removed" from our legal frequencies. I have had neither direct or indirect feedback on any of the programs suggested by the DoTC to assist their monitoring, eg. number of times curtain intruders were logged, or the time they occupied the frequency as recorded by the observer. At a state level, it has been on the

whole disappointing. VKs 1,3 & 5 have no co-ordinators, despite efforts to obtain them.

We have NO observers in VK3. In VK5 the oldtimers post direct to me, which is appreciated. VK4 still leads the way in observers and log sheets.

Owing to the resignation of Bill Martin VEXCDP as the IARU Region 3 co-ordinator, we now have Rohan ZLICVK in the 'chair'. I am looking forward to working with him, and will assist where possible in reducing the intrusions in Region 3. think it is a good owner that ZL again. We in VK have had a good run of Region 3 co-ordinators and must not be greedy.

More work now the USSR is no more, in sorting out all the states.

An interesting observation over the years I have been co-ordinator with Intruder Watch. Our "modes" tape does not appear to be working to the best advantage with our new recruits to the monitoring service. It does not assist them - I believe it scares them. I have discussed this with other co-ordinators and they are of the same opinion. Take a new

observer. He asks for a tape, and when he/she plays it, it scares them. All those "noises", guard carriers, duplex and quadplex carriers, and all to be remembered if possible for a quick identification. No wonder my recruit rate is about

If we want to get new blood into the service we must upgrade our tape to an interesting, informative one where they can be guided into these modes. Graham VK6RO is going to put his thoughts on to tape for me with some examples. I find that, even after 15 years as an observer, I still have to refer to the tape. Easy if one is set up for it. Gordon Loveday VK4KAL

Federal Intruder Watch Co-ordinator

ANNUAL REPORT OF EDUCATION CO-ORDINATOR FOR 1991

This has been another very busy year, although the emphasis has changed from that in other years. I have received far fewer requests for information direct from the public and potential examinees, and have had to supply only a few Morse code tapes and sample theory examination papers. I have attended several local and interstate Conventions, and some club meetings. I have continued the monthly "Education Notes" in Amateur Radio magazine.

The major event of 1991 which affected Education was the change in the examinations devolvement from free access by any interested parties to the assumption of total control of the administration of examinations by the WIA. DoTC, having found the original devolved system unmanageable, and being unable to allocate sufficient resources to improve the viability and integrity of the system, proposed in July that the WIA should assume responsibility for the production of all examination materials and their supply to persons desiring to conduct examinations. After extensive consultation between DoTC and the WIA, the present system was devised by the General Manager, and the amateur population advised of the changes.

As Education Co-ordinator I was able to assist in some of the planning and discussion of the new system in the early stages. I proofread the stockpile of examination question papers before their submission to DoTC for approval and prepared segments of prose for use in the CW examinations. I also assisted with the publicity and explanations about the new system, and responded to a number of letters which offered either criticism or useful suggestions. Many of the critical letters were based on inaccurate information. In most cases the writers reacted favourably to a straight-forward explanation of the matters or procedures with which they had expressed concern.

Another development in which I have assisted is the formation of a question bank Sub-Committee, whose tasks will be to review and extend the existing theory and regulations question banks. All banks are at present too small, leading to considerable repetition of questions from paper to paper. In addition, there are a number of questions which are badly worded, or not on the syllabus. This sub-committee will view all proposed additions to the banks before they are submitted to DoTC for final approval.

A highlight of the year was my trip to the NZART annual conference in late May 1991. This gave me the chance to talk to a number of amateurs involved in education and examinations. This was especially interesting as at that stage NZART had only recently become responsible for administering the theory and regulations sections of their examinations. It appears that the NZART is much more active in the schools than is the WIA. Considerable work has gone into production of materials for use in schools, and annual awards are made to young members.

Future. The major task at this stage is the review and extension of the examination question banks. This will be an on-going task, as inevitably some questions will become "dated" and need to be replaced. With the move towards further deregulation of the Amateur Service, the Regulations bank in particular will have to be edited, and extra questions added on the regulations that remain. It may be that we can extend the Regulations examination to include questions on operating etiquette and traditional procedures as well as those questions which relate specifically to matters in the Radio Regulations.

I have already stated that it is time for a review of both AOCP and NAOCP syllabuses. This can be done to some extent in conjunction with the review of the question banks, as members of the Sub-Committee will be able to advise if questions on some topics should be deleted. However, questions not on the existing syllabuses cannot be added until it is agreed with DoTC that those topics be included.

There is still a pressing need for the exchange of information between those involved in education of potential amateurs. Those who commit themselves to running courses or classes frequently find that they must "re-invent the wheel" as Divisions do not have records of resource material prepared by previous lecturers. I appeal to those who do run classes to provide their Divisions with an outline of their course structure and with information about their classes so that inquirers, who are of course potential members, can be assisted in their search for instruction.

There is also an urgent need for more resources to be made available to candidates in remote areas. We now have an excellent system to help these people sit for examinations, but few ways of helping them to gain the necessary knowledge in order to contest the examinations. In conclusion, I thank those who have

assisted with tasks on request, responded to my queries, or provided information or resources to make my job easier.
Brenda M Edmonds, VK3KT

Federal Education Co-ordinator

ANNUAL REPORT OF FEDERAL VIDEO CO-ORDINATOR FOR 1991.

This past year has been an extraordinarily busy year for me personally, but unfortunately not for the Video Library! While I am sure that it is still a valuable resource particularly for country Radio Clubs, the collection is gradually aging and becoming increasingly out of date.

I stated in my report last year that I was willing to continue indefinitely as the WIA Video-Tape Co-ordinator, but to be frank, what is really needed now is someone with the time and energy either to produce new lectures or to organise those willing to do so. Rather than let the Service slowly

become less relevant to today's Radio Amateur, I honestly think that I should step down now because in the present circumstances I am unable to give the time and energy which the position de-

Anyone contemplating the job must have access to a VHS VCR because almost all requests nowadays are for the VHS format. Most of the video masters are 3/4" U-matic video cassettes which are played on the Institute's almost-new Sony VP-5040 player; most of the remainder (lectures produced by others) are sub-mastered on Betamax tapes which are played by the Institute's Sanyo VTC-M10 recorder.

Finally, although this report is intended to cover the calendar 1991 year, I should point out that in the February issue of "Amateur Radio" magazine in which the Video Title listing has traditionally been published, this year's listing unfortunately did not include as usual instructions on how the service works. So as to avoid confusion, please note that this information was published in the March edition of "AR". It is to be hoped that next year the listing will be published free of error.

John F Ingham VK5KG Federal Videotape Co-ordinator

ANNUAL REPORT OF THE GENERAL MANAGER &

SECRETARY FOR 1991
The Executive Office, apart from providing administrative and secretarial

viding administrative and secretarial facilities for the Federal Council and the Executive, exists mainly as a secretarial for the WIA state Divisions to provide those member services, such as Amateur Council and the Counc

1991 was another year of continued development and further computerisation of administrative procedures so that the Executive Office could run more effi-

ciently and effectively.

The first major achievement for the year was the installation of a five station computer LaN. Many difficulties were computer to the first fir

the course of the year. Another major achievement was the renovation and expansion of the office facilities. The WIA had leased the present office space for over 10 years but, for a variety of reasons, it was considered no longer of sufficient size or condition. After exploring the viable options a new lease arrangement was made for the present office which was expanded into an additional area thereby enabling the setting up of a conference room for Executive and Federal Council meetings. The office was then completely repainted, and additional office furniture purchased. In addition, the fax machine was given a dedicated telephone line, and a seven station, two line Commander telephone system was installed.

Another significant achievement during the year was the change in liaison procedures with the DoTC in Canberra which brought about a vastly improved relationship and results. Formal quarterly joint meetings between the WIA and the DeTC, where members of the Executive met and negotiated with representatives from the DoTC, were replaced with direct, informal negotiations between the General Manager and DoTC department heads, conducted as the need arose.

Arguably the largest and most difficult task ever taken on by the Executive occurred during 1991. Examinations.

From the time of the surprise decision by the DoTC to devolve examination administration to the WIA, the Executive Office had less than four months to true of the surprise of

The enormous workload in setting up examinations was further increased by the large number of queries (many quite illogical and uninformed, some quite abusive) received by letter, fax and telephone.

Some of the other major achievements during 1992 included:-

Preparation of staff instruction manuals for all new computer operations;

Improved comprehensive analysis of membership trends; Substantial development of recruiting

"leads" information; and

Publication of the 1992 Call Book. Due to further development of accounting programs, enabling more detailed analyses of the cost effectiveness of individual tasks, the costs of operation of the Executive Office were kept as low as possible. Despite the abovementioned major projects, the surplus of Indone major projects, the surplus of Indone was only \$214, or 1.0%, below budget. Office staffing has now stabilised, and

the present team are enthusiastic and competent.

The staff currently consists of:-Full time paid employee General Manager

Bill Roper VK3ARZ 75 hours pw Part time paid employees Office Manager

Brenda Edmonds VK3KT 20.5 hrs pw Book Keeper June Fox 25 hrs pw

Membership & Exams Chris Russell VK3LCR 30 hrs pw Membership

Margaret Allen 18 hrs pw

Contractors
Managing Editor

Graham Thornton
VK3IY 19.5 hrs pw
Membership computer
Earl Russell VK3BER
3 hrs pw maintenance

Volunteer workers

Ron Fisher VK3OM 4 hrs pw Bill Roper, VK3ARZ, General Manager & Secretary

ANNUAL REPORT OF FEDERAL EMC (ELECTRO MAGNETIC COMPATIBILITY) CO-ORDINATOR FOR 1991

 Reports were sent to the Editor and published in "AR";
 January 1991, June 1991, November 1991. More than 70 EMC reports have been published during the last 10 years, by VK3QQ, VK2AOU and other contributors.

Correspondence on EMC Matters:
 1.1) NZART EMC group list of VK-EMC-Reports was sent to ZL2CA
 1.2) Interesting EMC cases reported

2.2) Interesting EMC cases reported by: VK4AFA and VK4OE 2.3) summary EMC Report prepared for the benefit of VK Amateurs, who did not (as recommended) keep past

"AR" EMC Reports, which can be helpful if an EMC problem was experienced.
2.4) Comment on EMC Document:

2.4) Comment on EMC Document: 92.003:WR., 8-1-1992. Sent to Executive of WIA.

 EMC Information received from: "QST", "CQ-DL", "Radio Communication" (via Norm Burton) and DL1BU.
 The development of EEC EMC Stan-

dards is watched with great interest and concern by radio amateurs world wide. The EMC specialists of the DARC are correcting statements by the German Telecom (Ministry of Communication).

Hans F Ruckert, VK2AOU Federal EMC Co-ordinator

Amateur radio Helping the community.

REPORT OF FEDERAL COORDINATOR INTERNATIONAL TRAVEL HOST EXCHANGE FOR THE YECHANGE TO THE DECEMBER 1991

The International Travel Host Exchange (ITHE) is a voluntary scheme administered by the American Radio Relay League (ARRL) wherein interested radio amateurs are able to meet or host fellow operators from other countries. This is a free service, which is promoted by the WIA to its members. You do not have to be on the list to contact those on

During 1991 the number of enquiries handled by this office tripled to six; two by Australians intending to travel overseas, and four by potential visitors. There have been a few other direct contacts between participants.

The total Australian membership is 23 couples or individuals and we need some more names. Please contact the undersigned for more details.

Ash Nallawalla, ZLALM/VK3CIT Federal ITHE Co-ordinator PO Box 539, Werribee, VIC 3030

Werribee, VIC 3030 (03) 741-9302 AH; (03) 742-4566 Fax

ANNUAL REPORT FROM FEDERAL TAPE CO-ORDINATORS FOR 1991

The practice of providing Federal News on a recorded tape for weekly Divisional news broadcasts, completed 16 years of operation during 1991.

Preparation of the news scripts for a two, seven minute news segments tape averages five man-hours. All news scripts the are prepared by Bill Roper VK3ARZ, with the assistance of Brenda Edmonds VK3KT. The recording of the news segments on to the master tape takes about another man-hour, atask shared between Bill Roper and Ron Pisher VK3OM. The duplication of the tapes and dispatch to each of the seven Divisions takes another two man-hours, tasks carried out by Ron Fisher, and June Fox from the Executive Office staff.

All of us involved with the production of the Federal Tapes would like to thank those volunteer Divisional broadcast announcers and engineers who so ably assisted during 1991 in broadcasting the news from the Executive Office to WIA members.

Bill Roper VK3ARZ, General Manager & Secretary

Battle of Coral Sea Commemoration VI4BCS **Townsville, Australia**

ROGER CORDUKES VK4CD, PO Box 964, Townsville 4810

he Battle of the Coral Sea is considered by historians to be one of the most significant battles of World War Two and a landmark in the history of Australia.

In May, 1992 the national commemoration of the 50th Anniversary of the Battle of the Coral Sea will be celebrated in Townsville. It will be 50 years since Americans and Australians fought against the Japanese in the Coral Sea about 1200km off the north coast of Queensland.

The Townsville Amateur Radio Club (VKAWTD) has been invited by 'Oranl Sea '92' to be a part of these calebrations. During 1-13 May, a special event call-sign, VI4BCS (Victor India Four Battle Crarl Sea), will be activated from the Club's premises at Green St, West End, 'Townsville, A special QSL card will be available for all QSOs to VI4BCS during the commencations.

The Battle of the Corral Sea began and The Battle of the Corral Sea began and May and concluded on Bully 1945. It was Allay and concluded on Bully 1945. It was strength to the Australian Coast during World War II. The Battle was faught both in the air and not the sea. The Allied forces contained 26 ships against 62 Japanese ships. Both sides suffered heavy casualties, with over 4000 United States servicemen killed.

The Battle of the Coral Sac Celebrations have been organized by Coral Sea. '92, a committee led by Mr Graham Jenkinson in Townsville. The celebrations include a troop train from Brisbane bringing 300 ex-servicemen and women from Townsville, the arrival of four United States Navy ships and three Australian Navy ships on 8 May for the unveiling of

the \$100,000 Coral Sea memorial in Anzac Park, the largest gathering of ex-servicemen and women from both Australia and United States since World War II. Visiting ex-servicemen and women

visiting ex-servicemen and women may care to inspect the Townsville Amateur Radio Club's premises during their visit to Townsville.

Our Club meets on the first Tuesday of the month at 7.30pm, that is Tuesday of the month at 7.30pm, that is Tuesday of May, Please phone Bob Mann VK4WJ on (077) 79 7869 or Roger Cordukes VK4CJ on (077) 74 0221. Or write to TARC Inc PO Box 964, Townsville, 4810 Australia. Packet address:

VK4WIT@VK4AFS#NQ.QLD.AUS.OC. The Townsville Amateur Radio Club looks forward to welcoming all visitors to Townsville during the celebrations and hopes to contact many amateurs during this special occasion. TARC operates nets:

Sundays 28.365 MHz 0830 local time 146.700 MHz via VK4RAT 0900 local time 3.605 MHz 1930 local time

Repeaters VK4RAT 146.700 438.225

Meetings: First Tuesday of the month, 1930 local time, Green St West End (monthly meeting). Third Tuesday of the month, 1930 local time (social meeting).

VI4BCS frequencies (1-13 May) 3.605 MHz 7.080 MHz 14.190 MHz 21.190 MHz 28.365 MHz



Newly delivered B24 Liberator bombers of the USAF line up at Garbutt Air Base, Townsville, some time between 1942 and 1945. (Courtesy Arch Fraley Collection)

TET-Emtron

ANTENNA SYSTEMS

ALICT DALLA



THE ED 5-2C MULTI BAND TRAP ANTENNAS ***** • •

 Completely factory assembled ready to use: - Handles 2 kw PEP & covers 80 through 10 metres.
 Heavy 14 (7/22) gauge standard copper antenna wire to survive those severe storms.
 Coatrie for Juned feedline supplied. . Includes centre insulator with an eye book for centre



TET - EMTRON

Model TF-33 The "TET-EMTRON" model TE-33 is an optimum performance 3 element

HE Beam Antenna. New high efficiency traps, all stainless steel hardware and rugged aluminium construction guarantee, long and trouble-free operation. As trap type antennas are generally considered narrow banded, the TE-33 gives a SWR of 1.5 or less across the entire operating band, and therefore does not need any readjusting for Phone or CW band. The antenna is made from specially hardened aluminium, all predrilled and partly pre-assembled compo-nents — THIS ANTENNA IS MADE TO LAST.

Band . F/R Ratio Max Ele. Length. Weight.

14, 21, 28MHz 6, 6.2, 7 dBd 21, 15, 16 dB 2 KW PEP f.3m


THREE BAND

TE-33M THIS NEW MINI BEAM IS JUST THE THING FOR THE HAM

WITH INSUFFICIENT SPACE FOR A FULL SIZE TRIBANDER WITH A 5 METRE SPAN ONLY. THIS ANTENNA IS AN EXCEL-LENT PERFORMER FREQUENCY

ELEMENT LENGTH 5.0m BOOM LENGTH

VSWR 21 28MHz less than 1.5:1 across bend 14MHz 150 kHz less than 1.5:1 250 kHz less than 2.0:1



WE HAVE SOLD OVER 1200 PK-232 MBX THE WORLD'S BEST MULTI-MODE DATA CONTROLLER



PK-232MBX Multi-mode Data Controller:

IN TABLETINA MINISTENSIA DELL'AND DELL'



model TNC-24Mk II from TELEREADER!

ALL MODES IN ONE OCUCING LIVIQUE AND MOST ADVANCES NEW MACHINE FOR SOPHISTICATED FSK (1200, 300bps), PSK, JAS-1, RTTY, FAX — RX ONLY ★ BULT —IN PSK & JAS — 1 MODES FOR SATELLITE COMM, ALL MODES IN OME!



PK-88™ Packet Controller

Improved hardware and software design make the PK-88 your best choice for a packet-only controller. Integrating the popular packet software from the multi-mode PK-232 with a special AEA TNC hardware design gives you the best of both worlds.
WRITE FOR MORE INFO

BANKCARD **MASTERCARD & VISA**

HEAD OFFICE: 92-94 Wentworth Ave, Sydn NSW 2000, TLX: AA73900 PO Box K21 Haymarket, NSW 2000 Ph: (02) 211 0988 Fax: (02) 281 1508

PARRAMATTA 7 Smith St.

288-294 Queen St. Mell Vic 3000 Vic 3000 Entrance from Lt Lonsdale St Ph: (03) 670 8551 or 670 0330 Fax: (03) 670 0671

OHFENSIAND

MAIL ORDERS WELCOME **WESTERN AUSTRALIA**

Page 28 - AMATEUR RADIO, April 1992

Voices Out of the Air

Bob Hawksley VK2GRY (ex-G3GBP), 21 Wallumatta Rd, Newport 2106 (Article originally intended for ABC broadcast use)

UST ON 60 YEARS AGO there occurred an event that stunned the world—a 251-word message broadcast by King George V to the British Empire on Christmas Day 1932. Here's part of what he said, by courtesy of ABC Sound Archives

I speak now from my home and from my heart to you all, to men and women so cut off by snows, the desert or the sea, that only voices out of the air can reach them.

Why did that broadcast make such an impact? Quite simply, it demonstrated that one person could speak to all manified at the one time and, in this instance, the King spoke to a good quarter of it. Technically tiwas a tremendous achievement. It was done live and broadcast simultaneously on long, medium and short waves - about which I'll have more to say later.

But how was this possible when wireless as a discipline was scarcely 30 years old? The inventors of wireless, Hertz and Marconi among others, showed the way, but the actual ways were trod by the hundreds of thousands of experimenters the world over, wireless enthusiasts, radio amateurs or hams as they are colloquially known.

While most hams exhibit a great diversity of interests, they are all seemingly propelled by one common factor: a hearty disregard for the opinions of experts who say that something ean't be done. I'll give you a classic example, but first I should explain something about long, medium and short waves which I mentioned a few moments ago.

When broadcasting first began, programs were transmitted on long and medium waves by what today are called the AM stations on our radios. (AM means amplitude modulation, which is a technical description of how the sound is carried by the radio wave).

And on some radios you may also have seen the letters SW, which stand for short wave, and it's on the short waves that we get programs from all over the world.

Now in 1920 it was the expert view that short waves would never be any good for broadcasting because they didn't appear to go very far. Logic was on the side of the experts because long-wave stations were heard at distances of many hundreds of kilometres, while medium wave stations could be heard at a hundred or so kilometres. But short waves could be heard for only a few kilometres and then they fizzled out. So the expert view was that they weren't any good for broadcasting.

But a ham in England didn't agree because of something rather odd happening in Scotland - the Scottish could hear the London medium-wave programs and Scotland is all of 500 kilometres away from London - almost five times the distance one could normally expect to hear a medium-wave station. The same thing happens today and, in Sydney, for example when, in the evening or early morning, it's not uncommon to hear stations which are in Victoria or Queensland. Why? The short answer is that about 100 kilometres or so up in the sky the atmosphere reflects the waves and so they bounce back to earth. But in the early 1920s this wasn't known.

The experts said that the phenomenon was due to freak conditions, which is what all experts say when they don't know. But the ham simply refused to accept this and he formed the notion that the medium waves might bonce along rather like a tennis ball because there simply had to be a logical explanation for Sottish listeners hearing London dium-wave programs. And if medium waves bounced, then why not show the waves bounced, then why not show ment.

He designed and built a short-wave transmitter and receiver (for the technically minded its nominal wavelength was 30 metres) and he organised a fellow ham in Maita to do the same. (Malta is 2000 fixed for a radio appointment (called a schedule or 'sked' in ham language) and, as the minute hand closed upon the appointed hour, there came out of the ether a call...

The Malta station replied immediately, and all evening the two hams chatted in morse across the 2000 kilometres. They had achieved what the experts had said was impossible..

And, just to conclude this story, in no time fellow RAF hams in Cairo, Bombay, Singapore and Hong Kong were all chatting to each other, and then the Admiralty and the Air Ministry were given a demonstration which, for once, convinced them on the spot that short waves could be used to communicate with Relsa and the spot that short waves could so, once again, the military found a use so, once again, the military found a use outdone, the hams found other wavelengths.

That was 70 years ago and today hams straddle the world. But there are not only radio hams, but hosts of other types of ham in all sorts of disciplines such as archaeology, biology, botany, chemistry, computer science (you've heard of hackers-they're simply computer hams)-the list is endless.

Which brings me to a closing thought, that mankind has only to think of something for it to become a possibility, because somehow human beings yearn to learn and experiment. It's the science fiction writers who more often than not point the way, but it's the hams who tread it. And for hams there is always a reward - that of capturing voices out of the air.

Which brings me back to that royal broadcast nearly 60 years ago on Christmas Day, 1932. That broadcast has gone into history and, through the wonderful medium of wireless, into the vastness of space.

Perhaps, somewhere, billions of kilometres away, some other being is at this very moment detecting that broadcast with the same degree of excitement that gripped its first listeners. And I am willing to bet that whatever that being is, whether it is a he, a she or an it, he, she or it is most certainly a ham.

Sign up a new
WIA member
today we need the
numbers to
protect
our frequencies
at WARC 92.

An Aussie in Los Angeles

RICK RICARDO VK1ALR, 2 PLUNKETT ST, CHIFLEY, ACT 2606

Nº39 MARCH LLEFT Australia to spend five months in the US at the Jet Propulsion Laboratory, (part of the NASA network). Lived in an apartment in South Pasadena, California, near Los Angeles. My reason for travel was to assist in the testing, and later, back home, the installation of new supgraded computers and ancillary hardware at the Tracking Standard California (Standard Carly of the support of both Deep Space and Earth Orbiting probes.

I would like to share with fellow hams in Australia my experiences since gaining my full licence and then travelling to the US.

Prior to departing Australia I enquired of the DoTC as to the procedures to be followed to obtain my reciprocal licence. I was disappointed that they were unable to help me in any way.

Once I arrived in the US and started work I contacted the JPL Amateur Radio Club. After speaking to several people I eventually contacted Jay K6EJJ, who happens to be the International Affairs Vice President of the ARRL. He assisted with the necessary form 106B from the FCC to anply for my reciprocal licence.

I was a little disturbed when I read on the form that it could take up to 60 days to receive a licence.

When you realize that the FCC has to administer to 500,000 hams alone you can understand why it can take so long. Along with my application I had to

send a copy of my certificate and licence. I had taken both with me in anticipation, and was glad that I had. Having filled in the form and obtained copies of the previously mentioned forms I posted my application off to the FCC at Federal Communications Commission, PO Box 1020, Gettysburg, PA 17326, USA

The ham operator in the US does not pay a licence fee for the privilege. The licence is currently issued for 10 years. There are moves to introduce a fee of some sort (see QST Magazine April 1991) with some advocating perhaps up to \$10 per year for 10 years. A far cry from the equivalent fee we currently pay and will have to pay over the next 10 years. While I waited patiently for the re-

turn, hopefully, of a licence, I completed an application to join the ARRL, and also an application for membership of the JPL ARC, W6VIO (with a key to the shack as a benefit).

What a setup the JPL Amateur Club has! A transportable building fully rigged up. Three VHF rigs with PCATIs on packet or satellite, a repeater on 1.25 metres, a Kenwood TS-820S for slow scan TV, a Yaesu FT-101EE and two other HF rigs. In addition, a shipping container sits beside the shack full of other gear, spare antennas for Field Days et Pield Pays et a

To connect an array of transceivers and listen to the world was a patch panel which had VHF. UHF and HF beams appearing on it. The HF beams, a TH-6 and Somer, were mounted on towers with rotators, about 400 feet above the lab. To use the gear was a ham's dream. Everything you wanted in one place. After a check out on the gear with the equipment officer Jerry Hawkes WeWXL, I was on my own. It whetted the appetite for more ever.

Before leaving Australia I had made plans to set up a sked with my father-inlaw, Charles Armstrong VK1WW on a regular basis, once I had everything in order.

The first thing to arrive was my ARRL membership followed by the FCC licence, effective from 30 April, only two-and-a-half weeks to reply.

Now I needed a key to the shack to get in whenever I had time to go down there, and access to the lab on a Saturday in the US to allow my XYL and our first harmonic to be able to come on the lab on a regular basis for the skeds. This was achieved, and I went to the shack to get the feel of the gear and determine what conditions were like at different times. I established that 10 metres at 0000Z was excellent for DX and that 20 metres was just workable at 0530Z. VK1WW had a regular sked at 0530Z on Sundays in Australia with ZL3QQ, VK2BWY and a couple of others. What better time to try than the 0530Z for the first sked, and then get it changed once contact was

Off to the JPL shack at 0500Z (1000 pm PDT) on the second last Saturday in May. Try out the pass for XYL and Junior. We're in! Down to the shack. Connect the TH-6 to the Kenwood TS-820S via the patch panel, power on, scope on and wait for the heaters. The QRN and QRM are both severe. Tune up the finals and wait.

Right on time Tom ZL3QQ came up. VK1WW was upnext. Perfect. Assoon as he stopped I'd jump in. Success! Contact was made and we then started moving around the 20m hand trying to find a quiet spot. Finally on 14200KHz we had a reasonable QSO and decided to try next. Saturday on 10 metres. In the meantime VK1WW and brother-in-law Glen VK1GT would construct a 10m beam

Next Saturday at a civilised hour for us, 0530pm PDT (Pacific Daylight Time) we came up, five and nine both ways. VKIGT's XYL was cross with me for getting Glen involved to a great extent in radio again. He had enjoyed it and was considering becoming active again. We need more active hams.

Skeds continued then without much drama apart from a week of severe solar flare activity. It was impossible to raise VK land, but there were plenty of excited Ws thinking they had a good skip as my FCC licence allowed me to use my VK call rather than issue me with a US call. Boy were they disappointed!

The next event of interest was the arrival of VK1WW, complete with his XYL, to visit us for a couple of weeks at the end of June. The fourth weekend in June in the US is set aside for Field Day. A 24-hour exercise organised by the ARRL where hams attempt to maintain continuous contact with other hams using alternative forms of power (solar panels, generators etc) no commercial power. The purpose of the exercise is to then allow the ham radio network to assist in establishing emergency communications in times of emergency or national disaster, and also to have a good time with fellow hams.

The members of W6VIO (of which I was now a member), had planned the activity. The plan was to operate three HF rigs, two CW and one phone number, one packet, one satellite and one VHF UHF. In addition, a novice HF station would be set up for the less experienced or less seasoned hams among us.

Friday 21 June, 8am at the shack. Those able to spend some time assisted with loading the truck with all the field gear, including the beams from the shipping container complete with masts etc. I was given the task of packing the gear on the truck and tying it down for the strip to Mount Gleason some 30 miles distant from PL, in the San Gabriel Mountains. Mount Gleason is 600 feet above sea way. I had to do some works ow wished them well and indicated I would be up Saturday morning.

Section of the control of the contro

Everything was working well except for the satellite. Oscar seemed down on power. Listening to the bird, you could hear stations trying to tune in but it continually seemed to dropout. Itried for a while without success. You could hear yourself coming back weakly and then all of a sudden it would drop out.

Packet was working well, as was two metres. The two CW locations were burning up the ether but the 20m beam didn't appear to be performing particularly well. appear to be performing particularly well. checked the line, checked the connections. Nothing, but, just in case, we replaced the two driven element leads and put it up again with no improvement. However, overall, at the end WeVIO had and its best Fold Day ever. In the past the ladder to finish 15th in 1990. They hope to better it again this year.

Monday came around and it was back to normal work. How wrong! Friday 28 June, 7.43am. The ground shook, a 5.8 rumble. I missed the actual ground movement, as I was driving on a rough road at the time and just thought it was extra rough. A pedestrian crossing the road in front of me was acting most strangely and I thought something was wrong with her. Next thing on the radio they announced that we had had a tremor. Turned on the 2m Yaesu FT-227R in the car and in a couple of minutes it was alive with controlled reports, slowly pinpointing the extent of damage and the centre of greatest damage.

By the time I got to work all the buildings at JPL had been evacuated. Everyone sat outside waiting for the first major after shock. We waited for an hour and a half and finally it was decided to send all non-essential staff home for the day. Half an hour later we had our first good after shock, a 4.0 rumble. The 2m rig was still alive and continued most of the daylight hours as further after shocks took place. Next Monday, back at work. A look at the signs of stress up through the stairwell. The cracks were evident only in the direction of the flexing of the building of the spidle of the stairwell.

During the morning of the quake as all buildings had been evacuated no telephone access was possible. The JPL ARC has established on lab an Emergency Communications Team (ECT) for just such happenings. They swung into full action using hand talkers on 1.25 metres. The response was outstanding and the club was thanked for its proficiency following the quake.

T-shirt shops in the shopping mall at

Glendale had shirts out that day with "I Survived the 28th of June 1991".

Survived the 28th of June 1991.

In July the President of the JPL
Annateur Radio Club, Art Zygielburg,
MAGSAL bus kind, Art Zygielburg,
MAGSAL bus kind on the given in the president of the series of

I have seen amateurs in action in another country, listened to them and become a part of their activities. I have been impressed, and hope that we in Australia are as efficient.

Remember the Titanic

This year, 1992, marks the 80th anniversary of the maiden voyage and tragic demise of the RMS Titanic. A major convention is to be held by the Titanic Historical Society in Mass, USA.

To commemorate the vital part played by radio in the rescue of survivors of the tragedy, several of whom will attend the convention, at least two amateur stations will be operating for the purpose of remembering the event, with the issue of a special QSL card.

The ARRL informs that KA1BB, Tri-City Amateur Radio Club of Graton, Conn, will operate from 1300Z to 2100Z on 11 and 12 April. Frequencies will be between $7.225\text{-}7.300, 14.225\text{-}14.350, 21.275\text{-}21.350}$ and 28.300-28.500MHz.

Here in VK Land, Ian VK2WR, a member of the Titanic Historical Society, will operate a station under his own cell each day from 11-15 April between 0600Z and 0600Z on the 15m band – CW on 21.080, SSB on 21.180 and 21.280; also between 1000Z and 1300Z on the 20m band – CW on 14.008, SSB on 14.180 and 14.280. All frequencies 4-QRM.

An attractive red, white and black QSL card, shown here, will be forwarded to any station requesting one. YK stations may be via Bureau, or direct (self-addressed stamped envelope, QTHR 1992 VK Callbook). Overseas stations via Bureau or direct with SAE and 2 x IRCs to Manager VK2DZF QTHR International Callbook.

Ian C Griggs



MORE FEATURES

FOR YOUR MONEY!



FT-411E 2m HANDHELD

Supero performance on the 2m band. Top of the line features, reliability and value to money from the name you can trust... Yaesu. Only the compact FT-411E offers these standard features...

- 144 to 148MHz tranceive operation, with enhanced receiver performance
- Ultra long life 1000mAH 7.2V NiCad battery pack
 2.5 watts RF output as standard. 5 watts with 12V DC (or optional FNB-11 NiCad).
- Better than 0.16uV (12dB SINAD) sensitivity
 Programmable power saver for extended operating periods
- Keypad or dial frequency entry, with selectable tuning rates
 49 tuneable memories which store repeater offsets
- Band, memory, priority or limited-band scanning
 Just 55 x 155 x 32mm
- Carry case, belt clip, carry strap and approved AC charger
- Now with enhanced receiver
- sensitivity and improved strong signal handling!

ved AC charger \$479



FT-212RH MOBILE 2m FM TRANSCEIVER

The FF-212RH is an ideal mobile FM transceiver that also doubles as an easy to use base station. With 45 watt output over the 144-148MHz range, rugged diseast chassis (for superb RF isolation) and extensive use of surface mount components. What's more, it has a large back-lit LCD with a bargraph PO/S-meter, 5 selectable tuning

Cat D-3350

steps and a total of 21 memories (18 general purpose, I call channel and 2 sub-band limit memories for band scanning). As well, there's inbuilt C.T.C.S.S. encode and a variety of scanning functions. Complete with mobile mounting bracket, MH-14A8 microphone and DC power lead. 2 Year Warranty

2 Year Warranty



Remote Panel Kit YSK-4700

DICK SMITH

FT-4700RH MOBILE 2m/70cm FM TRANSCEIVER Check this out for fantastic value! With full-duplex or dual-band operation,

Creex in sour to manager value "will non-duple up of updated upgradunt remote mountable front panel option and 50w output (2m) & 40W output (2m) & 8.0W output (2m) & 8.0W output (2m) & 8.0W output (2m) & 8.0W output (2m) & 9.0W output (2m)

Hurry, stocks are strictly limited!

2 Year Warranty

\$999 B1307/BK



HF/6m POWER/SWR METER

Cat D-1360

A superb wideband SWR/Power meter which boasts quality Japanese construction and a truly accurate P.E.P. metering circuit (unlike many 'other' so called P.E.P. monitor systems). The Revex W502 features solid construction with an all-metal case and a large back-lit meter... and it covers the 1.8 to 60MHz range with less than 0.1dB insertion loss. With 20W, 200W and 2kW power ranges and LED indicators which show average or P.E.P. operation. Requires 13.8V DC @ 200mA power supply.



DIAMOND D-130J DISCONE ANTENNA

> antenna covers the frequency range 25-1300MHz, and was designed to be easy to assemble and install. The extensive use of stainless steel in the D-130J makes it very durable, while allowing transmission on the 6m 2m, 70cm, and 23cm bands with a maximum power rating of 200W PEP. Comes complete with mast mounting hardware and

> > 169

\$199

ST-7500 DUALBAND MORILF ANTENNA

At last, a high performance dualband mobile antenna at a down to earth price. The ST-7500 is just 1metre long and uses a ground independant design to provide high gain (33B on 2m, 5.5dB on 70cm) with a maximum power rating of 150W. Quality Japanese construction together with a tiltable whip structure make this an ideal antenna for the discerning mobile operator. Requires SO-239 antenna base (D-4035 recommended)

Cat D-4810

DIAMOND VHF/UHF **BASE STATION ANTENNAS**

These high quality, vertically polarised base station antennas are ideal for the discerning Amateur operating on the 2m 70cm or 23cm bands. They're beautifully constructed Diamond brand antennas from Japan which provide high gain for maximum range. Constructed from robust E.R.P. tubing for excellent all-weather operation. with ground-plane radials for a clean radiation pattern.

2m ANTENNA F-23A

Frequency: 144 - 148MHz Gain: 7.8dB Max. Power: 200W Max Wind Speed: 144km/h Length: 4.53m Type: 3 x % A co-linear Cat D.4850

\$199

2m/70cm ANTENNA X-200A Frequency: 144 - 148MHz 430 - 450MHz

Gain: 6dB on 2m. 8dB on 70cm Max. Power: 200W Max. Wind Speed: 180km/h ength: 2.5m Type: 2 x % λ(2m), 4 x % λ(70cm)

\$199

Cat D-4860 2m/70cm ANTENNA X-500A

Frequency: 144-148MHz, 432-450MHz Gain: 8.3dB on 2m, 11.7dB on 70cm Max. Power: 200W Max Wind Speed: 144km/h Length: 5.2m Type: 3 x % \(\lambda\) (2m), 8 x % \(\lambda\)(70cm)

Connector: N-type socket Cat D-4865 Limited Stocks!

23cm ANTENNA F-1230A Frequency: 1260 - 1300MHz

Gain: 13 5dRi Max. Power: 100W Max. Wind Speed: 144km/h Length: 3.06m Type: 25 x ½ \co-linear Connector: N-type socket

Limited Stocks!

Cat D-4870

Cat D-4820

299

2m 1/2 WAVE MORNE ONE BASE STATION ANTENNA

An outstanding value for money, compact, Australian made base station antenna which is only 1.69m long. It uses a single section F.R.P. radome for excellent all-weather operation and covers 144-148MHz with less than 1.5:1 SWR. The antenna provide approximately 3dB gain with a maximum power handling of 200W FM. It's fitted with an SO-239 socket mounted into the base for easy coax connection and comes with a 5 year warranty.



EX-DEMO CLEARANCE





On Operation

"The layout of the front panel of the FT-1000 is just right... I reckon the FT-1000 is (operationally) far less complex than either the Icom I found the FT-1000 easier to learn and use than any other radio in its class "-OST

On Documentation

"clearly written and complete, and includes a complete set of schematics and many high quality photos"- QST "The quality of printing and presentation of this book is the best I have seen..."-AR

On the Receiver

... this rig has a very strong receiver; it has the best overall performance (in terms of sensitivity and dynamic range) and the highest third order input intercept of any commercial radio ever tested in the ARRL lab." -QST*

"The direct digital synthesizer works very well and produces receiver performance that sets new standards."-AR "I found the receiver in the FT-1000 to be astonishingly sensitive and immune to cross modulation..."-ARA

Transmitter - SSB

" the FT-1000 is easy to adjust and use.... The processor adds quite a bit of punch to SSB signals; hams I worked on SSB with the FT-1000 gave me good audio quality reports"-QST Reports were all very favourable, especially when using the speech processor,"-AR

Transmitter - CW

"CW keying was a delight...power output was checked in the CW mode and found to be well in excess of 200 watts on all bands... "On CW the FT-1000 was absolutely faultless." -ARA 'CW operation with the internal keyer is a breeze...

Transmitter - RTTY/Packet

"Using the set on HF packet was an absolute pleasure..."PW "Packet and RTTY modes were tried and proved just superb."-ARA

Conclusion

.the FT-1000 represents unbelievable value..."-AR "It's an excellent set worthy of accolades and rave."-ARA ...the FT-1000 needs little for me to consider it the ultimate contesting and DXing machine available today..." OST* The FT-1000's combination of Direct Digital Synthesis, high output power, ultra-high performance receiver and easy to use controls put it far ahead of the competition. Hurry in today and check out our limited number of ex-demo models all with a full 2 year warranty.

Wouldn't you rather be using the "Best of the Best?"

2 Year Warranty

Cat D 2200

(ex-demo models only) Includes MD-1 desk mic

Ex demo units are available only at our York St, Nth Ryde, Chermside, Brisbane City, Springvale, Coburg, Bourke St, Adelaide City and Perth City stores.

Magazines

ARA - Amateur Radio Action Vol 13 No 2 AR - Amateur Radio August 1990 P.W. - Practical Wireless January 1990

QST - ARRL QST March 1991 *(review with optional filters fitted) Copies of our 12 page colour brochure are available upon request. Phone (008)226610 or (02) 8882105

Some models may be shop soiled. However all come with a full 2 year



line iradiiion Coniinues...

FT-990HF ALL-MODE TRANSCEIVER

Take a quick look at the all-new FT-990 and you'll soon see the similarity to the top-of-the-line FT-1000... and for good reason. The incredible FT-990 embodies many of the advanced features and ease of operation of the FT-1000. But in a more compact, economical package that sports several new advances in both transmitter and

receiver design. Cat D-3260

....

\$3495

Designed For Easy Operation

Just like the FT-1000, Yeasu have designed the FT-990 to be as easy as possible to operate. The front panel layout puts all frequently used controls right where they should be at your fingertips. All controls are clearly labelled and the digital display provides an abundance of information in an uncluttered and easy to read format. The front panel keypad offers one-touch band selection (160m - 10m) with 2 independent VFOs per band and 90 memories that store the operating data held in both VFOs. You can't help but appreciate the large back-lit analogue meter rather than those confusing bar-graph meters found on other transceivers

Unique Features

- · Customizable RF Speech Processor Yaesu's unique Frequency Shifted Processor (FSP) lets you shift the IF passband of your transmitted SSB signal to provide maximum punch with your
- voice/microphone combination. Digital Audio Filtering - Razor sharp audio filtering is available for tough SSB and CW reception conditions through the use of an astounding dual digital Switched Capacitance Filter (SCF) with independently adjustable selectivity skirts.

 Packet/RTTY - Separate interface jacks for a RTTY terminal unit and a Packet TNC are provided, while the mode selection buttons disable the mic automatically in the digital modes.

Direct Digital Synthesis (DDS)

Two 10-bit DDS and a magnetic rotary encoder provide silkysmooth VFO tuning, pure local oscillator signals, and very fast Tx/Rx change-over... and that's very important for QSK CW and digital modes. The DDS is teamed with an extremely low-noise. high performance receiver front-end using a PIN-diode controlled push-pull RF amplifier followed by a quad-FET ring mixer. The result is a very wide receiver dynamic range from 100kHz to 30MHz. Transmitter signal purity is also enhanced, with circuit noise nearly 90dB down from the carrier.

Convenience Features

- . A highly efficient AC switch-mode power supply is built-in. It allows high duty-cycle transmission while keeping the weight way down, saving space and the added expense of external power supplies.
- . An in-built Automatic Antenna Tuner with 39 memories is standard!
- Modular construction maximizes selectivity and makes servicing easy.
- . Effective interference rejection is facilitated by IF shift. IF notch.
- IF bandwidth, and SCF audio controls . An adjustable noise blanker, a 500Hz B/W IF crystal filter and a comprehensive, easy to read user manual are also supplied.

STORE LOCATIONS:

\$10RELOCATIONES

**TORIE LOCATIONES

**TORIE L

ORDER BY PHONE OUTSIDE SYDNEY (FREE CALL) 008 22 6610 SYDNEY AREA 888 2105





AMATEUR RADIO, April 1992 - Page 35

FT-757GXII ALL MODE H.F. TRANSCEIVER

Always ready for action! Whether you're in a demanding H.F. mobile situation or at home in the shack, the FT-757GX II won't let you down. Based on its popular predecessor (the 757GX), the MK2 features the same heavy duty die-cast heatsink and rugged metal chassis for long term reliability. As well, it offers even easier to use controls and new features such as a pushbutton mode selector and IF notch filter.

- All mode operation SSB, CW, AM, FM (160m-10m)
 100 watt output on SSB, CW, FM (25W AM) at 100% duty cycle
- High performance general coverage receiver 150kHz to 30MHz Dual VFO's with single button VFO/memory swap functions
- . Memories store freq & mode and allow band scanning between adjacent memories

 Inbuilt 600Hz CW filter, IF shift and IF notch filters, variable noise blanker, speech processor, jambic CW keyer and SWR meter.

Save \$100

2 Year Warranty

Now Only

142500

FT-650 6m.10m.12m ALL-MODE TRANSCEIVER

Yaesu's new FT-650 all-mode mobile transceiver has been designed with the 6m enthusiast firmly in mind. With continuous reception from 24.5 to 56MHz you can follow the rising M.U.F. and work the 6m DX as soon as the band opens. Output is a powerful 100 watts on the 24.5, 28 and 50MHz bands (SSB, CW, FM), and the use of 3 Direct Digital Synthesizers results in extremely clean Tx and Rx operation. Particular attention has been made to the

receivers performance, with 6 Band Pass Filters and a 2 stage, low noise RF Amp being used to provide exceptional sensitivity (SSB/CW,0.125uV) and wide dynamic range. Includes user selectable tuning steps manual or automatic tuning IF notch filter, an IF shift control for interference rejection, an IF bandwidth control, 105 scannable memories, an RF Speech

processor and an effective noise blanker. Includes Yaesu MH-1 hand microphone. Cat D.3250



The Only Place To Shop For All Your Accessories

OUALITY 2-WAY COAX SWITCH This high quality 2 position 50 ohm coax switch is ideal for HF. VHF

and UHF uses up to 1000MHz. It offers superb isolation, low insertion loss (<0.1dB@ 1000MHz) and 1kW PEP HF power rating. Cat D-5208

Revex model S20

Also available model S20N with N connectors Cat D-5202



STORE LOCATIONS

\$\text{STORE_CONTONE}\$
\$\text{STORE_CONTONE_CONTONE}\$
\$\text{STORE_CONTONE_CONTONE}\$
\$\text{STORE_CONTONE_CONT 547 0522 QLD • Stribbine City 229 9377 • Huranda 331 6253 • Culern 311 315 • Capit • Chermida 359 6255 • Reddank 28 5599 • Rockhamptor 29 9343 34 300 • Townskile 72 5722 • Underwood 341 0644 • SA • Addiade City 232 1200 • Bes • Elizabeth 255 6099 • Erheld 260 6068 • St. Marys 277 8977 WA • Cannington 451 86 335 9733 • Peth City 481 3251 • Motland 250 1460 • Northbridge 326 6944 74.5 • Hobert 310 335 9733 • Pr Park 81 1977

With Surge Protection! 4-WAY COAX SWITCH

A high quality 4-way coax switch featuring rugged die-cast aluminium construction, 2kW PEP (max.) power handling at 30MHz and only 0.3dB insertion loss. What's more, it has an inbuilt surge suppressor and automatic grounding of all unused connections to help protect against lightning induced surge damage

Cat D-5204



ORDER BY PHONE: - SYDNEY AREA 888 22 2105 OUTSIDE SYDNEY (FREE CALL) 008 22 6610 YAESU STOCKS NOT HELD AT ALL STORES, PLEASE CONTACT YOUR LOCAL STORE FOR STOCK AVAILABILITY, OR ORDER BY PHONE - 008 22 6610

AWARDS

JOHN KELLEHER VK3DP - FEDERAL AWARDS MANAGER (C/- EXECUTIVE OFFICE)

By now, I will have taken responsibility for the DXCC operation. When I was appointed Federal Awards Manager, I knew that I would have some problems. Those problems were overcome. Now, I will treat DXCC in the same

way, and with effort and help will have it under control by at least mid-year. So here is a likely program:

1. Applications for, and upgrades to, DXCC will be processed, as usual.

2. DXCC listings will be temporarily delayed while I re-organise the existing files. 3. The bracket showing deleted countries will not be retained (for publication) but will be kept by this office. The numbering system for modes will be retained, ie SSB, CW

DXCC standings list should, when published, show the top 25 or those above 200 countries confirmed, whichever is applicable, depending upon magazine space available. To publish the complete list would take up over half the magazine.

5. If you have any argument with the list when published, let me know so I can make it absolutely correct.

So, I beg of you, be patient, don't overload my desk. Heaps I can deal with, a deluge takes much longer.

Finally, please send all enquiries to the above address, not to my home.

The Royal Flying Doctor Service Award

This award recognises the services provided over large parts of outback Australia by the Royal Flying Doctor Service, established in 1928, and to the many radio amateurs who were, and still are, involved in its operation. You can earn the award annually (a different certificate each year) by making the necessary contacts between 8 February and 2 August each year. All contacts must be on the 10m hand

Using as many letters as you wish from the prefix and/or suffix of station callsigns worked (or heard) from anywhere in the world, make

up the words: Royal Flying Doctor Service. Each callsign can only be used once per year. If you work a VK station who works for, or relies upon the RFDS for normal contact with the world, you instantly qualify for the award. Your GCR list and \$A5 for VK and

\$US5 for DX stations. Note: Only \$1 will be used for the certificate and mailing costs. The balance will be sent to RFDS To apply - RFDS Award, PO Box 1073,

Subjaco WA 6008, Australia.



LY AWARD'S PROGRAM

Lithuanian Amateur Radio Society (L.R.M.D.) issues following awards to any amateur. Some rules to SWLs.

LY TROPHY

Is given for two-way contacts with LY stations as follows: Europe 25 LY stations Rest of World..... 10 LY stations

Oceania...... 5 LY stations VHF (144 MHz and above) ... 3 LY stations

Send certified list of contacts (no OSL's) and \$5 US or 10 IRC or equivalent to L.R.M.D. BALTIC WAY

Award available to any amateurs confirming 2-way contacts with three Baltic states: ES (1QSO), LY (1 QSO), YL (1 QSO) in 24 hours.

Send certified list of contacts (no QSL's) and \$3 US or 6 IRC or equivalent to L.R.M.D.

L.R.M.D. Award Manager P.O.Box 1000, Vilnius, 2001

LITHUANIA

Islam award

Contact with UM-RM, RL-UL, UI-RI, UJ-RJ only four QSOs. All bands and all modes. Amateurs and SWLs. GCR lists + \$US3 or 5DM or 7IRC. Please send to:

Marat G Valley Box 53 Bugulma Tatarstan

423200 USSR

(Information provided by relevant contest managers)

July

Contest Calendar April

4-5 SP-EX - P 25-26 Helvetia - M

2-3 Italian International DX - M 9.10 CQ-MIR (UA) - M 30-31 CQ-WPX - C

June

May

6-7 RSGB/IARU Field Day - C 20-21 All Asia SSB - P

August 1-2 8-9

YO-DX M 15-16 RD Contest 1992 29-30 All Asia CW - C

WAE-DX DARC - C

11-12 [ARI] - M

18-19 Seanet CW - C

September LZ-DX C

12-13 WAE-DX DARC - P

19-20 SAC CW - C 26-27 SAC SSB - P 26-27 CQ WW DX RTTY - R October

VK-ZL Oceania - P 3.4 10-11 VK-ZL Oceania - C 17-18 21MHz CW RSGB - C

24-25 CQ WW DX SSB - P November

OK-DX - M 28-29 CQ WW CW - CW

December 5-6 ARRI, 160m - C

VK6NE

12-13 ARRL 10m - M Key: M - Multimode. P - Phone. C - CW. R -RTTY

Ross Hull Contest 1991-1992: Results

The level of activity this year was higher than last year, especially on 432MHz and higher bands. However, the number of logs received was the same as last year. Very few logs ever gave much emphasis to six metres but the higher bands were better represented. A number of quite active stations did not send in logs - this is a pity, because they could have

scored quite well. In contrast to the higher bands, most 6m scores were quite low and it seems that most entrants did not try very hard on this band. Maybe they felt that the 10-point limit did not make six metres worth the effort. However those who did work at six metres were well

rewarded for it. The message is clear: the more bands the better! The scoring is designed to encourage multiband operation and the scoring table shows that an extra band can have quite an effect on the total score.

Only one overseas log was received - from Yutaka Katoh JH1WHS, who is well known to 6m operators in this country. Other unusual entries were the four for 10GHz. These are not seven-day scores as they resulted from three contacts each on one day. They are included for the sake of "stirrers" and also to encourage more microwave activity next time around.

I did not spend much time on six metres so did not hear any contest QRM on 50.110MHz. However, some was reported. On higher bands, the QRM on calling frequencies was worse than last year and once again a number of DX contacts were missed because of local QRM. This kind of operation is selfish, self-defeating and certainly not in accord with the spirit of the contest. It would be so much better for everyone if people would spread out and give each other a fair go.

Ross Hull Contests

VKSLP Jamies

VK3AJO

The table of results appears below and it shows that Roger Steedman VK3XRS has scooped the pool once again. He also achieved the top score on six metres, two metres and 1296MHz. Gordon VK2ZAB wins the prize on 70cm, and Mark VK5EME on 13cm. The four "stirrers" share the prize on 10GHz. There was no operation on 3456 or 5760MHz. Congratulations to all concerned! Call Operator 1252 2580

2023 G McDorak 4239 VX2ZAB VKSNC T Niven 1764 VKSEME 84 230 422 90 1728 1480 924 1300 896 812 966 1120 360 160 540 3211 2760 2597 2510 VKSAKK VKSAUI VKSKR VK3CY 1428 938 VK3ZJC REG VK3AUG N Salim 1240 840 1196 1072 805 917 266 476 270 130 100 VK2DVZ VK4KZR VK4DH VK7KAP 616 736 VK27RE 294 R Cibert VK2XMD M Frekin 536 VK3BBU

132

Comments on the band multipliers were favourable, so these will be left as is. There were no complaints about the duration, so that will also remain the same.

For the past two years, the contest has begun on the weekend before Christmas, but this year Christmas Day falls on a Friday. This week leading up to Christmas will be quite hectic for most people, so it might be hetter to start the 1992-1993 contest on Saturday, 26 December. With the three-week duration the finishing date would then be Sunday, 17 January.

The change to the 1800 UTC starting time for contest days seemed to achieve the effect of shifting activity into the evenings, and did not cause any great confusion. Several dating methods were used by entrants but all were understandable!

Several comments were made about the different exchanges for the Ross Hull Contest and VHF/UHF Field Day. There was also some concern about the Field Day numbers being consecutive, while the Ross Hull numbers were not. Some entrants exchanged separate numbers for both contests to make sure they were fully within the rules. This was not what I intended, and I ignored the exact format of the numbers when checking the logs.

The rules need to be made clearer on this point so everyone knows where they stand. Next time both contests will use three-digit serial numbers, and entrants can choose whether to make them cumulative or start

each day at 001. Many thanks to all those who sent comments with their logs. I would be glad to hear any other comments or suggestions about the rules for 1992-1993.

VHF-UHF Field Day 1992: Results

The Field Day was better supported this year than in 1991, and the change of date to the last weekend of the Ross Hull Contest was well received. There was more 1296MHz activity than last year, but there was only one log for 2.3GHz and four "stirrers" on 10GHz.

The scores covered an enormous range and it was particularly good to receive the lowscoring logs. Low scores do not reflect on the entrants who took the trouble to go portable rather they reflect on the other stations who weren't around to work them! This was especially the case in VK6.

It was also good to receive a novice log - to my knowledge the first ever for any VHF-UHF contest.

Some logs contained repeat contacts made within the four-hour limit and their scores have been adjusted. Several logs contained no repeat contacts and I assume this was because the other stations were no longer around - otherwise there could possibly have been some confusion with the Ross Hull Contest rules.

The winner this year is Brian Young VK3BBB. With such a stupendous score he will obviously take a lot of beating next year. Brian also gained top score on two metres. 70cm and 23cm, so he will receive a nice collection of certificates.

The top score on six metres goes to VK5BW. and on 13m to VK5AKK; VK3ATL wins the multi-operator section - a very good score, but no doubt they would have liked more competition! The home station prize goes to VK3AUI!

Congratulations to all!

VHE-LIHE Field Day Results

Call	Operator	Location	50	144	432	1296	2304	10368	Total
VK3BBB	B Young	Mt Skene	852	10980	9702	560			22094
VK5BW	A Raftery	Kuitpo Forest	1122	6240	5229				12591
VK3AFW	R Cook	Mt Buller		2652	2590	20			5262
VK5AKK	P Helbig	Kangaroo Is	38	3400	1050	30	39		4557
VK40E	D Friend	Byron Bay	495	1320	546	220			2581
VK5NW	G McEwing	Black Hill		700	210				910
VK5NOT	I Northeast	Mt Oakden		180					180
VK3AJQ	A Elliott	Mitcham						128	128
VK3BBU	M Crew	Mitcham						128	128
VK3TAF	P Ford	Mitcham						128	128
VK3ZJC	J Martin	Mitcham						128	128
VK3KKW	D Dobrosak	Lorne				80			80
VK6BWI	P Parker	Perth		24					24
VK4KZR	R Preston	Maleny		10	3				13
Section B:	Portable station.	multiple operato	ır						
VK3ATL	Geelong ARC*	Mt Cowley	3480	5544	3024				12048
Section C:	Home station								
VK3AUI	G Sones	Box Hill	30	924	665	40			1659
VK5LP	E Jamieson	Meningie	36	504	490	40			1070
VK7KAP	A Perkins	Devonport	56	35					91

750

Assuming that the next Field Day will run again over the last weekend of the Ross Hull Contest, next year's dates will be 16-17 Janu-

There were quite a few comments on the need to bring the Field Day exchanges into line with those for the Ross Hull Contest. This will be done. No-one seemed keen on dropping the RST report from the Field Day logs so that will be restored too. The only difference now between the two contests will be the maidenhead locator exchange.

There was some dissatisfaction with the locator-based scoring, and it was suggested it should be replaced with distance-based scoring as in the Ross Hull Contest. It was also pointed out that multiplying contacts by locators on each band favours the lower bands where more locators are worked—ie big scores get even bigger when they are multiplied by the locators.

I would like to keep the rules as simple as possible, but there is a good case for fixing these problems. Should we go to exactly the same scoring as the Ross Hull Contest? An alternative suggested by Brian YKSBB is to use locators to get rough distance-based scores by adding the number of "across" and "down" squares between the two stations.

Most Field Day operators are also active in the Ross Hull Contest, so perhaps the first choice would be best. Many people still do not know their locators, so should we keep on encouraging 'locator awareness' or give up on them? One reason for keeping the locator scoring was because of the new Grid Square Award, but VHF operators have shown very little interest in it so far.

There are also some problems with the timing and duration. Several entrants mentioned that they could not stay out overnight and would appreciate a one-day section—say six or eight hours. This will be done next year. The 0200 UTC start works well, but activity tapers off on Sunday morning and many entrants finish early. In Western Australia the Ilam finish on Sunday is non violvous problem.

I would appreciate comments on this idea for next year; a later finish on the Sunday—say 0600 UTC—but with two sections: a "day tripper" section based on one six-hour period, and a "full marathon" section based on any three six-hour periods. This would make it easier for those who can only go out for one day, and it would also allow the overnighters to get some sleeping time.

Comments from the Logs

"Even though I have a low score I thought I would put in a log to support the change in date of the Field Day."

"It really should be called a field night ... there was very little activity after 9am Sunday."

"I went out again to have fun - not necessarily win the event - and have fun I did! A lone operator planning, setting up, operating and pulling down a four-band VHF-UHF station, with good antennas on each band, sounds like a lot of work, and it is. But the successes of getting it all going and having a variety of contacts are very satisfying. I would recommend that lots more people try it for themselves – get involved!

ARI Contest (Italy)

The 1992 ARI International DX Contest

It's a world-wide competition – everybody can work everybody.

Date and Time
Every first full weekend of May from 2000z
Saturday till 2000z Sunday. In 1992 it will be
on 2-3 May.

- Classes
 1. Single operator CW
 2. Single operator SSB
 - Single operator Mixed Multi operators – Single TX – Mixed SWL – Single operator – Mixed

Bands
Ten metres through 160m (except WARC bands) are allowed according to IARU band plans. Band and mode can be changed only after you have been on it for 10 minutes.

Exchange Stations will send RST and a serial number from 001.

QSO/Points
a) QSO/HRD with own country counts 0
points, but is good for the multipliers' credit;
b) QSO/HRD with own continent counts

one point;
c) QSO/HRD with different continent counts three points;

d) QSO/HRD with any Italian (I and ISO) station counts 10 points. The same station can be contacted on the same band once on SSB and once on CW, but only the first QSO is good for multipliers'

credit.
Multipliers

 a) all Italian provinces (95) count one multiplier;

 all DXCC countries (except I & ISO) count one multiplier.
 The same multiplier (country/province) can

be counted once for band.
The 95 Italian provinces are: 11: AL, AT, CN, GE, IM, NO, SP, SV, TO, VC. IXI: AO. 12: GB, GB, CO, GR, MI, MN, PV, SO, VA. 13: BL, PD, RO, TV, VE, VR, VI. INS: BZ, TN, IVS: GP, PN, TS, UD, 14: BO, PE, FO, MO, PP, RC, RA, RE. 15: AR, FI, GR, LI, LU, MS, PI, FT, BA, BR, FG, LE, MT, TA. 18: AV, BN, CB, CE, CS, IS, NA, PZ, RG, SA, TPS-CL, CT, EN, ME, PA, RG, SR, TP, AG. 110: FR, LT, PG, RI, ROMA, TR, VT, 150: CA, NU, SS, GR.

Final Score

The sum of QSO/points from all bands times the sum of multipliers from all bands. SWL

SWL have the same rules as OM. The same station cannot appear more than three times on every band as a correspondent. Logs and Summary Sheet

Separate logs are necessary for each hand. Logs must show all the QSO' data. Duplicate contacts must be marked and with points = 0. A summary sheet is required showing all the scoring details on each band, class of entry, amme, callsign, for other operators and a signed declaration. A dupe sheet is required for entries with more than 100 QSOs on one band. Logs must be mailed within 30 days from

Logs must be mailed within 30 days from the end of the contest and addressed to: ARI Contest Manager 12UIY, PO Box 14, 27043 Broni (PV), Italy, Please enclose your station's description and your comments. A picture will be much appreciated. Awards

A plaque with a certificate will be awarded to the top scoring station in each class. Special plaques can be awarded by the

special plaques can be awarded by the contest committee if country/continental/call-area participation will justify the decision.

A certificate will be awarded to Nos 2. 3. 4.

5 top scoring stations in each class as well as to the top scoring stations in each country in each class.

A free T-shirt will be awarded for working a minimum of:

European stations: 250 different Italian stations Extra-European stations: 100 different

Italian stations
The T-shirt cannot be won twice working

the contest in the same category. You must include an alphabetical list of the Italian stations worked.

Free Software

An IBM-compatible software to administer this contest is available free foots. It can be used on real-time or after the contest. It accludates points, multipliers and sores; you have just to type the callsign and the received report. It prints logs, summary and dupe sheets as well as QSL labels. The software can be received by sending SUS7 or IRCs to cover the diskette postage expenses to the contest manager.

Have you advised the WIA Executive office of your new callsign?

Use the form on the reverse of the amateur radio address flysheet.

AMATEUR RADIO, April 1992 - Page 39

HOW'S DX

STEPHEN PALL VK2PS - PO Box 93, Dural 2158

After an apparent quiet period, activity is gathering pace and new rare DX prefixes will soon appear on the air. Everybody was waiting on the great event: the South Sandwich DXpedition. Hopefully many of you had the opportunity and luck to work them. Propagation to the northern hemisphere is improving day by day as the sun starts on its move away from the south. Let's hope the next few months will bring you that rare country for which you have been waiting so long.

Aves Island - YXOAI

If you have not succeeded in breaking through the pile-up on 14195kHz in the late afternoon VK2 Standard Eastern Time, do not despair, you are not the only one who has not worked them. I, and many others also, did not make it, and my impression is that only a few lucky VKs and ZLs could attract the attention of the operators who were heavily involved with Europe, North America and Japan. Nevertheless the operation took place from 28 February to 3 March, as planned.

This was a joint activity between the Association of Amateur Radio of Venezuela (ARV) and the Venezuela DX Club. They were active on all bands, and the occasion was to celebrate the 25th anniversary of the Venezuela DX Club and the 500th anniversary of Columbus discovering the Americas. QSL route: SSB contacts to ARV. PO Box 3636 Caracas, Venezuela, and CW contacts to the YV DX Club, PO Box 7458, Caracas, 1070-A Venezuela.

Clipperton Island - FO0CI

At the time of writing this, the expedition was on its way to Clipperton Island in a new three-screw, 88ft aluminium boat - different than the one reported previously. They left San Diego on 28 February, Whilst on the high seas, they were heard on 28, 21 and 14MHz as N7QQ/mm. The activity will start on 7 March and will most likely finish on 15 March. There are three Europeans among the nine operators, and the 14145kHz frequency has been dedicated to the European amateurs. As usual, they will be heard on CW 20 up from the band edges on 10/15 and 20m, and SSB on 14195, 21295, 28495. They planned to be also active on satellites and 6m. QSLs for all contacts should be sent to N7QQ: Charles S Spetnagel Jr, 5327 Carol Ave, Alta Loma, CA 91701 USA

The Colvins - XW and V85

Iris and Lloyd reports that their operation in Laos was a success with the callsign XW1QL from the shack of Inh XW8KPL, and they made some 1600 QSOs with about 115 countries. From Laos, the Colvins moved to Brunei. where they operated with the call V85KGP.

The Colvins intend to work from at least one more country before they return to the US.

Since they started their DX safari in the mid-late 1960s, they have visited 220 DXCC countries and worked DXCC from most of them.

Christmas Island Indian Ocean - VK9XN VK9XM

Bob W5KNE/VK9XN and Lanny W5BOS/ VK9XM had a successful operation from this much-sought-after DXCC country. Their main activity was directed to the US, Japan and Europe, but quite a few VKs made contacts with them when propagation allowed, QSLing should be done to each operator either direct to his home call, or via the W5 QSL Bureau. Do not send your cards to the VK9 QSL Bureau, as it will take some considerable time before the cards are re-routed to the W5 QSL Bureau.

South Sandwich Islands - VP8

According to the latest news, there is no change in the original plan for this very much awaited DXpedition. The dogpiles will be even bigger than with the Bouvet activity. Hopefully, you will be able to work VP8SSI in the period from 21 March to 5 April. It is interesting to note that this island group consists of 11, mostly volcanic, islands situated in the Scotia Sea near Antarctica, Bob W5KNE in the "QRZ DX" Bulletin, gives quite a lengthy description of of the island group's background. Here is a summary of it: The islands are situated in the area between 58°18' and 59°28' latitude, and between 26°14'W and 28°11'W longitude. The islands are administered by the UK as a dependency of the Falkland Islands. The DXpedition will be located on Thule Island at the southernmost end of the group. The island's peaks (2700 feet) are buried under an ice cap, but the island itself provides the best anchorage

The southern islands were discovered by Captain Cook in 1775; the northern islands were discovered by the Russian explorer Fabian Gottlieb Benjamin von Bellinghausen in 1819. The British Government formally annexed the islands between 1908 and 1917.

DX on 160 Metres

As winter approaches in the southern hemisphere, so is the advent of DX contacts on 160 metres (refer to October 1991 issue of AR). The usual DX season starts in April and lasts until about August. The 160m DX fraternity is congregating around the 1832kHz frequency. Opening hours on the west coast of North America start at 1400 UTC in April. gradually decreasing to about 1100 UTC around the middle of June. Bob VE7BS is looking forward to working you. So do not hesitate; get to work and build that 160m dream antenna of yours.

San Ambrosio Island

Do you remember the XQ0X operation by John CE0ZAM - from 15 December 1990 to 12 June 1991 on San Ambrosio Island? He made 24.154 QSOs on eight hands, all in SSB there was no CW activity from John in that period. A photograph sent to me by his QSL manager, Mickey CE3ESS, shows he had very cramped quarters on a three-square-kilometre uninhabited volcanic island.



John XQ0X in his shack on San Ambrosio Island.

Albania – ZA

amateur radio.

As mentioned briefly in the March 1992 issue of Amateur Radio, the DXCC has finally accepted for credit the Hungarian operations in Albania last year. Here is the full text of the ARRL news release (dated 3 February):

The ARRL DXCC desk in Newington, Connecticut today announced that QSL cards for ZA1HA, ZA1QA and ZA1DX are being accepted for DXCC purposes. Licences for these operations were issued by the Ministry of Culture. Youth and Sport in Tirana. There has been confusion in Tirana over what a radio amateur is, and who has the authority to issue amateur licences. The Ministry of Culture. Youth and Sport and the Albanian Radio Sport Federation support a number of unlicensed radio enthusiasts. The PTT publicly announced the beginning of an amateur radio service in Albania. Further, the PTT has had contacts with ITU and IARU and arranged for training of Albanians in the technical, operating and regulatory aspects of

In the future, the ARRL DXCC desk will

accredit only those operations approved by the Albanian PTT.

No further comments for the time being. except two more questions: The ZAORS contest operation with 12673 QSOs (October 1991) and the other operations (RTTY) of the Hungarians are not yet on the approved list. Will they be in the future? What about the activity of the Albanian club station ZA1FD?

Future DX Activity

- Herman DL1RBH, alias VK2CCW. 5WLIQ. 3D2JQ and FO0/VK2CCW, advises me that all QSLs for the above expeditions will go out in March. He also says he will be active from March to May in ZS6, ZS3, Lesotho, Swaziland and maybe Mozambique. He will turn up on different
- * Claudia F1NYQ/HB9CIJY and Fritz F6IMS/OE6FOG intend to activate Cocos-Keeling Islands on all bands including WARC between 17 March and 6 April. The callsigns used will be VK9CL (Claudia) and VK9CK (Fritz). They will take part in CQ WW WPX SSB Contest, QSL to: F6IMS, either direct or via the HB and OF OSL Bureau
- * According to the ARRL Bulletin, P5, North Korea will be on the air in May; a DXpedition similar to the ZA1A operation * FD1PJQ/ET is active in Ethiopia on 14121. However, it is not known whether he has
- a legal licence to operate. * The call IA1A during April should not confuse you. It is Paul I1RRJ using that
- call. QSL to his home call. * It is rumoured that UT4UX DX pedition to Afghanistan YA5MM has been postponed
- until April. * Look out for a new active P29 operator. Peter HS1AMB will be on the bands for
- the next year as P29UV. The Hungarian team of HASIE was very active from T32BW during February and
 - March. Tromelin is rumoured to be active at the beginning of April as FR5ZU/T and FR5AI/

T will be active later on in May, Interesting QSOs and QSL

Note: callsign, name, frequency, mode,

Information

- UTC, month V73DF-Wayne-21034-CW-0327-Feb. QSL
- to: W9GW Wayne Warden Jr, 704 Meadowbrook Av. Bloomington, IN, 47401 USA. 9X5HG-Hartmut-21037-CW-0358-Feb. QSL to: Hartmut Gumpert, BP420, Kigali, Rwanda.
- FK8GF/50/USA-Alex-14226-SSB-1128-Feb. QSL to: PO Box 3977, Noumea. French Caledonia. V85KGP-Iris-21205-SSB-0523-Feb. QSL
- to: Yasme Foundation, Box 2025, Castro Valley, CA 94546 USA.
- * CE0FYL-Marco-21260-SSB-0534-Feb.

- QSL to: PO Box 7, Easter Island, Chile. DX2VOA-Jonathan-14225-SSR-1037-Feb. QSL to: W7KNT John D Vugteveen
- PO Box 64, Stevensville, MT 59870 USA. XF0C-Mario-14196-SSB-0555-Feb QSL to: XE1BEF Hector Espinosa Flores, Box 231. Colima 2800. Mexico.
- EH8URL-Tony-14189-SSB-0608-Feb. OSL to: EASZX Alfonso L Hernandez, Box 221, 38085 Las Palmas, Gran Canaria.
- TZ6NU-Alain-1422-SSB-0624-Feb. QSL to: F6FNU A Baldeck, Box 14, F-91291 Arpaion Cedex France
- V85KY-Mike-18068-CW-0912-Feb. QSL to: G3JKY A J Gould, 60 Merlin Grove. Beckenham, Kent BR3 3HU, UK.

RTTY News

Here are a few interesting RTTY QSOs. Note new format: UTC, QRG, call, mode, QSL information 0715-14084-VI150SYD-QSL to: PO Box

- 1066, Parramatta, Sydney 2124, Austra-2219-21085-HI8AX-QSL to: JA2DLT.
- 1942-14096-CQ5X-QSL to: CT1CIR.
- 0757-21080-3C1EA-QSL to: EA4CJA. 0023-14085-TA5C-QSL to: Box 73, WAR
- Adana Turkey 1853-14086-ZA1TTA-QSL to: Box 66, Tirana, Albania. The operator was Daylan Omeri, who says he is the only one allowed to use RTTY in Albania, and he
- states that his operating time will be from 1400 UTC to 0000 UTC on most days. 1615-21093-A92DQ-QSL to: Box 33716 Isatown, Bahrain,
- 1510-21085-WD3D/WH0-QSL to: JF2KOZ 0001-21090-T30NY-QSL to: Box 80,
 - Meguro, Tokyo, Japan 1637-21085-S79PDL-QSL to: Box 448, Victoria, Seychelles.

From Here and There and Everywhere

- The Maly Vysotskii Island (MV Island) cards from the third DXpedition in May 1991 have arrived in VK. For those who do not know, MV Island is located in the Gulf of Finland on the Baltic Sea within Russian Territory (60°38' north, and 28°34; east). The island was leased to Finland in 1962. Its DXCC status was established in 1970 and re-affirmed on 17 November 1988. According to Bill VK4CRR all the XY0RR
- Myanmar DXpedition cards were posted at the end of February. Rumour has it that Romeo might visit VK4 in May this year. The special event station VK4VD cards will be posted mid-March.
- Karl PS7KM, who is the QSL manager for the PYOSK operation, advised Austin VK5WO that there are problems with the cards of PYOSR (CW) activity, St Peter and Paul's Rock, May 1991. Those VK

- amateurs who are still waiting on their PYOSR CW cards should contact Austin VK5WO for help. Send all details to Austin Condon, 25 Mill St. Laura, SA 5480. Karl PS7KM also advised that the Brazilian Telecommunication Department has cancelled Jaime Dorneles PP5-ID callsign and licence on 3 January 1992.
- With the dissolution of the former Soviet Union, the Amateur Radio League of the Republic of Kirghizstan came into being (ARLRK), and cards directed to UM amateurs should be sent to their new bureau: PO Box 1100, Bishkek, 720020 Kirghizstan, This advice was received from UM8DMX, who is the President of ARLRK. via the VK4 QSL Bureau from VK4FIX.
- The Annabon August 1991 DXpedition cards started to arrive from QSL Manager EA3CUU. The attractive card shows the seven Spanish operators of the Garrotxa Amateur Radio Club and a heach scene of the island. There is also a detailed description of the historical background of the island but, unfortunately, it is only in the Spanish language. Jim Smith VK9NS says he has been in-
- formed that the legislation introducing the amateur radio service into Bangladesh has been examined and passed by the various sub-committees, including internal security, of the Bangladesh authorities. There is now a well-based hope that amateur activity could start from that country soon. The International Callbook lists only those
- Polish amateurs who are members of the PZK (The Polish Amateur Radio Association) but all SP amateurs can receive QSL cards via the PZK QSL Bureau. SP0 calls are for special events in Poland Talking about the 1992 edition of the
- International Callbook, turn to page 1528. You will see the caption V7 Marshall Islands, but listed underneath are the amateurs of Brunei V85. The V7 Marshall Island listing is missing. Or is it missing only from my book? What does the publisher of the International Callbook in
 - tend to do about it? The address of the YLQSL Bureau is: Box 164, Riga, Latvia 226098.
- We do know that using the QSL Bureau service is a relatively inexpensive, but slow, method of exchanging cards. However, sometimes the system gets lost in its own sorting boxes. Lately I received quite a number of QSL cards from the Bureau which were for contacts made six five or four years ago. Who knows where these cards had a long period of rest? Which one of the two bureaus has too many sorting boxes? Incidentally, among the latecomers was one from 9K2KL for a QSO which

we had in September 1988. The confirma-

tion is not a card, but a beautiful com-

puter-generated and graphics-enriched

impressive certificate.

- * DXCC has turned down the application to grant a separate DXCC country status for last year's activity from the Holy House under the call HV0HH
- * The Visalia International DX Convention will be held in California USA from 10-12 April.
- * As from 1 April, Denmark OZ will allow its amateurs to work SSB on 160m between 1830-1850kHz, and CW from 1820-1850kHz

Thank You

Thank you to all my contributors, your help is greatly appreciated. Many thanks to: VKs 2DID, 2KFU, 2GS, 4CRR, 4FIX, 4SZ, 5WO, 9NS, and CE3ESS, DL1RBH, VE7BS, 9X5HG, and the following publications: QRZ DX, The DX Rulletin and the DX News Sheet

QSLs Received

Note: W=week; M=month; Y=year; FM=from; MGR=manager and its call; OP=operator and/or its

call
intel QEL cards received:
9HEL ILIN PM MOR LAZYO), VKSYJ (9M PM
9HEL ILIN PM MOR LAZYO), VKSYJ (9M PM
0P), 3BSE/FAB7 (3M 2W FM 0P), 3BSE/F (3M 2W
MOP), 9MSE/T (10M FM 0P), 4J1FS (9M FM MOR
BUTBALD, 3COCW (5M FW M MGR EAS/CUT).

BUTBALD CARD RECEIVED: PM CONTROL OF PM DE CARD
BUTBALD CARD RECEIVED: PM CONTROL OF PM DE CARD
WO P), GWACCM (4Y FM 0P), HCAMJS (4Y FM 0P),
1SSR (4Y FM 0P), VISBACT (4Y FM 0P), CSILEK

(4Y FM OP), XQ5SM (4Y FM OP). Good DX and 73

A Call to all Holders of a Novice Licence

Now you have joined the ranks of amateur radio, why not extend vour activities?

The Wireless Institute of Australia (N.S.W. Division) conducts a Bridging Correspondence Course for the AOCP and LAOCP Examinations.

Throughout the Course, your papers are checked and commented upon to lead you to a successful conclusion. For further details write to:

The Course Supervisor WIA

PO Box 1066 Parramatta NSW 2124 (109 Wigram Street, Parramatta) Phone: (02) 689 2417

11am to 2pm Monday to Friday 7 to 9pm Wednesday

VHE/UHF - AN EXPANDING WORLD

ERIC JAMIESON VK5LP - PO Box 169 MENINGIE 5264

All times are UTC **Australian Amateur Bands**

Beaco			
50.046	VKBRAS	Alice Springs	PG66
50.053	VK3SIX	Hamilton	QF02
50.056	VK8VF	Darwin	PH57
50.057	VK7RSB	Hobart	QE37
50.066	VK4RPH	Perth	0F78
50,0774	VK4BRG	Sarina	QG48
52.325	VK2RHV	Newcastle	QF57
52.345	VK4ABP	Longreach	QG26
52,370	VK7RST	Hobart	QE37
52.420	VK2RSY	Sydney	QF56
52,425	VK2RGB	Gunnedah	QF59
52.440	VK4RTL	Townsville	QH30
52,445	VK4RIK	Cairns	QH23
52.445	VK4RBM	Mackay	QG48
52,450	VK5VF	Mount Lofty	PF95
52.470	VK7RNT	Launceston	QE38
144.400	VK4RBB	Mount Mowbullan	
144.410	VK1RCC	Canberra	QF44
144.420	VK2RSY	Sydney	QF56
144.445	VK4RIK	Cairns	QH23
144.445	VK4RTL	Townsville	QH30
144.445	VK4RBM	Mackay	QG48
144.450	VK5VF	Mount Lofty	PF95
144.460	VK6RPH	Perth	QF78
144.465	VK6RTW	Albany	QF84
144.470	VK7RMC	Launeston	QE38
144.480	VK8VF	Darwin	PH57
144.485	VK8RAS	Alice Springs	PG66
432.160	VK6RPH	Perth	0F78
432.410	VK1RBC	Canberra	QF44
432.420	VK2RSY	Sydney	QF56
432.440	VK4RSD	Brisbane	QG62
432.445	VK4RIK	Cairns	QH23
432.445	VK4RTL	Townsville	QH30
432.445	VK4RBM	Mackay	QG48
432.450	VK3RAI	Macleod	QF22
432.450	VK5VF	Mount Lofty	PF95
432.537	VK3RMB	Mount Buninyong	
1296.410	VK1RBC	Canberra	QF44
1295.420	VK2RSY	Sydney	QF56
1296.440	VK4RSD	Brisbane	QG62
1296.445	VK4RIK	Cairns	QH23
1296.450	VK5VF	Mount Lofty	PF95
1296.480	VK6RPH	Perth	0F78
2304.445	VK4RIK	Cairns	QH23
2306.440	VK4RSD	Brisbane	QG62
10445.000	VK4RIK	Cairns	QH23

Beacon Notes I regret an error occurred in the February

issue where I said the only 70cm beacon in VK3 was VK3RMB. A letter from Ian Glanville VK3AQU assures me that VK3RAI is still operating in Melbourne and has done so from the QTH of his father Neil VK3AQD for many years, at their own expense. The beacon is re-listed above. Sorry about that! New beacons reported by G4UPS are

CU3URA/SIX from the Azores on 50.014 in HM68 square. Also DX1HB/B from the Philippines with 20 watts on 50.008 in square PK04. GB3LER is located in the Shetland Islands and runs 45 watts to a dipole. The beacon is FSK, 24 hours, in square IP90JD and the keeper is GM4IPK.

Six Metres from Europe Another valuable and lengthy report from

Ted Collins G4UPS. Whilst we in VK get our openings, most of the news is certainly centred on the northern hemisphere where there are

so many active countries. Ted reports: The official start-up date for Czechoslovakia was from 0001 local time on 15/12/91 on 50-52MHz with a maximum power output of

20 watts to a horizontally polarised antenna. Arnie CO2KK from Cuba is active as is Bill C6A/KM1E from the Bahamas. It appears that OE6XHF is the only 6m station in Austria. (However, despite that statement, a number of other OE stations have been worked in VK during the past week or so ... 5LP). OE6XHF is a club callsion with the address VUSC, Sausal 50, A-8444 St Andrea, Austria.

Polish stations (SP) may receive permission to operate on six metres by April/May: Rich SP3CUG is ready to operate, can run 20 watts, but speaks poor English! Joe EA4CGN anticipates that the first EA 6m permit will be issued sometime between April and June 1992. QSL info for Ivan YT3ET is Ivan Nanut. Cankar jeva 76. Nova Gorica 65000. Slovenia. Yugoslavia. Brian 9H5ET QSL to Brian Cole, 140 St Mary Street, Zeitun, Malta.

The activity on six metres for January 1992 reported by Ted G4UPS runs to more than four closely typewritten pages - it really is staggering what is available to be worked or heard from the UK. It seems Ted's 6m day starts around 0900 UTC, which would also be their local time, and usually continues for eight to 10 hours or more on almost a daily basis. Regular signals are available throughout the day from all over Europe and, from time to time, to the Caribbean, USA, Canada, Africa, South America, Japan, Hong Kong and Australia. The information I gather seems meagre by comparison. I suppose the man antel

Here is some of the best of Ted's reporting. Geoff GJ4ICD reported similar listings, and these were included last month. However, there is a variation between the two reports indicating the differences between two locations of the UK. 1/1/92: 0945-1945 - OH, DU1/ KG6UH, LY2RW, ES5MC, VE1XDX, W1, F6, OE, SM, IK2, YU3, YT3, 2/1; PZ1EL, FY7THF/ B. P43FM, KP2A, 3/1; FY7THF/B, DL, OZ. PA. ON. YV5ZZ, 9H5AZ, ZB2VHF/B, DJ. CN8ST, ZB0T, K4CKS, I7C, KM1E/C6A, W. LY2WR, 4/1: 0935-2100 - meteor scatter to DL. OZ. SM. Then via Es to SM7, FC1JG, IK0. OZ9, HC1BI, KP2A, OK, DK, PA, PE1ILY, OE5, C6A/KM1E, K4SC, ON, YU, K9APW, N7JJS, K5UR, CO2KK, N5VC, ZB2VHF/B.

Many contacts via a large Es opening 6/1: 0900-1930 - VK3OT, VK3LK, ON, FY7THF/B, VE1ZZ, CU1EZ, SM7, W1EP, W8, PA. OK. OE. DL. ON. YU. IK2. K9HMB. WBOV, KE9I, K8EFS, W2RHQ, N4KWX, KOGJX, W3WFM, K1NDF, W5FF. In all, worked W2, 2, 3, 4, 5, 8, 9, 0. Es commenced 1627. 7/1: VK3OT, VK3LK, HC5K, HC5K, YV4AB, VE1YX, KE9I, P43FM, W3JO, W2BXA, K1JRW, VE3RM, 9H1, K5CM, N6CA. 11/1: 0920-1614 - HC1BI, VEYX. W2CAP/1, CO2KK, PA, W2LT, N4AR, W5OZI, KESF, VE2DFO, W3ZZ, 12/1; VS6BG works YU, CN8 etc. 14/1: In band TV from 9M, BV. 5B4CY/B. 18/1: 1227-2020 - ON7, PZ1EL, FY7THF/B, P43FM, YU3, 4N3SIX/B, I4ICL, CT0WW/B, CT1BH, ZB2VHF/B, CN8ST. 20/ 1: Southern Florida to YU, OE, OK and I.

21/1: 5V7JG kever, F. ZB2VHF/B, 24/1: 1218 ZS6AXT working OE and 7Q7RM hearing V51VHF/B. CN8 into W. 26/1: 0825 DX1 beacon into Italy along with VS6BG, 0825 UL7GCC into OZ, OH. 28/1: 0825 in band TV from Russia, UL7GCC/P, F8IH, VK6PA, ON, VE to I. VE1YX, W3EP/1, W to LA, SM, I. YU. DL. Wworking Z23JO/7Q7, 29/1; UL7GCC/P. JA7 into YU. YU to VS6BG, VK6 and VK8 to ON, 9H and I stations hearing OX3 beacon strongly, K1JRW, 30/1: GI hearing 5B4 beacon, SV1EO and VE1YX hearing FY7 beacon. 31/1: 4X1IF, 5B4CY/B both 5x9+, PT7CB, SO1A, OD5SK, VK6JQ.

The above paragraphs have included only one callsign from an area; many times there were multiple contacts. The latest list (31/1/ 92) of countries worked from the UK now stands at 130 I note that Geoff GJ4ICD has now worked 119 countries and confirmed 115, has DXCC #33 and over 500 grid squares with 450 confirmed.

Geoff GJ4ICD, with additional information, said that on 26/1 he worked VS6BG at 599 and heard XX9JN. On 28/1 heard UL7GCC, but no QSO, RA3TES was worked by UK but he told UK amateurs he was not permitted to transmit! 29/1: Strong Es from 0830 to SM, YU and the USSR. F2 provided video from 9M2. At 1044 GJ4ICD worked UL7GCC/P in MN83KB for a possible first British Idles QSO, with the UL7 remaining in GJ for nearly two hours. The mode appeared to be multihop winter Es for a distance of 5843km. The Es then fell into the TEP top end path and produced VK6PA at S9+ for 30 minutes. CU1EZ worked UL7GCC/P and OK via Es about the same time.

8 February 1992

That date deserves a special mention as it provided what appears to have been one of the longest and most widespread 6m openings between Australia and Europe, up to five and a quarter hours in some places. There were intense sun flares on 3/2, followed by auroral openings on six and two metres during the late afternoon and early evening. 8/2: Scattered throughout the day there had been Es openings to VK2, 4, 6 and 8. From 0130-0215 a TEP opening to Japan. Many video carriers were audible between 48-50MHz during the late afternoon, so the warnings were there.

The following will give readers some idea of

the coverage at both ends, and I thank those operators who have responded to my requests for details of their contacts. From information on hand it seems that Steve VK3OT started the ball rolling in the south/south-eastern area of the continent by working OG1ZAA at 0740. Then followed OH, SM6, OZ, PA, DK, LX, OK, F6, ON being 43 contacts (34 on CW) in 10 countries and finishing at 1055. Many signals were 5x9. At 0826 LA9ZU reported hearing VK3OT, but no contact eventuated. Ray VK3LK south of VK3OT had 20 contacts for five countries. In Melbourne, Arie VK3AMZ around 0825 worked DL. OK. OZ and OH. while VK3AZY, VK3BDL and VK3AMK heard a few weak signals, but did not work any. There was a report that Ian VK7IK had worked a PA, but this is unconfirmed.

In Sydney VK2FLR, VK2BA, VK2VC and VK2GLS were able to work ON, OZ, DL, PA, G3 and F1. Further north, VK2QF worked some. Further north again, no stations appear to have been worked in Brisbane.

Between 0755 and 1159 Col VK5RO in Adelaide worked SM, DK, OZ, G3 and ON for 18 contacts in five countries. He said there were some very strong signals from Europe. but at times it was impossible to work them due to local QRM from so many stations operating simultaneously. Hugh VK5BC started at 0750 with DL7ARM, followed by OK OZ G3 SM PA ON OK OF IK GJ4 F6 for 55 contacts in 12 countries, the last at 1200. Fifty-three contacts were on CW. It is not known whether the band opened to Mount Gambier as Trevor VK5NC was not home that night.

David VK5KK in Adelaide worked 41 stations in eight countries comprising DL, PA, G. GW, SM, ON, OH, OZ between 1120 and 1210. Signals varied from 5x5 to 5x9. The band was open to VK8 at the same time, and it seems the contacts into the Adelaide area were assisted by Es from Alice Springs. David said it was utterly confusing, there were so many stations calling together that he could select only certain stations from the dogpiles.

Also in the Adelaide area, Mark VK4EME worked OZ5IQ at 1141. Others to work a number of stations were VK5ZDR, VK5ZBK, VK5DX, VK5RQ, VK5AFQ, VK5AKM and VK5NY who had 20 contacts in four countries comprising SM7, OZ, OH and D from 0826. VK5LP heard absolutely nothing!

Don VK6HK in Perth commenced at 0830 with DL, then SM, OH, OZ, G, GI, GM GW and PA, being nine countries from 74 contacts over a period of five hours. He worked 44 stations in G alone. Most were on CW. John VK6JJ, also in Perth, had 130 contacts for 14 countries, which included EI as a rare one. It is interesting to note that Steve VK6PA at Karratha had only 10 contacts on 8/2, instead of the nightly 100 or so. It appears most of the signals were going over him to Alice Springs and points beyond. At Broome, in addition to VK6JQ who has worked many Europeans, there is now VK6RJ, and further inland at Mount Newman a newcomer is VK6YCF both of these stations have been working to Europe.

Graham VK6RO in Perth between 0814 and 1330 worked 71 stations in 12 countries, being SM, OH, LA, OZ, GM, GD, GI, GW, G, RI2 PA and DL. He said there were incredible pile-ups in return to his calls and dozens of stations were S9. He worked 40 stations on SSB, 23 on CW, and eight on FM, the latter all being G stations. He had what is believed to be the first VK to Europe FM QSO when he worked GOJHC on 50,250MHz at 1154, with signals 5x9 both ways, and duly makes that claim in the absence of earlier claimants. Graham VK6RO said he had a mains power

failure between 1025 and 1130, but managed to work two new countries using 10 watts with power from a car battery and operating by candlelight! He also heard UK beacons on 50.000, 50.050 and 50.062, and OH1SIX on 50,060, but all were weak. Peter VK8ZLX in Alice Springs had more

than 60 contacts in seven countries, comprising OH, SM, PA, I, OE, OZ and HB9, which was a rare one. Also involved with many contacts was Jeff VK8GF.

Below a line across the centre of Australia, in the regions comprising Perth, Alice, Springs, Adelaide, Berri, Hamilton, Melbourne and Sydney, the spread of countries appeared to be DL, EI, F6, G, GD, GI, GJ4, GM, GW, HB9, IK, LA, LX, OE, OG, OH, OK, ON, OZ, PA and SM. There may have been others not reported to me, but this is a total of 21 countries available, but no one worked them all. Also worth observing is that all those worked were in the regions of central Europe and further north; absent were such areas as ZB2, 9H1, ISO, YU, 5B4M, SV etc. there were many G stations, but few from France.

Does Six Metres Ever Close?

It would appear not. To prove that, it is interesting to take a brief look at the log of Steve VK3OT over the past three months. 23/ 11: JA1, W6, W7. 24/11: VK4, KH6, JA6. 26/ 11: G3, JA6, NJ7. 3/12: VK7. 4/12: KH6JEB/ KH7, JA2, 3, 5, 7, 8, 0. 6/12: JA2, 8. 7/12: VK4, 8. 24/12: VK8. ISO. 25/12: IK. SM. ISO. 26/12: JA1, 2, 7, 8, VK8, 29/12; KH6, 30/12; V73AT, 31/12: 3D2, ZL1, 3,

4/1/92: ZL1, 2, 5/1: FK8, 6/1: OK3, OH3, OG1, 7/1; OH2, 8/1; W4, 9/1; JA1, 7, 8, 10/1; JA1. 4. 6. 19/1: ZL3. 21/1: ZL2. 23/1: W6. FK8. 29/1: JA2, 4, 0. 3/2: VK7. 8/2: As reported above - 43 contacts to Europe in 10 countries. 15/2: ZL1, 3, 4, SM7, DJ, OZ3, OK, OZ, PA. 18/ 2: OK, SM, OZ. End of log copy. Many of the prefixes involved multiple contacts. Further contacts to Europe have been made since on 19/2 and 20/2.

Hugh VK5BC reports various Es openings between 28/1 and 31/1. On 1/2 he worked OH2BC and OH2TI. 5/2: OH2, OZ1, SM7, DL8, G3, JG2. 8/2: As reported above. 10/2: VK4.11/2: 0032-0040 TI2NA, TI2HL. On 5/2 Col VK5RO started at 9550 by working two JAs, then at 9582 ON4ANT, OH, GW4, SM7, DL8, G for six countries and nine contacts, finishing at 11/20. Col said the European stations were being received fower a wide swing of the antenna, from north to west, with the strongest being received from the north.

On 16/2 John VK4ZJB phoned to say that at 0944 he worked GU7DHI on Guernsey Island for the first time. Signals were to 5x7. John said anyone QSLing Guernsey should send him two green stamps, as postage from there is very costly. His contact has been confirmed. On 15/2 in Brisbane. G8VR. G4FUF, G4AAN, GJ4ICD and another were worked by VK4APG and others with signals to 5x9. Peter VK8ZLX at 0843 on 23/2 received a surprise when he worked ES6QB in KO37, at 0952 he worked FC1, ES5PC and ES5MC, the latter using 1.5 watts, hence the 5x1 report! In between he worked DK, OH, GJ4ICD, GO, G3, JR1 (who persisted until worked!), PA, F6, DL and ON. VK8GF worked F6, OE5 and others. Amongst the Europeans they heard KG6UH/DU1.

15/2 was another good day around the country. VK6PA worked 153 Europeans in 18 countries! (VK6PA worked more than 100 stations on each of consecutive nights 17, 18, 19/2). VK5NC in Mount Gambier, between 1044 and 1144, worked PE1, DL8, SM6 and VK5EE worked on SM6.

The same day VK3LK at Portland worked SM6 OZ4 OH3 SM7 OZ1 OH5 OZ3 SK7. DLS PA2 DK2 DK9 PA0 and DKS, 17/2: VK3AMZ worked 25 stations, VK5NC worked two. VK3LK from 0849 worked OZ7, SM7. OZS Don VK6HK said that in Perth there had been openings to Europe on 17, 18, 19 and 20/2 and stressed that the use of CW was an important factor in making contacts, 16/2: In Sydney, Mike VK2FLR said I4CIL, I4XCC and YU3ZV were worked on SSB from 1030, and on 18/2 he worked I4CIL and IK4DRY at 1025 during an opening which lasted 90 seconds! Geoff VK3AMK said on 18/2 two DLs were heard, and he worked a DK 529 at 0824. Also on 18/2 VK3DUT worked an LX1 at 5x9. When does it stop!

Mike VKZFLR comments that there are considerable difficulties working DX from a large city like Sydney. Operators have to contend with a high overall noise level which requires the use of a noise blanker which, gives it a psculiar sound, tending to make it signal less readable. The more problems it causes signal less readable. The more problems it causes the property of the strong property is only the strong nearly signals.

However, despite the QRM, Mike considers Sydney has had its fair share of European contacts, beginning on 14/10/91 and continuing on 27/11, 8/2/92, 16/2 and 18/2, when contacts were concluded. There were three other occasions in November when signals were heard only. On 29/1 VK2ZXC was heard at 89 in Holland and Belgium.

Two Metres and Above

The Adelaide gang is around most nights on 144, 423 and 1296. Some even venture on to 2304MHz. Mark VK5EME hears David VK3AUU on 144 most mornings, but has difficulty in completing contacts as David cannot always hear him. VK3AUU advises there is EME activity on two metres every fourth weekend, eg 11-12/4, 9-10/5, 6-7/6, 4-5/7 etc.

An aurora on 21/2 allowed fairly widespread contacts. From 0618 VK3BDL VK3AZY, VK3LK, VK7ZJJ amongst others were observed here. Col VK5RO also said 21/ 2 was a good night with Es providing not only 6m contacts into Perth, but two metres as well. John VK5PO, north of Adelaide at Kapunda, supports this and reports working. with some auroral assistance, at 1048 VK6QB at Busselton 5x9+, 1052; VK6LD Katanning 5x9+60, 1045; VK6YVJ Busselton 5x9+60, 1054: VK6AXX Esperance 5x4, all on 146.500 FM. At 1125 he worked VK5KCX at Gawler, 35km south of Kapunda, via the Kellerberrin repeater on 147.325 - a long way round for a short cross-country contact! Other repeaters heard at 5x9 or better were Bunbury VK6RBY 146,900, Busselton VK6RBN 147,350, Albany VK6RAA 146.825, Perth VK6RAP 146.700 and other Perth repeaters. All these were worked from his home. Barry VK5KCX at Willaston near Gawler worked Richard VK6FKB at Booragoon, a Perth suburb, on 146.525 FM.

John VKSFO says he has had considerable success from his portable site, Bethel Hill lookout, Tkm south-westof Kapunda and about 450m above sea level. Allhave been on 144.100 unless otherwise indicated. 22/12: 1334 VKSBE Albany 57, 2145 VKSGV Wedderburn 5r2, 23/12: 1050 VKSMC Millient 5r3, 1112 VKSACY 5r49, 1923 2204 VKSBCV and VKSJAW, both at Mildura 5r3-4 on 146.5 and 439.0 FM.

221/92: 1219 VK55ZWA Whyalla fszf. 421: 0949 VK5KD/S 99, 0957 VK5KB/S Fzl. 1027 VK5EN Cummins 5x94-, 1049 VK5XD/S5 Cummins 5x94-, 1049 VK5XD/S5 Cummins 5x94-, 1011: 130 VK5KKD/F 5x2 Garo Island 5x3, 1133 VK5AKKD/F 5x2 or 3x21; FM, 1144 VK5KNC 529, 1147 VK5KNC 529, 1147 VK5KD 5x94-, 1147 0849 VK3CV 5x2 VK5BBB/P MSKSHE 5x94- VK5KAKD/F 5x9, 1027 VK5AD/S Horsham 5x5, 1038 VK5LP Meningie 5x9, 1045 VK5D/K Mount Gambler 5x5, 1056 VK5III/P Grampians 5x64-, Roger VK3KB/S reports a few notable con-

koger V KJAKS reports a tew notable contacts. On 8/11/91 he worked VKZZAB on 432MHz via aurora. 11/1/92 VK3XRS worked VK3ELV Wangaratta on 1296 SSB running two watts into a 2m dish. On 8/2 he worked VK1AU, VK1VP, VK1BG, VK2ZRE via aircraft enhancement – with 12 watts into a 12m-long yagi.

Closure

By the time you read these notes we should be enjoying the DX on six metres that only the equinox can bring. Watch out for Central American and Caribbean stations from 2200 onwards and probably South Africa from mid-April around 0400 onwards, and more from USA in May.

Closing with two thoughts for the month: "The best motorist drives with imagination:he imagines that his family is in the car", and "The best cigarette filter is the cellophane on an unopened packet".

73 from the Voice by the Lake

POUNDING BRASS

GILBERT GRIFFITH VK3CQ - 7 CHURCH ST BRIGHT 3741

I have been having these nasty mental blocks lately when trying to do the writing for this column, and catch up on some of the mail at the same time. The first letter is from Jean VK2NF, and she says:
"... I agree Morse code is another "lan-

guage" and, on hearing "dits and dahs", one automatically listens to it. Operators do develop a style, which is easily recognised. My initiation to Morse was early in the WWII years (March 1941) when volunteers were called for to learn and attend classes at the then Fort Street Girls' High School, now the National Trust Building in Sydney. On reaching 20wpm sending and receiving, we sat for a test held at the RAAP recruiting centre and, on passing a medical were accepted into the WAAAP as as wireless operator and sent to No 1 WAAAP Training Depot in Melbourns. Some time later they changed the

mustering to "telegraphist". We tuned in our sets in front of us, but always had RAAF radio out "rockie" covers in Milourar, the signals operators were sent in to the Marconi School of Wireless in the city (Melbourne) to learn the RAAF procedure in a signal office. Printing figures and letters clearly was of the utmost importance so that the cypher office could decode the information quickly. Being Kilda Road, Melbourne, accuracy was the key word. We realised this more when the bombs dropped on Darwin, the Coral Sea battle and the full of Singapore.

On discharge at the end of 1945, the Morse took a back-seat so to speak but was not forgotten. Thirty-five years later I was encouraged to learn and sit for the amateur radio licence. Morse and the regs were never a problem. It was a long time since I went to school, After several attempts, I achieved the novice licence and am now enjoying Morse communication with people near and far. The Morse will get through most times when voices fail to be heard *

The second letter, from "Doc" may be of some interest as well. Here it is From "Doc VK4CMY VK5HP

... Licensed in 1975, and an ex-Navy telegraphist, I have worked QRP CW exclusively. Apart from a break of some years for professional studies, my on-air activity included successful international contesting on 20 metres December 1990 I resumed these activities in Whyalla and, six weeks ago, relocated to Warwick (Q). During that time. I have used a Ten-Tec QRP transceiver: groundplane 5/8 groundplane, three-element Yagi and fourelement auad to notch up 200+ DXCC on 5W input, 140 DXCC on 1W input, and 42 DXCC (so far) on 500mW input. Since 1975, I have made some 9000 QRP QSOs on 20 metres. One hundred countries were worked using 5W input in 40 days - without living for amateur radio. We don't have a QRP column in AR (or ARA) unfortunately and although I sent my log extracts to VK9NS for a few months, they were published only once. I was hoping that continued exposure might cause others to contribute. Although I wasn't sure whether to send this information to you or to "How's DX", guess you drew the short straw hi. Having commenced QRP activity from this area on 18/1/92, in the first month the following QRP/QRP QSOs took place on 20 metres:

A6QP	0930 UTC	SM5CLE	1333
ROOCV	1005	N9SW	1345
A5/DJ6QX/P	1008	JA3WFG	1411
G2EHE	1114	SM5ACC	1950
K8CW	1237	PA3BBV	2051

(This sounds like one day's work ... Gil) And the following represents the total types of DX worked this month on 20 metres (no

OA4AWE	F05FQ	4K3/UA10LM	7L1KPV
FK8FS/50USA	AA7LB/NHO	T30RE	CP6UH
12JHF	CT1DRA	UW1ZC/JW	VE30CP
LY1CX	FY5FA	KP2BL	HL9TK
F8BG	G3KXV	KH6IJ	JT7AB
JT1AA	BY8AC	YN/SM00IG	BV4A0
ZP6CW	UA1QE	UG6GG	4S7CF
VU2NTA	AC4KD/DU1	V73CT	UAOWG
UL7JEG	5R8GW	W2BA	VK + ZL

TM/ M worked for 70 minutes while he drove home to Mt Eliza!

Yes QRP is alive and well on CW. Keep up the good work. 73 de Doc"

I notice that "Doc" is a member of the CW Operators QRP Club (#221 on my membership list), so I can only recommend that you ask the editors of both AR and LO-Key if they are interested in printing a column on QRP CW that you will send in each month (or whatever). The last letter only just arrived at the

beginning of the month, and comes from Renawk VK4FUL, who says: "... You might recall seeing a documentary

about an American amateur with a recumbent bicycle full of computers and radios connected via satellite etc. It was on TV a year or two ago. Well. I am what might be called the equivalent in Australia, but in a somewhat different manner. My transportation is in the form of a re-

cumbent tricycle with the front wheels steerable; the frame has space inside the tubing for

three banks of 10 "D" size nicads, giving about 3.5 amp hours at 12 volts. Power is further supplemented by the use of an alternator connected to the rear wheel drive and a 30w solar panel.

I am presently touring outback Queensland and using a home-brew rig on 160 metres with a power output of five watta (at 13.0 volts). My antenna system consists of 500 metres of steel wire, commonly used on control-line model aeroplanes, a small electric winch (a recycled cordless screwdriver) and a Cody design kite of 2m span.

When I am touring downwind the pull of the kite is balanced by the drag of the alternator, otherwise the trike would travel too fast and the kite would fall down. Operating on one band makes it unnecessary to have more than a simple tuner for the long wire, and reception is excellent. I have already tried all the other bands and

am looking for more of a challenge, hence top band is now the way to go. It is quite common for me to work 100 countries on CW in a day's riding, when I would usually cover about 150 miles. (Top-banders don't use kilometres!) Unfortunately I don't have any way of logging the calls as I have my hands full steering the trike and operating the paddles of the keyer. although when the conditions are right I can steer with my feet, but then I usually use my other hand to hold a stubby (the trike has a small electric fridge). Anyway you can get confirmation from

anybody on top band because they all know me. I don't care for paperwork anyhow. Don't bother to QSL either. 73 and cheers, Renawk,"

That's all I have time for this month. Morsiacs, so 72 and 73 from Gil VK3CQ.

AMSAT

BILL MAGNUSSON VK3JT - 359 WILLIAMSTOWN RD YARRAVILLE 3013 PACKET VK3JT @ VK3BBS

AMSAT Australia Newsletter and Computer Software: Please take note of the AMSAT information Satellite users, whether experienced or

newcomers, will benefit by subscribing to the AMSAT Australia newsletter and software service. The newsletter is published monthly by Graham VK5AGR. Subscription is \$20 payable to AMSAT Australia, addressed as follows:

> AMSAT Australia GPO Box 2141 Adelaide 5001

The newsletter provides up-to-date information on all current and planned satellite activity. Graham also provides a first class software service for satellite users. New software is reviewed regularly in the newsletter.

Computer time setting service:

At the time of writing a new Telecom service is undergoing operational tests in Melbourne. It will be similar to (but not exactly the same as) that provided by the National Bureau of Standards (NBS) in the USA. It will enable users equipped with a telephone modem to update the clock in their computer automatically. You'll be able to access the service through a routine which can be called up at will or can reside in the auto-exec file. Since most "modem" computers have notoriously inaccurate clocks, this service should prove popular with regular satellite operators. If you run an auto-track program to control antenna pointing, you need to (1) set your antenna system accurately to true north and level, (2) regularly update your keps, and (3) make absolutely sure your computer clock is accurate in the long term. Until now this has meant doing it the hard way or buying a high stability clock card. The popular program Instantrack has a routine to do this by

Experienced satellite users and newcomers alike are welcome on the nets. A large body of experience is on hand to answer queries. Listen to the WIA Divisional broadcasts for regular AMSAT information.

Check-ins commence at 0845z on Sunday

Frequencies 3.685MHz or 7.064MHz. At pres-

National Co-ordinator

Graham Ratcliff VK5AGR

AMSAT AUSTRALIA not-

Bulletin commences at 0900z

2200z Saturday on 14.282MHz.

Control station VK5AGR

ent 7.064MHz is used.

AMSAT SW Pacific net:

nights

accessing the NBS service. You can do it this way if you like for the cost of a brief ISD call. The new Telecom service will mean you can update your system more regularly, say once a week or month, at relatively low cost, Unfortunately, the Telecom service uses a slightly different format than the NBS service so the routine already in IT won't work as is. It should be possible to write a short routine to reside in the auto-exec file, and I know of a couple of people working on this already. It's probably better done this way rather than modifying the routine in IT. The TZ variable can be included in the bat file and you'll never have to worry about resetting TZ each time we go to and from daylight saving time. There appears to be a bug in the readout at present with the year field containing an intermittent error in the first two digits. No doubt this will be fixed in the testing phase. The service is as yet unnamed, but it will receive wide publicity when it comes on line. It was mentioned briefly in the columns of Your Computer magazine for February, s you can bet there will be a suitable routine published in that magazine before long.

Attention UoSAT-2 Users: Surrey University is looking for reports

from users of this satellite. I know of a couple

of teachers using the signals from UoSAT-2 as part of their class studies. If you know someone who uses UoSAT-2 regularly (or even occasionally), please ask them to send in a report. It seems the UoSAT team is evaluating the service provided to educators on UoSAT-2. With a lot of effort being put into the development of UoSAT-Oscar-22 it would be a shame to see the good simple experimental data on UoSAT-2 downgraded or even discontinued. If enough interest is shown I'm sure the team will continue to provide this service.

New Satellite in the RS Series:

Sketchy reports are coming in about a new RS satellite. To be known as RS-15, it will be placed into a 2000km orbit. Neither its launch date nor any other details is known yet, but an orbit that high will be very interesting. An exact 2000km orbit should result in an orbital period of approximately two hours and seven minutes, and a mean motion of only a little more than 11.3 revolutions per day. It should result in access times of half an hour for an overhead pass, and a greatly extended footprint area. Those who can remember Oscar-7 will recall how well it performed with JA contacts possible form southern VK. It'll be

good to see a return to those kinds of access times and footprints on LEO satellites. If it contains similar features to the current RS series it should provide an excellent entry level satellite for Oscar users.

Oscar-13 Orbit Decay: Not long after its launch concern was expressed about the long-term viability of Oscar-13. Due to a couple of problems during the launch its orbit was less than ideal. A lot of number crunching in a large computer at NASA has come up with some predictions which aren't good. It appears that the perigee will decay down to about 500km some time this year. Originally it was thought it would continue to decay and come down before the end of 1992. Further calculations have indicated it will recover to just over 600km by 1994 and then the big plunge will happen in 1996 when it will decay to less than 200km and re-enter. Oscar-13 never lived up to its expectations for this part of the world. The orbit drifted rapidly so that apogees were high in the northern hemisphere and much of the good communication time was lost to southern hemisphere stations. Hopefully phase 3D will be better placed for those stations south of the equator. Next month I'll go through the orbit possibilities for phase 3D.ar

SPOTLIGHT ON SWLING

ROBIN L HARWOOD VK7RH - 52 CONNAUGHT CRES, WEST LAUNCESTON 7250

The situation in the former Soviet Union continues to be rather volatile, as evidenced by the Armenian enclave of Nagorno Karabakh, in Azerbaijan, Full-scale civil war has erupted amongst the inhabitants and has now involved the two republics of Armenia and Azerbaijan. Radio Yerevan in Armenia does have an external service in English and Armenian, but is beamed primarily to North America, where there is a sizable Armenian migrant community. Reception may be possible during our winter months, around 0330 UTC. The Azeris don't have an external service in English and seemingly target audiences in Iran and the central Asian republics in

Meanwhile, the World Service of Radio Moscow is continuing, but its future is still rather uncertain. I believe it isn't a part of the domestic "Radio Russi", which has taken over the Russian language editions of the World Service. Funding was supposed to be a part of the Commonwealth of States budget, yet this has not been confirmed. The stationery from Radio Moscow still carries the USSR logo, although the address is given as "Moscow. Russia". I believe that the service could be looking for commercial sponsorship to help the continued funding of the station. Already, many Asian and African languages have been axed or curtailed, including drastically reducing those 24-hour Chinese language broadcasts. Some senders are now being leased out to either international or to domestic commercial broadcasters. Because of these budget cutbacks to Radio

Moscow, the Baltic nations of Latvia, Lithuania and Estonia have found that their rental of senders located within the former Soviet Union has escalated dramatically. Because of the imminent rate hike. Baltic programmers made on-air appeals for assistance in getting clearer channels for their own low-powered senders or help in obtaining their own higher powered units.

I have noticed Radio RSA in Johannesburg, South Africa on 15230kHz in English around 0430 UTC. It is broadcasting to African audiences and has been quite good. Unfortunately, propagation isn't always reliable. as Radio Moscow World Service can be heard when Radio RSA's signal is absent.

The BBC External Services is negotiating to build a new relay base in Thailand, to replace the Hong Kong Relay, which is to close in 1997 when China re-acquires Hong Kong. The BBC site is reportedly going to be the location of the second Hong Kong airport.

Yet another co-operation agreement between international broadcasters has been signed. NHK in Tokyo has entered into a sharing of senders with the BBC External Services. This means that Radio Japan programming to western and central Europe will be via the BBC senders at Skelton, UK, and eventually for the BBC to use the NHK site in Japan to broadcast to East Asia.

Well, that is all the news for now, Until

next time, the very best of listening and 73.

Don't buy stolen equipment - check the serial number against the WIA stolen equipment register first.

JENNY ADAMS VK3MDR 70 KANGAROO GROUND RD. WATTLE GLEN 3096

Greetings to all once again. Another month has flown past. Late last year Christine VK5CTY was lucky enough to meet Val KH6QI from Honolulu when she was in Adelaide for a few days. Before coming to Adelaide to visit her friend Beryl, Val had been with a research team on the Great Barrier Reef.

Prior to that she had been with a team identifying archaeological sites at Easter Island in the Pacific. She is a lady of many interests, and is fortunate enough to be able to pursue them wherever in the world they are. Val would love to meet any YL passing through Hawaii - if she is at home. Paddy VK5ZYB is going to sponsor Val.

Four ALARA girls participated in Camp Quality in VK5. Christine VK5CTY and Paddy VK5ZYB went up on the Monday morning. Meg VK5AOV and Denise VK5YL went up on Tuesday and Friday mornings, and Denise went back on Tuesday evening as well.

Most of the time we helped the children make up simple electronic kits or operated the radio to show the children what amateur radio is all about, which was all very satisfying, but it was the extra trip by Denise that was the highlight of both ALARA participation and of amateur radio activity associated with the camp.

Denise took up detailed information of altitudes, azimuth and time of passage of the MIR satellite that night. She helped the men move the antenna into a more suitable position to catch the orbit, and then all waited for the appropriate time to arrive.

Denise tells us the conversations between the astronaut and Gabby was so crystal clear

she almost began to suspect someone was playing a trick on them. The QSO lasted eight minutes of the passage of the spaceship across

From Marilyn VK3DMS our report on the ALARA contest. It was very heartening that not only did the logs arrive earlier this year. but there were more of them. The number of OMs taking part this year was also much higher, and we do appreciate their presence.

I am sure everyone felt the same about the utterly despicable solar flare, which decided to coincide with the start of the contest. More than one girl checked her gear very thoroughly, thinking it had gone wrong! Not so just several totally lost hours.

Congratulations to one of our newer members, Robyn VK4RL, who took out all the honours in her very first contest!

More congratulations, this time for Lyndell VK5LO who, with valuable help from OMs, managed more than enough points to qualify for the Florence McKenzie CW trophy. It will be great to see another name go on. It would appear that conditions entirely beat most of our DX members, with only the ZLs managing to get through. We can always hope for better things next time.

Conditions didn't beat Mavis VK3KS and her OM VK3XB who both got good scores on their 33' of wire along the fasciaboard (a piece of wet string). It just shows what determination can do - bravo Mavis and Ivan.

Dorothy VK2DBB once again represented

Results of the 11th ALARA Contest, November 1991 Martlyn VK3DMS, Contest Manager 1 VK4RL Robyn 243 Top score overall, top

1				member, top VK YL trophy
2	VX4VR	Val	218	
	VKSCTY	Christine	198	Top VK5 ALARA member
	VKSAOV	Meg	193	
	VXSYF			Top VKS ALARA member
6	VX3KS	Marvis	138	Top VK3 ALARA member
	VK5YL	Denise	135	
	VX3DYF	Bron	128	
9	VK5KLO	Lyndell	125	Top VK YL nevice
				Florence McKenzie trophy
10	L40018	Charles	122	Top SWL
	VK4A0E	Margarel	120	
12	VK300B	lvgr	115	Top VK OM
	VK4JJB	Julie		Top VK non-member YL
	VX2008	Dorothy	110	Top VK2 ALARA member
	VK58MT	Maria.	102	
16	ZL1ALK	Celia	102	Top ZL ALARA member
				Top DX YL trophy
	VX6DE	Bev	100	
	VK3DYL	Gwen	90	
	DL2FCA	Rosel	89	Top European non-member YL
	VX4VHN	Clayton	73	
	ZL1WA	Alma	86	
	VX7HD	Helene		Top VK7 ALARA member
	VX3PQ	Mike	60	
	VKSANW	Jenny	50	
	ZL2AGX	Dawn	44	
	VX3ALD	Len	30	
	VK58GZ	Kelth	30	
	VK4KRR	Ted	24	
	V85EB	Brian	24	Top Pacific Is OM
30	VK2NFS	Jean	18	
	VICIONS	Marilyn		
	VK	ALARA s		
3	DX	ALARA E	nemb	ers

us at the Gosfield Field Day. Once again lockiaw prevailed by the end of the day. Thanks

on-member YL

DY

Cheers till next time 73/33

ar

GORDON LOVEDAY VK4KAL - AVIEMORE, RUBYVALE 4702

This new year for the MS will hopefully see some new developments. The changes we have witnessed in the USSR can only have a bright side for the worldwide amateur fraternity. It could produce many changes in the longstanding intruder patterns, as the newly independent states get their own systems going, will they, as smaller states, be much more co-operative than the USR giant? Some of those independent states have already made separate applications to join IARU, when their administration problems get sorted out, Bob ZL1BAD, the International Co-ordinator. believes that we will be able to get rid of many of the long-standing "Russian" stations. We watch with interest in R-3. Those observers listening to the "A2A" mode on 7038MHz, are you absolutely sure it is A2A??? A2A is a single-channel AM of a tone, for audible reception. The R/T on 14045 +/- NON and U/L SSB, the majority of fone contacts monitored are Chinese languages - this is not heard in the outer regions, suggesting relatively low power. Given that it has a constant carrier. detectable most of the time, a little organisation around R-3 should able to come up with a QTH for it. Observers please give this more attention. VK, as with other countries, seem to have a frustratingly seemingly endless task with intruders, but it does have value and it does help. We must keep reporting the long-standing intrusions, if only to build up a history, which at some appropriate time we can produce as a lever. Radio Beijing on 40m! This station was documented for 30 years, then the deciding factor was produced to the Chinese ... by the JARL! It is hoped that more

"noise" is made about our successes.

Apology for the absence of "Knutshell Knowledge" in this issue. It will be resumed as soon as possible -**VK3IY**

IARUMS	Sumn	ary Jan	'92				
Frea	UTC	Date	Mode	ID	"X"	Comments	
7002.5	1120+	161291	AIA	٧	12	Beacon USR Vladivostok	
7008.5	0910+	161291	F1B/A1a	-	23	UMS?? 250Hz URS	
7021.5	0840+	271291	F1b	-	8	3rd register 250Hz tfc & idle USR	
7048/9	dly	161291	F7b/F1a	UHF3	26	5fig grp ID @ end of same USR	
7060	1900+	030192	R7b	-	7	Interference as of SSTV audio	
7060	1900+	to 010292 ex	treme interfer	ence to am	ateur o		
14001	1712	120192	Ala	-	-	5fig blks tfc out	
14022	1015	220192	J3E	-1	3	R/tele foreign language	
14030.2	1100	040192	J3E/U	-	-	R/tels Chinese voices	
14045	1015+	9-2401	NON	-	10	Carrier + rad telephone	
14046+/-	dly	161291+	J3E/L	-	28	R/Tx 2 ch duplex & dialling, Asian	
14058	dly	161291	F1b/Ac3	_	35	Chn "fax" + TTY + NON	
14073.8	1200	020192	A1a	VRQ	2	"Clicks" only	
14074.8	1200	130192	A1a	VRQ	4	Tfc + Msg fast op	
14075	dly	280192	A1a	VRQ	69	Tfc also uses 14070&14080,KFB,VBX VTN	
14092	0815+	301291	A1a	RGT77	5	Short coded msg out VTN	
14093/5	mni	170192	A1a	VPC	7	Tfc out (co-operation & protocol)	
14100	0930/5	030192	A1a	NZB	17	Tfc out ZBK de NZB QSV K	
14177	mni	301291	F1a	UID80	7	Calls only with UZZ44	
14210	mni	161291	A3E	-	25	Har of 7105. B/c radio Espana	
above mixes		is on 14211 &		0192 @ 09			
14211/215	0820+	161291	2x F1b	-	27	2ch 3rd sh 200-250Hz 50 baud	
14215	1000/15	311291	A1a	P7A	10	Tfc in & out P9K de P7A etc	
14217.5	dly	mni	F1a/A1a	UMS	26	+ F1b main UMS stn USR	
14250	dly	mni	NON	-	7	+F1b also AFSK	
18080	1154+	030192	A3E	R Mosc	22	ID @ 1200 Radio Moscow USR	
18090	1215	030192	A3E	222	2	B/c sig tune "Church Bells"	
21031.5	dly	mni	F1b/A1a	MNR	44	Tfc to UUU UMS & others hvy QRM	
21135	0400+	200192	F1b	-	8	TTY 200Hz	
21283.5	dly	mni	A1A	MNR	40	to UU UMS also F1b 5-flg blocks	
This month's	logs from V	/Ks 2PS, 4BG.	4YD, 4AKX, 4	BHJ. 4BTW	4BXC	5LG, 5GZ, 5TL, 6RO, 6XW.	ar.

REPEATER LINK

WILL McGHIE VK6UU @ VK6BBS - 21 WATERLOO CR, LESMURDIE 6076

Circuits

Replacement of a large part of the VKG repeater network with identical units always looked like a big job. With the acquisition of a number of Phillips FM800s (FM828s in a rack-mounting box) the opportunity to rebuild our repeater network from the ground up was begun.

The existing network was a collection of many different types of modified radios. When a large number of repeaters are operated by one organisation, this variety is nothing but a problem. Non-standardisation causes extra work and a poorer standard of repeater system.

How well is your repeater documented? with many different types of repeater design our documentation was less than adequate. If the new repeater design was to be a complete success, then design and documentation had to be comprehensive. This is where the idea of recording all the documentation on compute pean. Circuit sweet drawn and modified on the computer as the repeater hardware growth in the computer as the repeater hardware growth in the circuit schematics on computer, and the process continues today with updating any changes.

With all this information now on computer, how could it best be shared with other amateurs building repeaters. The most obvious way is to print the circuit descriptions and circuit schematics onto paper. Simple enough, and some of these circuits have appeared in Repeater Link.

register Link.

There is, however, a better and more versatile way of disseminating the information,
and that is viewed to the control of the control
and the control of the control of the control
and the control of the control of the control
and the control

The backbone of the packet network is the BBSs and the interconnection between them. Any amateur who can access a bulletin board can send a text message to any other amateur in the world who has packet radio. Not only text, however, but any information can be sent. This includes high definition colour pictures and circuit diagrams. In fact anything you can see on a computer screen can be sent via the BBS small system.

The mail forwarding via the packet network is text based only; that is 7bit information. In order to send colour pictures etc,

FTAC NOTES

JOHN MARTIN VK3ZJC FTAC CHAIRMAN

Records

This month there is a new national short pather record for 50MHz, at an almost unbeatable distance of 19,251.3km. The contact was between VK2QF and CU3/N6AMG and is most likely the first-ever contact between Australia and the Azores.

The Azores is almost 180 degrees from south-eastern Australia, and this record looks as though it would be very difficult to beat. In addition, two new VK5 state records go

to Trevor VK5NC. One is a new 50MHz record for a contact with GJ4ICD (16808.4km) and the other is a 432MHz record for a 2069MHz contact with VK6UD. This contact was made six years ago, and it just shows how slow some people can be in making record claims. Congratulations to these new record holders.

TV Stereo Carriers

My thanks to those who have written with details of interference problems.

which are Sbit, a program is used to convert the Sbit information to 7bit information. This 7bit information exactly, can then be sent via the packet mail system to any amateur anywhere. All that is needed at the receiving end, along with a packet station and computer, is the same program that was used to create the original picture or circuit diagram.

This is the crucial part. The program that was used to fave the circuit diagram. If there is no standard, a circuit drawn by using a particular program may be of no use if another amateur uses a different program for converting circuit design. There are ways and means of converting circuit drawings drawn by one program into another drawing program. Take it from me, a novice in the computer world, this is not easy, it is far simpler to arrive at a standard drawing program for amateur radio takes.

If you have not seen circuit drawings done on a computer, you are at a disadvantage in understanding how flexible they are. A circuit on a computer can be manipulated in many ways. You can room in and out on the fine detail that the circuit may contain. Changing components is easy and fun to do. The results can look as good as any you see in electronic publications. All this can be sent to another manteur for awing for future reference, or this amateur can take place in the design phase, and modify the circuit. The potential is the control of the control of the control of the circuit of the circuit

At present, the drawing program that has potential and is the best shareware program I have found so far is Draft Choice version 1.51. A shareware program is required as copyright programs could present problems. DC151, for short, is a credible powerful drawing program. It is not directed specifically

towards schematic drawing, but does the job well. You may well find this program on a local BBS.

It is important to repeat the versatility of having your repeater circuits on computer. They look good. They are fun to draw. They are easy to modify. They can be printed out on to paper and, if a standard is agreed upon, they can be sent around the country.

From time to time, I receive requests from amateurs who are building their first repeater. One thing most of them say is where do you find information on repeaters. Maybe, in the long term, computer CAD can help, ar

DIVISIONAL NOTES

VK2 NOTES

TIM MILLS VK2ZTM

Members of the NSW Division are reminded that the 1931/20 AGM is scheduled to be held at Amateur Radio House, 109 Wigram St, Parramatta on Saturday afternoon of 2 May 1932. The formal notice and business paper are contained within an insert booklet included with the April 1992 issue of Amateur Radio. This booklet also contains the current membership card.

Happenings

A type crept into the special event callsign for the 200th birthday of Ryde in last month's notes. The prefix should have read VI. The special event callsign VI2RC is being operated by John VK2DEJ ... The 43rd annual Urunga Convention will be held over Easter at Urunga on NSW's mid-north coast, Details via the VK2WI broadcasts or from Mery VK2DMS, or check into the Coffs Harbour net, VK2EP on 3610kHz at 8pm Mondays ... In June the Oxley Region Field Day is held at Port Macquarie ... The next exam conducted by the Division will be held on Sunday, 24 May, closing date 7 May, Details from the office, see page 3 for contact methods ... The next Parramatta based Trash & Treasure will be 31 May ... AGM for AAPRA 12 April.

VK2WI

The packet BBS VK2RWI has had to change to a temporary antenna until some problems are solved. Some investigation is under way to offer 2400bps on the system ... The stolen equipment register is available on VK2RWI; look in the general files area in the "F" directory.

For a few months a test transmission was made onto 20 metres of the VK2WI morning broadcast by Peter VK2WG on our behalf. Our thanks to Peter for his assistance. Currently Graham VK2DIG is conducting a morning of the properties of the properties

indicate area of interest and leave a contact point. A fault has taken the 6m beacon transmitter off air, one of the areas for which assistance is required.

New Members

year.	Calos	Assoc	Bankstown
ĎR	Clark	VK2KSN	Canowindra
AP	Colman	Assoc	Port Macquarie
ĴĖ	Conway	Assoc	Mount Druitt
Ě	Dait	Assoc	Springvale
Ď	Davidson	Assoc	Maroubra
JN	Doherty	Assoc	Narromine
PW	Duddy	VK2KJI	Thornleigh
1	Gavin	Assoc	Umina
DMB	Harvey	VK2NWN	East Ryde
K	Hughes	Assoc	Lidcombe
RJ	Hughes	VK2Y0W	Willoughby
WL	King	Assoc	Georges Hall
C	Miranda	VK2TCM	Seven Hills
AW	Redman	VK2VAR	Goulburn
N	Roma	Assoc	St Andrews
I L	Rosser	VK2WAG	Niagara Park
JH	O'Brien	VK2BHU	Bega
GK	Vick	VK2ZGV	Narrabeen
DG	Walker	VK2ZBW	Lugarno
MC	Wares	VK2MAC	Woolgoolga

Divisional Services

Library: There is an extensive collection of books and magazines maintained at the Parramatta headquarters. There is a detailed index system, which is cross-referenced, in a series of folders (Nobody has yet offered to transfer same to a computer). Members may use the library during the week or the Wednesday night opening. For those unable to visit, send your request in by mail, fax or telephone Tuesdays when Aub VK2AXT, the Divisional Librarian, is in attendance. For a copy of the library conditions and facilities send a stamped, self-addressed envelope to: The Divisional Office, PO Box 1066, Parramatta 2124. An article photocopy service is available, and some facilities are available to WIA members in other Divisions. 73

JO WAVE

JENNIFER WARRINGTON VK5ANW

Special Notice

The AGM will be held on Tuesday 28 April at 7.45pm in the BGB, not the 21st as stated in the Journal!

The following is printed with the permis-

sion of Rowland VK5OU, and is taken from his President's Notes in the February '92 SA Journal

"Whether they hold religious beliefs or not. I think most people would go along with the concept of "loving your neighbour as yourself" or "treating others as you would like them to treat you" Of late this seems to have been diluted somewhat to a concept of "do what you want, so long as it doesn't burt others". We talk of a victimless crime, but differing people have different ideas of what is acceptable, eg the graffiti artist perhaps considers his work art; the owner of the wall a nuisance. The person playing the stereo at his "acceptable level" may well be intensely annoying to the next-door neighbour. And this sort of thinking can easily lead to the concept of "blow you. Jack, it is my right to be able to do this, that or the other"

So, how do we stack up in our hobby? If the neighbour complains of TVI do we try to be cooperative in finding a solution? How do we treat our fellow amateurs? I guess we are all guilty of misdemeanours; one of mine, I know, is to rely upon the repeaters too much. It is so handy, having made a contact, to stay there, rather than QSY to a simplex frequency, if possible. I hope, though, that I have never told someone who has tried to take advantage of the pause to "get nicked. I've got a right to use the repeater as much as I want", which I heard the other day. We have bandplans and gentlemen's agreements recommended by the WIA, and they have been arrived at, often over several years of discussion and modification, for the good of amateurs generally. Some of these are our own plans, peculiar to Australia; others are international, such as the SSTV frequencies on the HF bands, the DX windows and so on. Do you know them? Do you observe them? There is no legal requirement to do so, just consideration for others. The bandplans appear on page 12 of the Australian Call Book, Similarly, on VHF, there are the ATV liaison frequencies on 2m, satellite, EME etc, on 23cm to consider. May I recommend to all who use the bands above 50MHz the plans on pp 26-31 of the callbook?

One area that seems open to considerable abuse and misinterpretation is the concept of calling frequencies. These are designed to allow for them aking of annihital contact, and then ones should QSVII particular, 146.500 is of concern. It is not intended as a chit-chuat channel. Certainly one has every legal right to remain there, but accepted prescrice, good manners, consideration for others and, in the end, vour resultation as a good occurror rest

upon your willingness to abide by this convention. Please observe it, and please, Old Timers, let's encourage our younger operators in good techniques rather than in their rights. I leave you with my thought for the month: "The cemeteries are full of drivers who had

the right of way Thanks, Rowland, I think there are quite a few things to think about in there. Thanks

also to Trevor Lowe VK5ZTJ who is retiring as Journal editor after several years of excellent service. Anyone who would like to take on the job, please contact Bill Wardrop VK5AWM. NB: If you are wishing to sit any of the amateur exams, please put in your application at least two weeks before the exam date.

Diary Dates Sun 5 April Mt Pleasant Radio Picnic Day,

Mt Pleasant Oval 1100-1600 hrs

(see Journal for details)

NB: Tues 28AGM commences at 7.45pm (not 21 April as published in Journal).

VK6 NOTES

HARRY ATKINSON VK6WZ

This is the month of the Division's AGM and, as these notes are being prepared, the date should be 21 April. Nominations for divisional council closed on 10 March, the date for notices of motions for the AGM. So far there has been no rush of volunteers to take over book sales in WA, but we have had a volunteer for the position of Divisional Broadcast Officer. Details next month. Meanwhile, congratulations are in order

for Joe VK6ZTN on receiving the President's Commendation in the Ron Wilkinson Award.

The John Moyle Field Day will have come and gone by now, but we are assured by the Northern Corridor Radio Group that its entry this year will be even bigger and better than last year. You should just see the way these guys prepare for the Field Day - their command of logistics would surely give even the professionals pause to think - and admire.

Finally, a word to the callsign dissatisfied. A recent case of harassment of a grieving family for a Silent Key's two-letter call gave many of us a nasty taste. Fortunately, a family member, already licensed, will take over the call. If you're so hungry for a two-letter call. deal with DoTC and wait your turn - don't pester grieving relatives with your petty little demands!

HF nets are conducted on 3.605MHz Monday to Friday, 2030 UTC, and on Sundays on

3.603MHz at 1000 UTC. A CW net runs nightly on 28.200MHz at 1230 UTC.

VHF nets on either repeater VK2RIC or VK2RBB. Fridays at 1000 UTC.

The WIA broadcast is relayed on VK2RIC, Sundays at 0100 UTC.

An informal net is held each Tuesday afternoon at the Lismore Workers Club at 1705

Examinations for the amateur licence are

conducted every two months in our clubrooms. We have six authorised examiners Our club has an Award, "Las Balsas",

available to all amateurs. This award was established to commemorate the 1973 Las

Balsas expedition across the Pacific Ocean. A "minifest" is conducted annually; this year on 1 August.

Social outings are held monthly, either an evening dinner or a barbecue picnic, at various locations within our Summerland area. At present we have 101 members, who

include 44 members of the WIA. Club membership is available to anyone who is interested in any branch of electronics: amateur radio, computers, remote control etc. Enquiries may be made directly or to PO Box

524, Lismore 2480. Graeme Virtue VK2GJ

Publicity Officer

Brisbane Amateur Radio Club

- BARCFEST '92 On Saturday 9 May this club will be con-

ducting its 10th annual BARCFEST (hamfest).

Date: Saturday 9 May 1991 Time: 9.30am-3.00pm Venue: As in previous years, ie In-

dooroopilly State High School, Ward St. Indooroopilly, Brisbane. Features: Lectures, AR equipment, retailers' displays, specialised group displays.

CLUB CORNER held Friday 21/2/92, the following personnel

Notes from the Moorabbin and District Radio Club

The big news is that the club's annual hamfest has grown so large and popular over the years that we have had to find an even larger venue, having outgrown the club's own premises a couple of years ago.

An insert in the Victorian issue of AR gives full details. The date is Saturday 2 May, and the location Brentwood Secondary College. The club's highly regarded power supply

kits and direct-conversion receiver kits continue to be very popular. Details of these kits may be obtained by writing to the club at PO Box 88, East Bentleigh 3165. Radio Amateurs Old Timers

Club All members of the Radio Amateurs Old Timers Club are asked to note that the times

given for our monthly broadcast in the current issue of our OTN magazine were quite wrong. My fault. I'm sorry to say! For the next six months, depending on

conditions, the 2400 hours Zulu transmission will be on three frequencies simultaneously: 145.700MHz FM. 7.060MHz SSB and 3.560MHz SSB. The transmission will be repeated at 0100

hours Zulu on 14.150MHz SSB beaming north. and again on 14.150MHz SSB beaming west. To make our monthly transmissions of

interest we need information about coming or recent activities of members in all states, and also items of interest about which you have had direct experience in the past, or about which you have knowledge. These items may be sent to me QTHR. Allan Doble VK3AMD

Summerland Amateur Radio Club

At the 33rd Annual Meeting of the SARC.

were selected to control our destiny for the ensuing 12 months President VK2XKX John

Vice-President VK2EA Leith Secretary VK2HE Ken Treasurer VK2JWA John Evaminations

Officer VK2XKX John Awards & QSL Officer

VK2ESI Jim Publicity VK2GJ Graeme Librarian VK2WJC Bill Quartermaster VK2IGC Gerry WICEN VK2PF Peter

Committee members: VK2XUZ Terry: VK2EJV Ric

Repeater VK2YKM, VK2FSD. sub-committee: VK2AGE, VK2YLO.

VK2YDN Packet sub-committee: VK2YDN, VK2AGE. VK2JNR, VK2XRL,

VK2BEV VK2XKX, VK2HE, Eveminere VK2EA, VK2EJV. VK2IGC, VK2FSD.

Our clubrooms are at Richmond Hill, Goonelabah, and the club callsign is VK2AGH, with HF, VHF, UHF and packet equipment in use.

Four voice repeaters (three VHF and one UHF) and three packet digipeaters (two VHF and one UHF) are controlled by the club. Our packet BBS is VK2YDN-1 and the local PMS is VK2EA-2.

The club has an extensive array of test equipment and tools for use by and loan to

members. The clubrooms are operational on Thursday evening and Sunday afternoon, with other times by arrangement.

Page 50 - AMATEUR RADIO, April 1992

military radio display, computers and disposals. Some arts and crafts, not plants etc for the family.

Further details may be obtained by writing to the Barcfest Co-ordinator at the above address, or by telephone on (07) 288 4911. Dave Prince VK4KDP

Barcfest Co-ordinator

Barossa Amteur Radio Club Inc

In the Reference Data section of the Februa

OBITUARIES MUST BE NO LONGER THAN 200 WORDS.

Robert Pallett VK3BEA

It is with deep regret that I advise the passing of Robert (Bob) Pallett VK3BEA on 22 December 1991, after a short illness.

Bob home-brewed most of his early equipment, and demonstrated a keen sense of adaptability in the use of available parts (ie Dettol bottle caps made practical and aes-

thetically pleasing tuning knobs). With the increased use of SSB, FM and black-box operating. Bob turned his considerable talents from home brewing ham gear to the re-creation, restoration and experimentation of earlier types of equipment. He produced many fine, faithful, working examples. ary 1992 issue of AR there is an error in the listings for the repeaters operated by the Barossa Amateur Radio Club Inc.

The listing for VK5RGB should be as fol-

lows:				
Output	Input	Call	Service Area	S
ERP	HASL	T/0	Sp	
147.825	147,825	VK5RGB	Adelaide	0
50	50	3.5	SBA(24)	
The listing	for VK5RBF	should be	as follows:	
Freq 1	Freq 2	Call	Service Area	S
ERP	HASL	T/0	Sp	
147.575		VK5RBP	Barossa Valley	0
50	110		SBA	

including spark transmitters, coherers and various types of detection devices. Bob was able to emulate some of the experiments of Hertz, Marconi and the like with this gear, for the benefit of others. He was a founding member and former committee member of the Ginnsland Gate Radio Club. Bob is survived by his wife Dorothy, three daughters and two grandchildren.

Thank you Bob for the part you played in rekindling my interest in amateur radio and your assistance and encouragement to Irma and myself in obtaining our licences but, most of all, thank you for being our friend.

KEITH BEEBY VK3BBY ar

The WIA regrets to announce the recent passing of: J H (Rov) Hart VK2HO

W C (Wally) Middleton VK3IT S G McLean VK5ME

R (Bob) Pallett VKSBEA

Note (24) is incorrect in that VK5RGR is not "experimental" and does not operate with VK5RBP (this is a packet repeater).

VK5RGB is a fully operational licensed "simplex" repeater located near Gawler (with a beam antenna directed to Adelaide and suburbs) and is permanently cross-linked with VK5RBV in the Barossa Valley.

Please could you publish the updated data in AR so visitors to the area would be aware of the existence of the linked network covering the Adelaide/Barossa Valley area.

When you buy something from one of our advertisers, tell them you read about it in the WIA Amateur Radio Magazine.

Spreadeagled?

In the February WIA News section of AR, it was reported that the WIA had contacted the DoTC for clarification of RIB 71, paragraph 39, in respect to spread spectrum emissions. Recently, disturbing news came to light concerning identification requirements for stations using this mode.

Dr Owen Lee Kidden VK1APR, who lectures in digital signal processing at the Australian National University in Canberra, informs us that DoTC still requires amateur stations to listen on frequency and to identify, either by voice or morse code, at the start and end of each transmission.

This places severe restrictions on spread spectrum operators, whose signals are spread over a wide band of frequencies at very low signal levels, and on those experimenters who employ "frequency hopping" techniques.

"DoTC is completely missing the point of spread spectrum operations," said Dr Kidden, "When frequency hopping, the signal is only on a particular frequency for a few tens of milliseconds. If the operator must prefix each "hop" with QRL and a station ID, the benefit of this mode is totally lost. When employing true spread spectrum, the situation is even more ludicrous, as at any particular frequency the signal level is near the noise floor, so nobody will hear the identification anyway.

"I blame the UK for this silliness. They started it all by requiring packet operators in the UK to identify in CW as well. It seems some British civil servants have migrated down here. Perhaps the military origins of spread spectrum are stirring up paranoia in Canberra."

Dr Kidden urges all radio amateurs to demand the right to "hop without hindrance".

(Please hop to page 54)

OVER TO YOU

ALL LETTERS FROM MEMBERS WILL BE CONSIDERED FOR PUBLICATION BUT MUST BE LESS THAN 300 WOODS. THE WIA ACCEPTS NO RESPONSIBILITY FOR OPINIONS EXPRESSED BY CORRESPONDENTS.

A Hundred Thanks

I would like to use Amateur Radio to thank the organisers and those who sent cards as well as the many amateurs who called my father, Harry Angel VK4HA, over the air on the occasion of his 100th birthday. Of the 100 or so who were on the air, Harry spoke to so many on a wonderful day for him. On behalf of Harry, a very sincere thank

you.

LILY ALLSOP CANNON HILL

WIA Exam Service

I am worried about our Secretariat "whose sore task

Does not divide the Sunday from the week; What might be toward that this sweaty haste Doth make the night joint-labourer with the day;

Who is't that can inform me?"

Are we "prick'd on by a most emulate pride".

And overcommitting our very limited resources?

LINDSAY (MARCHILLES) LAWLESS VK3ANJ

Box 112 Lakes Entrance 3909

It's An III Wind

I read in February AR that some repeaters may be forced to close down because the sponsors can't afford the high rents being demanded by the site managers who are being pressured by the current economic situation. However, there is no doubt that declining

amateur radio popularity is due to the failure of existing participants, including the WIA, to identify and promote the fundamental essence of the hobby.

There is also no doubt that any thorough analysis, in contrast to the shallow guesses we have seen over the past few years, would identify the fundamental essence of the hobby as informal competitive contact-making where the competitive variable is the distance between the stations.

It follows that any activity which is contrary to the essence is inimical to amateur radio. Such is the nature of repeaters.

The enemy of my enemy is my friend.

Vive the current economic situation!
GORDON McDonald VK2ZAB
59 WIDEVIEW RD
BEROWRA HEIGHTS 2082

Cans Can Do It?

Well, while the hornets' nest is still rattling! About Owen VK2DMY in Editor's Notes Feb '92. We are lucky being in Australia, when other countries don't have amateur radio etc, let alone a free say in public on politics etc. I have worked hard most of my life —now 41 years, which is fairly young, but ... I get the usual too old, too well qualified etc, etc, when trying for a job.

Nowadays I look after my children (single parent). Not easy to do, I'll tell you, and hard to make the dollars s-t-r-e-t-c-h.

Those people who find it too hard to support AR, just think about it. You could save 10 aluminium cans a week and, hey presto, in one year it equals AR magazine. Drink 10 on headache, and you have 10 cans a week (soft drink, of coursel), enjoy; it on headache, and you have 10 cans a week to how, really mate, lhave heaps of problems my way, and it's hard going, but if I didn't have my my drink to talk to people around here and overseas I would not have much of an outlet from home.

And, be honest, who wants your job, mate? I think it would be a hard act to follow: keep up the good work. CHEERS & 73

MAURICE STONEHOUSE (& KIDS) VKGNST 140 MEDINA AV MEDINA 6167 (Seems unlikely that 520 cans would have

(Seems untikely that 520 cans would have enough scrap or refund value, Maurice, but I guess it would help anyway! Ed).

SWL QSLs

I am prompted to write regarding QSL cards to VK regions.

I have been a SWL for almost three years and, in that time, have sent more than 200 QSL cards to various VK operators, but have yet to receive any in return. Whilst it is appreciated that not all operators respond to QSL cards, surely some would.

Is it possible that all SWL's QSL cards are ignored, either by the bureau or the operators themselves? If so, why? The "G" bureau has assured me they are sent regularly from here.

It is much more difficult for the SWL to log callaigns, as he does not have the facility to ask an operator to repeat his callsign should he not get it the first time, and some operators tend to string their own and that of who they are working, together, thus making it more frustrating.

When I first started listening, I would rise early to catch VK, but not any more. It's not worth the trouble!

Roy Bessant RS92837 43 Oldfield Dr Vicar's Cross, Chester England CH3 5LN

Value of WICEN Recent promotion of WICEN has received a cool reception locally for several reasons. Some of these are:

 The number of separate emergency organisations already existing, each with its own structure and communications.



The need is for greater integration and intercommunication, not the superimposition of an external body.

- sition of an external loody.

 2. Most amateurs enter the hobby to communicate with others with similar interests. They do it for recreation and enjoyment, not to perform a public service.

 3. Local amateurs recognise that they may
- ment, not to perform a public service.

 Local imatteurs recognise that they may be of use in an emergency. Consequently ity. However, they refuse to accept the fees, exercises, uniforms, procedures and paraphernalia of WICEN. If WICEN memberahip is a prerequisite for them to be used in an emergency, they are content to pursue their hobby and leave emergency operations to others. But, should an emergency operation to others, but should an emergency operation to others. But it should an emergency operation to others. But of their employment of the part o
- emergency body if required.

 4. Those amateurs interested in emergency communications are encouraged to join one of the rescue organisations whose members generally reveal only a limited knowledge of the operational and maintenance requirements of their communica-

tions equipment, and who could make effective use of amateur participation.

- effective use of amateur participation.

 5. In past major emergencies uncommitted
 amateurs have figured as prominently as
 WICEN members. Amateur regulations
 cover emergency operation and, subject to
 the control of relevant authorities, an
 amateur is entitled to engage in emergency communications.
- Whether involvement with WICEN would assist in preserving our spectrum space is questionable. The public has largely never heard of WICEN. It is the performance of individual amaturs that will count.
 We should, perhaps, consider the relevance

of WICEN before making our choices.

S V ELLIS VK2DDL

82 TAREE ST
TUNGURRY 2428

Do Regulations Matter?

Increasingly I hear "This is A signing off and clear with B".

If this is acceptable practice despite DOC71 para 25 (which tells us to put our own callsign last), I wonder what other regulations are not important!

The question seems to be whether some of the regulations are really intended to be just a "guide" or if, in fact, we are required by law to comply with all of them?

B T POINTON VK5BK

Box 41 Cambrai 5353

Non-Member's QSLs

Who knows which overseas bureaux do not accept non-member's cards? From returned cards, my list is growing, and now is: DARC (German), SARL (South African), REF (France) and NRRL (Norwegian).

And a French QSL manager for more than 200 stations who is not a member of REF, so no bureau cards will be accepted by REF for him.

Perhaps some help could be given to those wishing to obtain cards if they knew beforehand if they would ever reach their destination. I will keep a list if any correspondence from amateurs and SWLs is received, updating from time to time with a letter in AR. Any takers of the offer? The QSL manager, by the way, is F6FNL.

NEIL PENFOLD VK6NE
2 Moss Crt
KINGSLEY 6026
(VK9 AND 0 QSL MANAGER)

SOME THINGS HAVE NO COMPARISON



The magazine for the serious radio operator

AT YOUR NEWSAGENT EVERY MONTH

Have you advised DoTC of your new address?

HAMADS

TRADE ADS

◆ AMIDON FERROMAGNETIC CORES: For LF/HF/VHF/ UHF applications. Send DL size SASE for datalprice to R1 & US imports, Boy 431, Klama NSW 2533 (no enquiries at difice, please ... 14 Boarpo Ave, Klama), Agencies at Geoff Wood Electronics, Sydney, Web Beletronics, Abury, Assoc TV Service, Höbert, Electronic Components, ACT; Truscott Electronics. Melbourge.

e WEATHER FAX programs for IBM NTIATE, RADENZE SS, is a high resolution forthware weathers, mores & RTTY receiving program. Needes COA, SSBM radio & RADENZ decoder. Also REFERE, REFEREN and ROYAD, same as RADENZE but salable for Herocke, EDA and VOA carde MARCHAN and SSBM radio & RADENZE SSBM radio & R

FOR SALE - ACT

 HAM RADIO MAGAZINE Jan '77-June '91 plus "CQ" to Oct '91 15 years for \$25. GC. VK1US QTHR (06) 281 3587 any time.

FOR SALE - NSW

BOOKS and magazines relating to virilage and military ratio and radar covering technical and history. Some new, some old, some rare. Send \$2 for list which includes a bibliography of military ratio and radar poblications. Also advise specific warts. C Mackinson VR2DYM, \$2 Milss Rd, Glenhaven NSW 2158.
OECEASED ESTATE. Large quantity of military surplus

correponents for the collector/restorer. Send \$2 for list and advise your specific wants. C MacKinnon VK2DYM, 52 Mills Rd, Glenhaven NSW 2156.

• KENWOOD TS120V, VFO120, TL120 linear, noise-

cancelling mic, mobile mount, all VGC. Offers! Licensed amateurs only. Also UHF SWR meters. Phil VK2KEV QTHR (065) 76 1671.

• YAESU FT101ZD MKIIA HF txvr, EC. Original packing, handbook etc. YD148 desk mike, hand-mike, hi-mound Mors

key, spare finals included, S No 230836, \$695, lan VKZWR (02) 634 7210.

• YAESU FV101DM digital memory VFO. Original packing and handbook, absolutely as new cond. \$200, no offers.

VX2WR (02) 634 7210.

● TELETYPE ASR33 full ASCIII teleprinter 110BPS with integral paper tape reader and punch. Complete with technical manuals. \$10 one. VX2AEJ (02) 955 4025.

● EIMAC TUBE SOCKETS SK8008 SK8108 for 4CX1000 4CX15008 Eimac tubes 4CX15008 vacuum caps 500pF 15000V 1000pF 10000V antenna change-over relays 24VDC unused taken out of equipment 50K 70 watts bleed resistors 7°× 170, 670 gl at a135.

7" x 1"0. (o2) 918 3835.

■ SWAP YAESU FT707 ell band including WARC AM SSB CW-N-W 100W mobile serial no OH040106. Will SWAP for TS830 preferred, or TSS30. Len VK2EDQ QTHR (043) 32

● YAESU FT4700 RH dual band 70cm/2m xcvr. Ideal car or base. All sains include. Five or 10 waste output, deschable from panel, 20 memories per band, ARS CTCSS, tone encodeleleccide, full duplex crossband, extended frequency response, DTM microphone sustodiate (fideal top phone patch), Almost rew. Creat buy at \$650. VK2XJG (02) 388 1081 H. (02) 980 8915 Bus.

e RACAL Squadcal HF SSB 7-7MH; 20 channel inbuilt ATUC, enchangeable battery 200. Visuas FTD/SSB, VXCU, spare finals battery 250. Visuas FTD/SSB, VXCU, copier finals 550W input, 3300. Chiminide douband beam 10 fm. VXCO, STB, VXCOC CTHR (00)9 48 5267 evenings.

© URIUNGA Radio Convention WIA attilizated Australia's oddest 43 yrs Continuous Easter 1517 9 April fox humb disposals conceditions, linearly atmosphere, instanty holiday, Februar Information VX2CDU, VXCDAD, VXCBUI, V

 TOWER two-piece triangular lattice, 17-31ft, wind up with new tilt-over base, \$275. John VK2VJD, 550 Ocean Dr., North Haven 2443. Ph (185) 59 8598.

 ATN HF log periodic 20-30-6L continuous coverage 20-30MHz, six elements, 8.5dBi gain, EC, \$375. Scott VK2JAG (02) 988 2026

FOR SALE - VIC

 PIPE ALUMINIUM 3mm thick 4cm C/dia 8m long, good \$38. ICOM IC271A all-mode boy 2m 144MHz S/N 01383 manual, perfect, \$950. VK3DVT QTHR (03) 592 6238.

manual, perietr, selou VISSEVT QTERT (IX) 932 0239.

"YAESU FT290R 2m all-mode sh 1070498 with case, nicads, manual, EC \$300. ITT 4H at 0.8 amp, 500 words choke \$20. ITT 820v at 190ms transformer, \$20. MICROWAYE Corp step attenuato, six sections, BNC connect, \$25. Roger VK3XRS (051) 56 8291.

 COLLINS KWM2A tovr plus 30L1 linear ampl inc instr books, all in EC. No mods. \$2300 lot. Rob VK3JE (060) 37 1262 or (03) 584 5737.

KENWOOD TS440S HF tovr with mic and manual. \$1625.
Bert VK38H QTHR (03) 857 9438.

DECEASED ESTATE, OSKER BLOCK VSWR mater for

a DICE-SEADI ESTATE. COOKER INC. CV VOVO make to per control of the control of

 IC751 HF tovr with internal AC power supply and stabilise crystal oven, immac cond. Asking \$2000, but will consider reasonable offer. Ian VK3AQH (057) 52 2631.

FOR SALE - QLD

COMMUNICATIONS receivers test explorment, mainly valve, SWL estate, send A4 SSAE for prices. Peter Hodgraft, 17 Paxton St., Holland Park 1421, (97) 397 3751.
FREE-STANDING triangular galvarised into tower, 9m high intere both-topether sections, sided statisched; bearings mounted in tp section, \$100. Mostey TA33 triband yagi beam 20, 15 and 10m, \$100. (07) 882 3458.

FOR SALE - SA

YAESU 2m gutter mount stub 80m 40m 20m screw-on whips, \$150. EMTRON EAT300 ATU \$160. VK58VJ QTHR

(087) 38 0000.

■ ICOM IC761 super tovr s/n 02010 quadruple conversion gen coverage RX built-in ATU electronic CW keyer HM 38 mike, As new, little used, boxed, Barcain \$2650, (08) 339

2755

FOR SALE - TAS

● FIVE HAM RADIO magazine binders, new cond, suit AR/ EA etc, \$10 + post. Town VK7TL C11H2 (000); 23 8755.
● JRC, LST135 txv new, not used, boxes books mic 150wolp receiver 130ks-30mHz \$2050. Also NIVA88 matching speaker JST135, \$150. KEHWOOD TM2414.2 mFM mobile, new, receives 118MHz-174MHz 50w high 10 w low, \$550.
no. DRUI digital record unit \$150. Suits TM2414 VK7AN

WANTED - NSW

 ANY PAPERWORK OR MANUALS for Marconi sig gen mod TF801/A. Will pay all costs. VK2KNN Col Davis QTHR (AM) 52 7301

 TO SUIT KENWOOD TS680 ATU (prefer automatic AT250 or similar) and 20A power supply. Brad VK2KQH (02) 906 5855 BH, 018 640 377

QTHR (003) 27 1171.

● 70CM TRANSVERTER module for Yaesu FTV-107R, FTV-700 etc, working or otherwise. Scott VK2JAG (02) 968 2026. ● 61468 VALVES wanted, new or used, but prefer the vacuum to be in one cieca. VK2ZHM OTHR (02) 417 5338.

WANTED - VIC

 No 109 Army radio set in reasonable cond, or parts for same, lan VK3AYK QTHR (03) 428 5383 BH, (03) 523 9405 AH.
 YAESU FT790R 70cm bxvr and MMB-11 mobile bracket.

VK3ZJC QTHR.

WANTED - QLD

■ COLLINS RECEIVER 32S3 or similar, transformer to suit
2x813 FG 2KV AT 1AMP OR SIMILAR VK4CRO OTHR (07)

WANTED - SA

 COPY OF CIRCUIT diagram of amateur band recvr LAFAYETTE model HAS00, all expenses paid, call Bruce on (06) 382 1563.

WANTED - WA

 BASE DIAGRAM and characteristics 6BJ5/N78 and EBF3SM valves. Ken Gillon VK6ZA, (09) 398 7829.

Spreadeagled

continued from page 51) (We hop(e) you found the article by Dr Kidden technically informative. Please do take careful note of his name and callsign and the month in which we have published the item, which was submitted by Richard Murnane VESSKY of De Why, Ed)

Stolen Equipment

Date Equipment Ser No From 26 Feb '92 Kenwood TH75A UHF/UHF 0061315 VKEKCH Chris Hill h/h transceiver plus accessories: carry case speaker/mic, mobile power lead ? Kenwood TS440S HF txvr 9100338 VK6ELL

> Elliott Greenfield

Signals. A History of the Royal **Australian Corps of Signals** 1788-1947. Theo Barker

ISBN 0 7316 0361 1. Royal Australian Corps of Signals, Canberra. 1987.

Subject: History of Army Signals in Australia

The RACS commissioned this history and the author had access to many of the official documents relating to the Corps. The book covers the historical, organisational and technical aspects of Army Signals. The earliest use of signals in Australia was via flags from ship to shore in 1788, then semaphore posts were set up for visual telegraph signalling and, still later, heliographs and lime lights were used. Illustrations of this early equipment are included. A great deal of Army Signals was, and still is, via telegraph lines, and the book deals in depth with the evolution of telegraph and telephone sets, mostly following English designs.

Interest in wireless in the Army can be traced to early experiments in 1910 between amateurs who also happened to be in the reserve forces, but the first wireless sets officially used in the AMF were Marconi Pack Sets issued to the Light Horse in 1913. Several chapters of Theo's book deal with the development of wireless for Signals, and the various sets introduced over the years up to 1947. The military establishment is not quick to adopt new technology and it is interesting to note that pathetically primitive English wireless sets designed

in 1926 were still in service in Australia in 1940!

This book is a well rounded history of the signal Corps, and has plenty of detail for those interested in military wireless/radio. Whilst it does not go into specifics of individual sets, it is a useful chronology and has an appendix listing many of the wireless sets used by the Army. The book has 362 pages, including maps and organisational charts, and there are a number of photos of wireless sets, including the WS 208, No 11 and No 128,

Do not confuse this publication with an earlier SIGNALS - Story of the Australian Corps of Signals.

The book has 362 pages and size A5. It may possibly be available still from the Australian War Memorial for about \$35 (plus post?) and is definitely available from VK2DYM for \$35 including post. VK2DVM

ar

Hamads

ease Note: If you are advertising items For Sale and Wanted please use a separate form
r each. Include all details; eg Name, Address, Telephone Number (and STD code), on
oth forms. Please print copy for your Hamad as clearly as possible.
Eight lines per issue free to all WIA members, ninth line for name and address
ommercial rates apply for non-members. Please enclose a mailing label from this

Deceased Estates: The full H. ock letters to PO Box 300.

ld South, Vic 3162, by the deadline as in

					stampe	id envek	ope if a	in ack	nowle	odzeme	ant
	Hamad										
dinary	Hamad	s sub	mitted	from	member	s who a	re deer	ned to	be i	n gene	ral

articles not being re-sold for merchandising purpos

ecial advertising are as follows: \$25.00 for four

		 State:		
				*
Not for publication	n: D.	 Discoorte	District	

...... Call Sign:

.... Address: .

Solution to Morseword No 61

Page 52

	1	2	3	4	5	6	7	8	9	10
1	-				-		-		-	-
			-		•	-	-			٠
	•			-		-	-	٠	٠	•
			-				-		-	•
					-		-	•		-
	F	-		•		-	-		-	
	-	-					~		•	-
			-			•	_	-	-	•
				-	-	-	-	-	-	-
0					-					

Across: 1 denim; 2 fade; 3 stab; 4 hike; 5 sale; 6 rims; 7 gilt; 8 fug; 9 swot; 10 Down: 1 diets; 2 seats; 3 rife; 4 uses; 5 drew: 6 pain: 7 jog: 8 hip: 9 Titian: 10

TRADE PRACTICES ACT

THADE PHACTICES ACT It is impossible for us to ensure the adver-tisements submitted for publication comply with the Trade Practices Act 1974. There-fore advertisers and advertising agents will appreciate the absolute need for themselves to ensure that, the provisions of the Act are complied with strictly.

VICTORIAN CONSUMER AFFAIRS ACT All advertisers are advised that advertise-ments containing only a PO Box number as the address cannot be accepted without the addition of the business address of the boxholder or seller of the goods.

TYPESETTING .

Magazine Graphics PO Box 72 Caulfield Sth, 3162 Ph: 528 1033

PRINTING:

Industrial Printing Richmond

MAIL DISTRIBUTION: R L Polk & Co Pty Ltd PO Box 140. Tel:(03) 417 5161

The opinions expressed in this publica-tion do not necessarily reflect the official view of the WIA, and the WIA cannot be held responsible for incorrect informa-tion published.

ADVERTISERS INDEX MARCH 1992

Electronics	World Disposals 16
Emtronics	28
ICOM	OBC
Kenwood El	ectronicsIFC
Stewart Ele	ctronics18
WIA Booksh	iopsIBC
WIA NSW E	Division42
TRADE HA	MADS
M Delahunt	<i>j</i> 54
RJ & US Im	ports54

Amateur Radio Action53 Dick Smith Electronics 32-36

HOW TO JOIN THE WIA

Fill out the following form and send to:

The Membership Secretary Wireless Institute of Australia PO Box 300 Caulfield South, Vic 3162

I wish to obtain further information about the WIA.

Mr, Mrs, Miss, Ms:....

Call Sign (if applicable):.....

Address:

State and Postcode:....

WIA Slow Morse **Transmissions**

VK2BWI nightly at 2000 local on 3550 kHz

VK2RCW Continuous on 3699kHz and 144.950MHz 5wpm, 8wpm, 12wpm

VK3BCW Continuous on 144.950MHz 5wpm, 10wpm

VK4WIT Monday at 0930 UTC on 3535kHz

VK4WCH Wednesday at 1000 UTC on 3535kHz

VK4AV Thursday at 0930 UTC on 3535kHz

VK4WIS Sunday at 0930 UTC on 3535kHz

VK5AWI Nightly at 1030 UTC on 3550 kHz

VK6RAP Nightly at 2000 local on 146,700MHz

VK6WIA Nightly (except Saturday) at 1200 UTC on 3.555MHz

WIA Divisional Bookshops

The following items are available from your Division's Bookshop (see the WIA Division Directory on page 3 for the address of your Division)

	Ref	Price to Members		Ref	Price to Members
ANTENNA BOOKS					members
Ant. Compendium Vol 2 Software only Antenna Compendium Vol 1 ARRL	BX293	\$18.00	MORSE CODE (Contd)		
Antenna Compendium Vol 2 & Software ARRL	BX163 BX294	\$19.80 \$32.40	Morse Code 6 Tapes 5-13 WPM Code Course - Gordon West Morse Code 6 Tapes Novice Code Course - Gordon West	BX230 BX229	\$83.90 \$63.90
Antenna Compendium Vol 2 ARRL	B00292	\$21.60	Morse Code Tapes Novice Code Codise - Sorboll West	800331	\$16.70
Antenna Handbook - Orr - 1988	800217	\$23.00	Morse Code Tapes Set 2: 10-15 WPM - ARRL	BX332	\$16.70
Antenna Impedance Matching - APRL - 1989	BXC257	\$27.00	Morse Code Tapes Set 3: 15-22 WPM - ARRI.	800333	\$16.70
Anterna Note Book W1FB - ARRL - 1987 Anterna Pattern Worksheets Pkt of 10 - ARRL	BX179 BX211	\$18.00 \$5.40	Morse Code Tapes Set 4: 13-14 WPM - ARRL	BX334	\$16.70
Antennas 2nd ed John Kraus - 1988	BX259	\$93.60	Morse Tutor 5.25 inch IBM Disk	BX187	\$18.00
Beam Antenna Handbook - New ED, 1990 Orr	800215	\$23.00	OPERATING		
Easy Up Antennas	MFJ38	\$35.30	Amateur Radio Awards Book - RSGB	800297	\$27.00
Cubical Quad Antennas - Orr	BX214	\$19.20	DXCC Companion	8X345	\$10.80
HF Antennas - Moxon RSGB - 1988 Novice Antenna Notebook DeMaw - ARRL	8X188 8X182	\$27.00	FCC Rule Book A Guide to the FCC Regulations	8X379	\$16.20
Practical Wire Antennas - RSG8	8X296	\$25.20	Low Band DXing - John Devolders Maidenhead Locator-Grid Atlas - APRL	8X195 8X197	\$18.00 \$9.00
Reflections - Software Sin disk	8X358	\$18.00	Operating Manual - ARRL - 1990 3rd Edition	8X192	\$27.00
Reflections - Transmission lines The Book - ARRL - 1990	8X348	\$36.00	Operating Manual - RSG8 - 1985 3rd Edition	8X359	\$25.20
Simple Low Cost Wire Antennas	8X215	\$23.00	Passport to World Band Radio 1991	8X346	\$30.60
Smith Chart Expanded Scale PK of 10	8X903	\$5.90 \$5.90	Prefix Map - The World Flat on Heavy Paper	8X335	\$14.40
Smith Charts S/Scale 1 Set co-ord Imp/Admir Pack of 10 Smith Charts Stand Scale 1 SET Co-or, PK of 10	8X900 8X900	\$5.90	Prefix Map of North America	8X235	\$7.20
The Antenna Handbook - ARRL1991, 16th edition	8X370	\$38.00	Prefix Map of The World Radio Amateurs World Map	8X234 8X236	\$7.20 \$7.20
The Truth About C8 Antennas - Orr	8X219	\$23.00	Short Wave Propagation Handbook	8X268	\$16.70
Transmission Line Transformers - ARRL 2nd edition	8X329	\$36.00	The Complete DXer - Bob Locher - 1989	BX194	\$18.00
Vertical Antenna Handbook - Lee - 1990	8X284	\$16.70	Transmitter Hunting - TAB - 1987	BX222	\$32.30
Vertical Antennas - Orr - 1988	BX220	\$21.10			
Yagi Antenna Design - ARRL - 1985	8X164	\$27.00	PACKET HADIO BOOKS		
ATV BOOKS			AX.25 Link Layer Protocol - ARRL Computer Networking Con (Packet) No 5 1986 - ARRL	BX178	\$14.40
The ATV Compendium - BATC	BX270	\$15.80	Computer Networking Con (Packet) No 6 1987 - ARRL	BX167 BX168	\$18.00 \$18.00
			Computer Networking Con (Packet) No 7 1988 - ARRL	BX184	\$22.50
CALL BOOKS Radio Call Book International	B)(339	\$57.60	Computer Networking Con (Packet) No 8 1989 - ARRL	800295	\$21.60
Radio Call Book North America	800338	\$57.60	Computer Networking Con (Packet) No 9 1990 - ARRL	E003E0	\$21.60
	DA320	\$37.60	Computer Networking Con (Packet) No 10 1991 - ARRL	800387	\$22.50
FICTION			Computer Networking Conf (Packet) 1-4 1982/5	BX166	\$32.40
CO Brings Danger - ARRL	BX206	\$9.40	Gateway to Packet Radio 2nd edition - ARRI. Packet Radio Made Easy - Rogers	BX169 MFJ32	\$21.60 \$18.50
CQ Ghost Ship - ARRL Death Valley QTH - ARRL	8X204 8X205	\$9.40 \$9.40	Packet Hadio made casy - Hogers	Mr.JJ2	\$10.20
Grand Carryon QSO - ARRL	BX205	\$9.40	SATELLITE BOOKS		
Murder By QRM - ARRL	80(208	\$9.40	Oscar Satelite Review - Ingram	MFJ31	\$15.30
SOS At Midnight - ARRL	8X209	\$9.40	Safellite AMSAT-NA 5th Symposium 1987 - ARRL	BX182	\$15.80
			Safelite AMSAT-NA 6th Symposium - ARRL	8X199	\$15.80
HANDBOOOKS APRIL Handbook – 1992	80(369)	\$47.60	Safelite Anthology - ARRL Safelite Experimenters Handbook 1990 edition	8X180 8X177	\$14.40 \$36.00
Electronics Data Book - ARRL - 1988	8X201	\$21.60	Space Almanac - ARRL - 1990	8X299	\$36.00
Mobile Radio Handbook	MFJ33	\$22.50	Weather Salellite Handbook - ARRIL	8X324	\$36.00
Motorola RF Device Data - 2 Volumes	BX47	\$23.00	Weather Satellite Handbook Software only - ARRL	8X326	\$18.00
Radio Communication Handbook - RSGB	8X266	\$50.40	VHF/JHF/MICROWAVE		
Radio Data Reference Book - RSGB - 1985	BX189	\$32.40	All About VHF Amaleur Radio - Orr - 1988	8X216	\$23.00
Radio Handbook 23rd edition - Bill Orr Radio Theory For Amaleur Operators - Swainston - 1991	8X224 8X265	\$53.90 \$38.70	Microwave Handbook Vol 1 - RSGB - 1989	BX318	\$63.00
Hadio Filediy Fol Alliaites Operators - Swallston - 1391	DA203	\$30.70	Microwave Update Con. 1987 - ARRIL	8X174	\$15.80
HISTORY			Microwave Update Con. 1988 - ARRI,	8X183	\$15.80
200 Meters and Down 1936 - ARRL	BX195	\$7.20	Microwave Update Con. 1989 - ARRI.	8X321	\$21.60
50 Years of the ARRL - 1981	BX196	\$7.20	Mid Atlantic VHF Con. October 1987 - ARRL	BX175	\$15.80
Big Ear - Autobiography Of John Kraus WBJK - 1976	BX363	\$11.30	RSGB Microwave Handbook Vol 12	8X437	\$63.00
Golden Classics of Yesterday - Ingram Spark to Space - ARRL 75th Anniversary - 1990	MFJ30 BX310	\$19.40 \$36.00	Spread Spectrum Source Book - ARRL - 1991 UHF Compendium Part 1 & 2 Vol 1	BX365	\$38.00 \$67.50
	5,510	********	UHF Compendium Part 3 & 4 Vol 2	BX250 BX251	\$67.50
INTERFERENCE BOOKS			UHF Compendium Part 5 German Only	BX354	\$50.20
Interference Handbook - Nelson - 1989	BX181	\$23.00	UHF/Microwave Experimenters Manual - ARRL - 1930	800325	\$36.00
Radio Frequency Interference - ARRIL	BX188	\$13.50	UHF/Microwave Experimenters Software 5 inch Disk - ARRL	BX327	\$18.00
MISCELLANEOUS			VHF 21st Central States Con. 1987 - ARRL	BX172	\$15.80
Arnidon Ferrite Complete Data Book	8X44	\$9.00	VHF 22nd Central States Con. 1988 - ARRL VHF 23nd Central States Con. 1989 - ARRL	BX173 BX286	\$15.80 \$15.80
Design Notebook W1FR - ARRIL	B00357	\$18.00	VHF 24th Central States Con. 1990 - ARRL	800322	\$21.60
Ham Radio Communications Circuit Files Help For New Harns DeMaw - ARRL	MFJ37	\$22.50	VHF 25th Central States Conference 1991 - ARRU	BX438	
Hints and Kinks 12th edition - ARRI,	BX308 BX330	\$18.00 \$14.40	VHF/UHF Manual - RSGB	800267	\$43.20
Novice Notes. The Book - ARRL QST	BX296	\$10.80	WIA MEMBERS SUNDRIES		
ORP Classics - ARRL OST	BX323	\$21.60	Log Book Covers		\$16.00
GRP Note Book - New 2nd edition ARRL	BX170	\$18.00	WIA Badge - Diamond		\$4.00
Radio Astronomy 2nd edition - John D Kraus	BX262		WIA Badge - Diamond With Call Sign Space		\$4.00
Radio Auroras RSGB New 1991	8X381	\$27.00	WIA Badge - Traditional Blue		\$4.00
Radio Buyers Source Book – ARRL = 1991 Shortwave Receivers Past and Present	8X377 8X253	\$27.00	WIA Badge - Traditional Red		\$4.00
Solid State Design - DeMaw ARRL	8X171	\$21.60	WIA Car Window Stickers		\$0.50
	94171	341.00	WIA Tape - Sounds of Amateur Radio		\$7.00
MORSE CODE Advanced Morse Tutor - 3.5 inch Disk	8X328	\$36.00	WIA PUBLICATIONS		
Advanced Morse Tutor - 5.25 inch Disk	8X328	\$36.00	Australian Radio Amateur Call Book - 1992		\$10.00
Morse Code 2 Tapes Novice Code Course - Gordon West	BX228	\$17.90	Band Plans Booklet		\$2.80
Morse Code 6 Tapes 13-20 WPM Code Course - Gordon West	8X231	\$63.90	WIA Log Book - Horizontal or Vertical Format WIA Novice Study Guide		\$5.00 \$1.50
Net all leaves of any angeliate from 18 Policy			The state of the s		41.00

Not all items above are available from all Divisions (and none is available from the Executive Office).

If the item is carried by your Divisional Bookshop, but is not in stox, your order will be taken and filled as soon as practicable. All prices are for WIA members only—postage and packing, if applicable, is extra.

All orders must be accompanied by a remittance.





IC-765

Our Base Units Have So Many Features, These Pictures Speak Louder Than Words.



IC-781

ur features speak volumes. Rather than write hundreds of words to introduce our range of base units, we'd like you to phone us free on (008) 338 915. We'll provide you with detailed brochures and the name of your nearest authorised lcom dealer.

Alternatively, you can write to Reply Paid 1009 Icom

Australia Pty Ltd P.O. Box 1162 Windsor Victoria 3181.

Telephone (03) 529 7582 A.C.N. 006 092 575

L.L. Brown Advertising 3909